

# Location Detail

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: &lt;Choose&gt;; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address

**Location:** 1st People Community Federal Credit Union  
**Address:** 153 Baltimore St - Cumberland, MD 21502-2301  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 701787  
**Phone:**  
**NOB/SIC:** Credit Unions, Federally Chartered  
**Primary Contact:** Sam Shipley - Phone: 301-783-3065  
**Billing Contact:** Sam Shipley - 153 Baltimore St Cumberland, MD 21502-2447 - Phone: 301-783-3065

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089594H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2570927	Weil-McLain	1995	09/14/2022	Recurring Cert	Active	Basement
<b>Total Objects at this Location:</b>				1							

**Location:** Airgas USA, LLC  
**Address:** 15401 McMullen Hwy SW - Cumberland, MD 21502-6200  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 729252  
**Phone:**  
**NOB/SIC:** Department Stores  
**Primary Contact:** Francis Bramande - Phone: 301-729-2515  
**Billing Contact:** Francis Bramande - 15401 McMullen Hwy SW Cumberland, MD 21502-6200 - Phone: 301-729-2515

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090349H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	439500542	Dunkirk	1995	09/14/2021	Recurring Cert	Active	Bst Filling Bld
<b>Total Objects at this Location:</b>				1							

**Location:** Allegany Co/Office Complex  
**Address:** 701 Kelly Rd - Cumberland, MD 21502-2882  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 702431  
**Phone:** 301 777-5933 x215  
**NOB/SIC:** Public Order and Safety, NEC  
**Primary Contact:** Bruce Smith - Phone: 301-777-5933- ext 215 - Email: bsmith@alleganygov.org  
**Billing Contact:** Bruce Smith - 701 Kelly Rd Cumberland, MD 21502-2882 - Phone: 301-777-5933- ext 215 - Email: bsmith@alleganygov.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD049854V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00015702C		Brunner	1981	07/12/2022	Recurring Cert	Active	MECH RM
<b>Total Objects at this Location:</b>				1							

**Location:** Allegany United Methodist Church  
**Address:** 17709 Mount Savage Rd NW - Frostburg, MD 21532-3031  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 2000855  
**Phone:** 301-689-8519  
**NOB/SIC:** Religious Organizations  
**Primary Contact:** Peggy Sween - Phone: 301-689-6376 - Email: peggys8@verizon.net  
**Billing Contact:** Peggy Sween - 17413 Mount Savage Rd NW Frostburg, MD 21532-3026 - Phone: 301-689-6376 - Email: peggys8@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167592H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000306613		AIC Tuchom	2018	09/01/2022	Recurring Cert	Active	Blr Rm
<b>Total Objects at this Location:</b>				1							

**Location:** Automax G & G Auto Sales Inc  
**Address:** 19203 McMullen Hwy SW - Rawlings, MD 21557-2401  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 703390  
**Phone:**  
**NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Wolfgang Hofacker - Phone: 301-729- 2973  
**Billing Contact:** Wolfgang Hofacker - 19201 McMullen Hwy SW Rawlings, MD 21557-2401 - Phone: 301-729- 2973

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160567V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000622754		CPC	1997	09/22/2022	Recurring Cert	Active	BACK RM
MD168505V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001853719		Manchester	2017	01/08/2023	Recurring Cert	Active	BACK ROOM

**Total Objects at this Location:** 2

**Location:** B & B Rentals, LLC.  
**Address:** 513 National Hwy - Cumberland, MD 21502-7038  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Jason Bloom - Cell: 301-707-7570 - Email: oldstuff54@gmail.com  
**Billing Contact:**

**Location ID:** 705458  
**Phone:**  
**NOB/SIC:** Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD095435H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	82437-0596	Peerless	1997	08/02/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** B C Concrete of Cumberland, Inc.  
**Address:** 61 National Hwy - Lavale, MD 21502-7029  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Bill Durst - Phone: 301-724-2000  
**Billing Contact:** Bill Durst - 61 National Hwy Lavale, MD 21502-7029 - Phone: 301-724-2000

**Location ID:** 708397  
**Phone:** 301-724-2000  
**NOB/SIC:** Concrete Block and Brick

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD029147V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000192384		Manchester	2007	08/21/2022	Recurring Cert	Active	Block Plant
MD092450V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000089733		Brunner	1995	08/21/2022	Recurring Cert	Active	Redi Mix
MD092474H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1995	08/21/2022	Recurring Cert	Active	Maint Shop
MD144217H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Crown	2011	08/21/2022	Recurring Cert	Active	Redi Mix
MD146848V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000065129		Brunner	2011	08/21/2022	Recurring Cert	Active	BLOCK PLANT

**Total Objects at this Location:** 5

**Location:** Baltimore Pike Volunteer Fire Department  
**Address:** 15010 Baltimore Pike NE - Cumberland, MD 21502-6317  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Baltimore Pike Volunteer Fire Department - Phone: 301-724-4170  
**Billing Contact:** - PO Box 359 Cumberland, MD 21501-0359 - Phone: 301-724-4170

**Location ID:** 703764  
**Phone:** 301-724-4170  
**NOB/SIC:** Business Associations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167528H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Bosch	2019	07/21/2022	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Bedford Street Automotive Inc  
**Address:** 1109 Bedford St - Cumberland, MD 21502-1208  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Dave Killander - Phone: (301) 724-3505  
**Billing Contact:** Dave Killander - 1109 Bedford St Cumberland, MD 21502-1208 - Phone: (301) 724-3505

**Location ID:** 704075  
**Phone:** 301-724-3505  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145082V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000160932	M179552	Morganton	2011	03/23/2023	Recurring Cert	Active	garage under shop

**Total Objects at this Location:** 1

**Location:** Bel Air Car Wash  
**Address:** 15701 McMullen Hwy SW - Cumberland, MD 21502-6203  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Glen M. Lee - Phone: 301-707-2448  
**Billing Contact:** Glen M. Lee - 15701 McMullen Hwy SW Cumberland, MD 21502-6203 - Phone: 301-707-2448

**Location ID:** 704097  
**Phone:**  
**NOB/SIC:** Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124959H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000072290	72290	Weben-Jarco	2006	03/21/2022	Recurring Cert	Active	Mechanical Room
MD141794V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000122187	141425	Morganton	2011	03/21/2022	Recurring Cert	Active	Mechanical Room

**Total Objects at this Location:** 2

**Location:** Bethel Church Of Nazarene  
**Address:** 11720 Valley Rd - Cumberland, MD 21502-8163  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 704476  
**Phone:** 301-724-9343  
**NOB/SIC:** Religious Organizations  
**Primary Contact:** Bethel Church Of Nazarene - Phone: 301-724-9343  
**Billing Contact:** - 11720 Valley Rd NE Cumberland, MD 21502-8163 - Phone: 301-724-9343

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112645H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	35034207	Burnham	1997	05/13/2023	Recurring Cert	Active	Basement
MD112646H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		National Radiator	1965	05/13/2023	Recurring Cert	Active	Basement

**Total Objects at this Location:** 2

**Location:** Bill Miller Equipment Sales  
**Address:** 10200 Parkersburg Road - Eckhart Mines, MD 21528  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 704628  
**Phone:** 301-689-1013  
**NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Bill Miller Equipment Sales - Phone: 301-689-1013  
**Billing Contact:** - 10200 Parkersburg Road Eckhart Mines, MD 21528 - Phone: 301-689-1013

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167082H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000642203		Crown	2017	03/08/2022	Recurring Cert	Active	MAINT. SHOP

**Total Objects at this Location:** 1

**Location:** BW Housing Inc  
**Address:** 125 Fayette St - Cumberland, MD 21502-2879  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 724152  
**Phone:**  
**NOB/SIC:** Religious Organizations  
**Primary Contact:** BW Housing Inc  
**Billing Contact:** - 213 Fayette St Cumberland, MD 21502-2832

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD006059H		Cast Iron	H - Hot Water Heat (Water <=	CI	G-607	American Standard	1972	09/08/2022	Recurring Cert	Active	Parish Center

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

160 psig, 250 F)

**Total Objects at this Location:** 1

**Location:** Caporale Italian Bakery  
**Address:** 153 N Mechanic St - Cumberland, MD 21502-2315  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Dave or Cindy Caporale - Phone: 301-722-7755 - Email: cap2@attanticbbn.net  
**Billing Contact:** Dave or Cindy Caporale - 153 N Mechanic St Cumberland, MD 21502-2315 - Phone: 301-722-7755 - Email: cap2@attanticbbn.net

**Location ID:** 705925  
**Phone:** 301-722-7755  
**NOB/SIC:** Grocery Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168506H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		US Boiler	2019	12/28/2022	Recurring Cert	Active	BAKERY

**Total Objects at this Location:** 1

**Location:** Certified Restoration Dry Cleaning Network  
**Address:** 6 Market St - Cumberland, MD 21502-2215  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Sean Gallion - Email: sean@schroedlcleaners.com  
**Billing Contact:** Sean Gallion - 6 Market St Cumberland, MD 21502-2215 - Email: sean@schroedlcleaners.com

**Location ID:** 712965  
**Phone:** 301-722-4747  
**NOB/SIC:** Offices of Bank Holding Companies

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141105H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI-2		Burnham	2004	05/14/2022	Recurring Cert	Active	basement

**Total Objects at this Location:** 1

**Location:** Chessie Federal Credit Union  
**Address:** 316 Paca St - Cumberland, MD 21502-2817  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Chessie Federal Credit Union  
**Billing Contact:** - 316 Paca St Cumberland, MD 21502-2817

**Location ID:** 702381  
**Phone:** 301-722-5446  
**NOB/SIC:** Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138501H		Cast Iron	H - Hot Water	CI	B000484870	Crown	2010	03/28/2023	Recurring Cert	Active	BLRM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								
<b>Total Objects at this Location:</b>				1							

**Location:** Chick-Fil-A  
**Address:** 221 Williams St - Cumberland, MD 21502-3537  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Chick-Fil-A  
**Billing Contact:**

**Location ID:** 3629866  
**Phone:** 301-722-0086  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168500V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000338975		CHART	2020	12/16/2022	Recurring Cert	Active	Store room
<b>Total Objects at this Location:</b>				1							

**Location:** Country Trains  
**Address:** 14009 South Gardner Avenue - Ellerslie, MD 21529  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Janise Bernier - Phone: 301-759-3605  
**Billing Contact:** - PO Box 250 Ellerslie, MD 21529-0250

**Location ID:** 1607354  
**Phone:**  
**NOB/SIC:** Nonclassifiable Establishments

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD047403H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1980	04/13/2022	Recurring Cert	Active	Boiler Room
<b>Total Objects at this Location:</b>				1							

**Location:** Crabby Pig **Location ID:** 1338436  
**Address:** 14 Howard St Bldg 1A - Cumberland, MD 21502-3098 **Phone:** 301-724-7472  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Terry L. Crawford - Phone: 301-724-7472 - Cell: 301-759-9316 - Email: terrylcrawford@atlanticbb.net  
**Billing Contact:** Terry L. Crawford - 14 Howard St Bldg 1A Cumberland, MD 21502-3098 - Phone: 301-724-7472 - Cell: 301-759-9316 - Email: terrylcrawford@atlanticbb.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168959H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI		Burnham	2020	03/19/2023	Recurring Cert	Active	Cook Room
<b>Total Objects at this Location:</b>				1							

**Location:** Cracker Barrel **Location ID:** 3677627  
**Address:** 13 Campground Rd - Cumberland, MD 21502-7541 **Phone:**  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:**  
**Primary Contact:** Cracker Barrel  
**Billing Contact:** Kimberly Sanders - PO Box 787 Lebanon, TN 37088-0787 - Phone: 888-856-1853 ext7009 - Email: kimberly.sanders@crackerbarrel.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154543V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000280040	31532170	CHART	2015	05/10/2022	Recurring Cert	Active	Storeroom
<b>Total Objects at this Location:</b>				1							

**Location:** Cresaptown United Methodist Church **Location ID:** 708258  
**Address:** 14805 McMullen Hwy SW - Cumberland, MD 21502-5611 **Phone:** 301-777-3074  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:** Membership organizations  
**Primary Contact:** Tom Cecil - Phone: 301 729 0052 - Cell: 301-729-8792 (home) - Email: kathy.cecil@cresapumc.org  
**Billing Contact:** Tom Cecil - PO Box 5206 Cumberland, MD 21505-5206 - Phone: 301 729 0052 - Cell: 301-729-8792 (home) - Email: kathy.cecil@cresapumc.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072698H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1669347	Weil-McLain	1990	08/16/2022	Recurring Cert	Active	Boiler Room
MD072699H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1626005	Weil-McLain	1990	08/16/2022	Recurring Cert	Active	Boiler Room
MD072700H		Cast Iron	H - Hot Water	CI	1626004	Weil-McLain	1990	08/16/2022	Recurring Cert	Active	Boiler Room



Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072701H		Cast Iron	Heat (Water <= 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1626007	Weil-McLain	1990	08/16/2022	Recurring Cert	Active	Boiler Room
MD072702H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1626014	Weil-McLain	1990	08/16/2022	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 5

**Location:** CSX Yard and Shops/Cumberland  
**Address:** 16 E Offut St - Cumberland, MD 21502-4749  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** CSX Yard and Shops  
**Location ID:** 1133951  
**Phone:**  
**NOB/SIC:** Tanks and Tank Components  
**Billing Contact:** Bucky Weaver - 16 E Offutt St Cumberland, MD 21502-4749 - Phone: 240-587-8697

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD071677V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000620294		Buckeye	1985	03/18/2022	Recurring Cert	Active	WASTE WATER
MD089948V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000111074		Steel Fab	1995	03/18/2022	Recurring Cert	Active	SERVICE CENT
MD118742V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000211815		Steel Fab	1999	03/18/2022	Recurring Cert	Active	ROY ROGERS
MD118744V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000211819		Steel Fab	1999	03/18/2022	Recurring Cert	Active	SUBWAY
MD137977V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000435728		Silvan	2004	03/18/2022	Recurring Cert	Active	EVETTS CREEK
MD138524V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000485093		LAGRANGE	2010	03/18/2022	Recurring Cert	Active	SERVICE CNTR
MD138525V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000485098		LAGRANGE	2010	03/18/2022	Recurring Cert	Active	SERVICE CNTR
MD140045V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000672430		Steel Fab	2010	03/18/2022	Recurring Cert	Active	SRVC CENTER
MD140046V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000030166		Buckeye	2011	03/18/2022	Recurring Cert	Active	SRVC SAND

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140047V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000661827		Silvan	2010	03/18/2022	Recurring Cert	Active	SERVICE CNTR
MD140048V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000410297		Steel Fab	2005	03/18/2022	Recurring Cert	Active	OUTSIDE
MD143406V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000504028		Lagrange	2012	03/18/2022	Recurring Cert	Active	MEXICO FARMS
MD143448V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000143879		Manchester	2006	03/18/2022	Recurring Cert	Active	WASTE WATER
MD148709V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000770769		Silvan	2014	03/18/2022	Recurring Cert	Active	CAR SHOP
MD153740V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000562784		LAGRANGE	2015	03/18/2022	Recurring Cert	Active	ROY ROGERS
MD153741V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040733		Van Air	2014	03/18/2022	Recurring Cert	Active	VINE ST
MD153743V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000781648		Silvan	2014	03/18/2022	Recurring Cert	Active	WEST HUMP
MD153744V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000781653		Silvan	2014	03/18/2022	Recurring Cert	Active	VINE ST
MD160524V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854300		Steel Fab	2017	03/12/2022	Recurring Cert	Active	WASTE WATER
MD160525V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000593413		Lagrange	2017	03/12/2022	Recurring Cert	Active	WASTE WATER
MD160526V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000583802		Lagrange	2016	03/12/2022	Recurring Cert	Active	EVETTS CREEK
MD160527V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000555220		Lagrange	2014	03/12/2022	Recurring Cert	Active	WEST HUMP
MD160528V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000834034		Steel Fab	2017	03/12/2022	Recurring Cert	Active	MEXICO FARMS
MD166601V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000617959		lagrange	2018	01/21/2022	Recurring Cert	Active	CAR SHOP
MD166602H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000002590		axeman	2012	01/21/2022	Recurring Cert	Active	T3 MECH

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166603V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000154419		Morganton	2011	01/21/2022	Recurring Cert	Active	TURNTABLE

**Total Objects at this Location:** 26

**Location:** Cumberland Community Church  
**Address:** 12900 Bedford Rd NE - Cumberland, MD 21502-6853  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Ron Yost - Phone: 301-777-8839 - Cell: 301-697-4881  
**Billing Contact:** Ron Yost - 12900 Bedford Rd NE Cumberland, MD 21502-6853 - Phone: 301-777-8839 - Cell: 301-697-4881

**Location ID:** 704070

**Phone:**

**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134728H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	0064962510		Heat/Munchkin	2004	08/02/2022	Recurring Cert	Active	BOILER ROOM

**Total Objects at this Location:** 1

**Location:** D K Tires & Alignment, Inc  
**Address:** 638 Greene St - Cumberland, MD 21502-2734  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** D K Tires & Alignment Inc. - Phone: 301-724-5155  
**Billing Contact:** - 638 Greene St Cumberland, MD 21502-2734 - Phone: 301-724-5155

**Location ID:** 708515

**Phone:**

**NOB/SIC:** Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169003V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002278740		Manchester	2020	05/21/2022	Recurring Cert	Active	GARAGE

**Total Objects at this Location:** 1

<b>Location:</b>	<b>Dougs Auto &amp; Truck Repair</b>					<b>Location ID:</b>	709173				
<b>Address:</b>	1011 Lexington Ave - Cumberland, MD 21502-4620					<b>Phone:</b>	301-777-8577				
<b>County:</b>	Allegany			<b>FIPS:</b> 24001		<b>NOB/SIC:</b>	Automotive dealers and gasoline service stations				
<b>Primary Contact:</b>	Eric D. Torbet - Phone: 301-777-8577 - Email: dougsautoandtruck@atlanticbbn.net										
<b>Billing Contact:</b>	Eric D. Torbet - 1011 Lexington Ave Cumberland, MD 21502-4620 - Phone: 301-777-8577 - Email: dougsautoandtruck@atlanticbbn.net										

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086657V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000232100		Melben	1989	05/06/2023	Recurring Cert	Active	Shop under steps
Total Objects at this Location:				1							

<b>Location:</b>	<b>Dr. Audie G. Klingler</b>					<b>Location ID:</b>	709194				
<b>Address:</b>	203 Greene St - Cumberland, MD 21502-2877					<b>Phone:</b>	301-777-0110				
<b>County:</b>	Allegany			<b>FIPS:</b> 24001		<b>NOB/SIC:</b>	Holding and other investment offices				
<b>Primary Contact:</b>	Dr. Audie G. Klingler - Phone: 301 777-0110										
<b>Billing Contact:</b>	- 203 Greene St Cumberland, MD 21502-2877 - Phone: 301 777-0110										
<b>Juris #</b>	<b>Alt Juris #</b>	<b>Type</b>	<b>Use</b>	<b>NB</b>	<b>Serial</b>	<b>Manufacturer</b>	<b>Year Built</b>	<b>Due Date</b>	<b>Inspect Type</b>	<b>Status</b>	<b>Location</b>
MD057924H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		National Radiator	1960	08/28/2021	Recurring Cert	Active	BSMT
MD165612H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Crown	2018	08/28/2021	Recurring Cert	Active	203 BSMT
<b>Total Objects at this Location:</b>				2							

<b>Location:</b>	<b>Dr. Wesley Kroll</b>					<b>Location ID:</b>	711262				
<b>Address:</b>	1 Main St - Frostburg, MD 21532					<b>Phone:</b>					
<b>County:</b>	Allegany		<b>FIPS:</b> 24001			<b>NOB/SIC:</b>	Offices and Clinics of Doctors of Medicine				
<b>Primary Contact:</b>	Dr. Wesley Kroll - Phone: 301-689-1200										
<b>Billing Contact:</b>	- 1 E Main St Frostburg, MD 21532 - Phone: 301-689-1200										
<b>Juris #</b>	<b>Alt Juris #</b>	<b>Type</b>	<b>Use</b>	<b>NB</b>	<b>Serial</b>	<b>Manufacturer</b>	<b>Year Built</b>	<b>Due Date</b>	<b>Inspect Type</b>	<b>Status</b>	<b>Location</b>
MD113990H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	1970	07/22/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Ebenezer Baptist Church  
**Address:** 861 Columbia Ave - Cumberland, MD 21502-1405  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 719585  
**Phone:** 240-362-7072  
**NOB/SIC:** Membership organizations  
**Primary Contact:** Ebenezer Baptist Church  
**Billing Contact:** Gloria Reese - PO Box 128 Cumberland, MD 21501-0128 - Phone: 240-362-7601

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007645H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	99999	American Standard	1960	05/21/2022	Recurring Cert	Active	BOILER ROOM

**Total Objects at this Location:** 1

**Location:** Fair Price Market  
**Address:** Rt 135 PO Box 194 - Westernport, MD 21562-0194  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 726041  
**Phone:** 301-359-9550  
**NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Kenneth Farley Jr. - Phone: 301-359-9550  
**Billing Contact:** Kenneth Farley Jr. - PO Box 194 Westernport, MD 21562-0194 - Phone: 301-359-9550

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158883V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000602216		Morganton	2016	07/24/2021	Recurring Cert	Active	Car Wash
MD158884H		Cast Iron	H - Hot Water Supply (Water <= 160 psig, 250 F)	CI		ECR	2015	07/24/2021	Recurring Cert	Active	Car Wash

**Total Objects at this Location:** 2

**Location:** Fairstead Affordable; Mountain View Apartments  
**Address:** 220 Somerville Ave - Cumberland, MD 21502-4375  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 729140  
**Phone:** 301-777-7603  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Jeannie Wilson - Phone: 301-777-7604  
**Billing Contact:** Jeannie Wilson - 220 Somerville Ave Cumberland, MD 21502-4375 - Phone: 301-777-7604

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145538H		Cast Iron	H - Hot Water Heat (Water <=	CI	65123576	Burnham	2010	08/16/2022	Recurring Cert	Active	Boiler room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149290H		Cast Iron	160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65326822	Burnham	2013	08/16/2022	Recurring Cert	Active	Boiler room

**Total Objects at this Location:** 2

**Location:** FIBRED- Maryland, Inc.  
**Address:** 10900 Day Rd SE - Cumberland, MD 21502-8638  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Jeff Diehl - Phone: 301-724-6050  
**Billing Contact:** Taylor McCoy - 10900 Day Rd SE Cumberland, MD 21502-8638 - Phone: 301-724-6050 - Email: taylor@fibred.com

**Location ID:** 710593  
**Phone:** 301-724-2200  
**NOB/SIC:** Soybean Oil Mills

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017528	#3	Horizontal Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000062187	L81212	Cleaver Brooks	1986	03/22/2021	Recurring Cert	Active	BLRM
MD017529	#2	Horizontal Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000062196	L81213	Cleaver Brooks	1986	03/22/2021	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 2

**Location:** Fort Cumberland Homes  
**Address:** 115 W Oldtown Rd - Cumberland, MD 21502-3552  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Charlene Custer - Phone: 301-724-6606 x116 - Email: charlene.custer@cumberlandhousing.org  
**Billing Contact:** Charlene Custer - 635 E First St Cumberland, MD 21502-4334 - Phone: 301-724-6606 x116 - Email: charlene.custer@cumberlandhousing.org

**Location ID:** 711039  
**Phone:** 301-724-6606 ext 30  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115021H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2002	02/03/2022	Recurring Cert	Active	Bldg 2
MD115022H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2002	02/03/2022	Recurring Cert	Active	Bldg 2
MD115023H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2002	02/03/2022	Recurring Cert	Active	Bldg 1
MD115024H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	Bldg 1

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115025H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2002	02/03/2022	Recurring Cert	Active	Bldg 11
MD115026H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2002	02/03/2022	Recurring Cert	Active	Bldg 11
MD115027H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2002	02/03/2022	Recurring Cert	Active	Bldg 12
MD115028H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2002	02/03/2022	Recurring Cert	Active	Bldg 12
MD119000H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	Bldg 3
MD119001H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	Bldg 3
MD119002H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	Bldg 5
MD119003H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	Bldg 5
MD119004H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	Bldg 6
MD119005H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	Bldg 6
MD119006H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	Bldg 9
MD119007H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buderus	2003	02/03/2022	Recurring Cert	Active	bldg 9

**Total Objects at this Location:** 16

**Location:** Frostburg Laundromat  
**Address:** 17545 Old National Pike - Frostburg, MD 21532-3418  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 711418  
**Phone:**  
**NOB/SIC:** Apparel and other textile products  
**Primary Contact:** Norman Benzing - Phone: 301-689-3333  
**Billing Contact:** Steve Hollingsworth - 17545 Old National Pike SW Frostburg, MD 21532-3418 - Phone: 301-689-3333

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101612H		Vertical Tubeless	H - Hot Water Supply (Water <= 160 psig, 210 F)	000163605	A993B0029	Teledyne Laars	1999	10/19/2022	Recurring Cert	Active	Back Room/Employee s Only
<b>Total Objects at this Location:</b>				1							

**Location:** G & G Tire Services  
**Address:** 14304 National Highway - Cumberland, MD 21502-6517  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 711492  
**Phone:** 301-729-0752  
**NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Garth Glotfelty - Phone: 301-729-0752  
**Billing Contact:** Garth Glotfelty - 14304 National Hwy SW Cumberland, MD 21502-6517 - Phone: 301-729-0752

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168515V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000929491		SPV	2019	01/05/2023	Recurring Cert	Active	COMP RM
MD168516V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000929498		SPV	2019	01/05/2023	Recurring Cert	Active	COMP RM
<b>Total Objects at this Location:</b>				2							

**Location:** Gunter Hotel  
**Address:** 11 W Main St - Frostburg, MD 21532-1384  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 712912  
**Phone:** 301-689-6511  
**NOB/SIC:** Hotels, rooming houses, camps, and other lodging places  
**Primary Contact:** Donny Carter - Phone: 240-657-0500 - Cell: 301-268-3010  
**Billing Contact:** Donny Carter - 11 W Main St Frostburg, MD 21532-1384 - Phone: 240-657-0500 - Cell: 301-268-3010

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164409H	Blr #1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000367731		Lochinvar	2015	07/25/2021	Recurring Cert	Active	Boiler Room
MD164410H	Blr #2	Cast Aluminum	H - Hot Water	000367727		Lochinvar	2015	07/25/2021	Recurring Cert	Active	Boiler Room



Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

**Total Objects at this Location:** 2

**Location:** Henry Hart VFW Post 1411 **Location ID:** 2156538  
**Address:** 205 E Union St - Cumberland, MD 21502-3118 **Phone:**  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:** Membership Organizations, NEC  
**Primary Contact:** Jack Yarnall - Phone: 301-729-6185 - Cell: 240-727-7320  
**Billing Contact:** Jack Yarnall - 205 E Union St Cumberland, MD 21502-3118 - Phone: 301-729-6185 - Cell: 240-727-7320

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127747H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	MD127716H	National	1977	08/30/2022	Recurring Cert	Active	Bar Basement
MD127748H	MD127717H	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	17047844	Burnham	2005	08/30/2022	Recurring Cert	Active	205 Basement

**Total Objects at this Location:** 2

**Location:** Highland Harley Davidson **Location ID:** 988611  
**Address:** 1285 National Hwy - Cumberland, MD 21502-7606 **Phone:** 240-362-0200  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:** Motorcycle Dealers  
**Primary Contact:** Jackie Eberly - Phone: 240-362-0200  
**Billing Contact:** Jackie Eberly - 1285 National Hwy Cumberland, MD 21502-7606 - Phone: 240-362-0200

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118233V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000098735		Stoystown	1997	06/23/2022	Recurring Cert	Active	Mezzanie Comp Room

**Total Objects at this Location:** 1

**Location:** Housing Authority/City of Frostburg  
**Address:** 101 Meshach Frost Vlg - Frostburg, MD 21532-2132  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Ashley Richards, MSW, C-PHM  
**Billing Contact:** Ashley Richards, MSW, C-PHM - 101 Meshach Frost Vlg Frostburg, MD 21532-2132

**Location ID:** 3967275  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164738H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1987	08/21/2021	Recurring Cert	Active	Community Building

**Total Objects at this Location:** 1

**Location:** I A Construction  
**Address:** 12315 Rock Cut Rd - Corriganville, MD 21524  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Wanda Covatch - Phone: 724-816-4204 - Email: wcovatch@iaconstruction.com  
**Billing Contact:** Wanda Covatch - PO Box 568 Franklin, PA 16323-0568 - Phone: 724-816-4204 - Email: wcovatch@iaconstruction.com

**Location ID:** 726243  
**Phone:**  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098903V	001	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00014601L	99999	Brunner	1998	10/02/2021	Recurring Cert	Active	Compressor Shed

**Total Objects at this Location:** 1

**Location:** Ibex Biosciences  
**Address:** 320 Greene St - Cumberland, MD 21502-2840  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Murat Croci - Phone: 202-244-7701 - Cell: 202-244-7702 - Email: mcroci@ibex.bio  
**Billing Contact:** Murat Croci - 320 Greene St Cumberland, MD 21502-2840 - Phone: 202-244-7701 - Cell: 202-244-7702 - Email: mcroci@ibex.bio

**Location ID:** 718076  
**Phone:** 301-761-1500  
**NOB/SIC:** Finance, taxation, and monetary policy

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113753H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	900051-200003	Peerless	1995	08/23/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** K J Williams Concrete Co., Inc.  
**Address:** 15213 McMullen Hwy SW - Cresaptown, MD 21502-5644  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 715373  
**Phone:** 301-729-0303  
**NOB/SIC:** Manufacturing Industries, NEC  
**Primary Contact:** Jeff Zumbrum - Phone: 301-729-0303 - Cell: 240-979-8165 - Email: jzumbrum@kjwilliamsconcrete.com  
**Billing Contact:** Jeff Zumbrum - PO Box 5137 Cresaptown, MD 21505-5137 - Phone: 301-729-0303 - Cell: 240-979-8165 - Email: jzumbrum@kjwilliamsconcrete.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089588H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000022994		Burnham	1994	04/13/2022	Recurring Cert	Active	Plant
MD141751V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000420685		Buckeye	1983	04/13/2022	Recurring Cert	Active	loft

**Total Objects at this Location:** 2

**Location:** Kenney Signs Inc  
**Address:** 19109 National Hwy NW - Frostburg, MD 21532-3129  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 730253  
**Phone:**  
**NOB/SIC:** Outdoor Advertising Services  
**Primary Contact:** Kenney Signs Inc - Phone: 301-689-8000  
**Billing Contact:** - 19109 National Hwy NW PO Box 45 Frostburg, MD 21532-3129 - Phone: 301-689-8000

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164426H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		JJ	2018	07/02/2021	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 1

**Location:** Knieriem Tire Service, Inc.  
**Address:** 11603 Furnace Hill Rd. - Midlothian, MD 21543  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 715829  
**Phone:** 301-689-9481  
**NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Knieriem Tire Service Inc. - Phone: 301-689-9481  
**Billing Contact:** - PO Box 611 Midlothian, MD 21543-0611 - Phone: 301-689-9481

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167950V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000817027		Steel Fab	2016	09/22/2022	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 1

**Location:** Lasbaughs West  
**Address:** 210 W Main St - Frostburg, MD 21532-1504  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 716983  
**Phone:** 202-475-8109  
**NOB/SIC:** Civic, Social, and Fraternal Associations  
**Primary Contact:** Jim Lashbaugh - Phone: 202-475-8109 - Cell: 301-729-2570  
**Billing Contact:** Jim Lashbaugh - 210 W Main St Frostburg, MD 21532-1504 - Phone: 202-475-8109 - Cell: 301-729-2570

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113751H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	17003771	Burnham	1993	11/01/2021	Recurring Cert	Active	Blrm 1

**Total Objects at this Location:** 1

**Location:** Lavale Automotive Service  
**Address:** 12 National Hwy - Cumberland, MD 21502-7028  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 715011  
**Phone:** 240-362-7296  
**NOB/SIC:** Automotive Services, Except Repair and Carwashes  
**Primary Contact:** Lavale Automotive Service - Phone: 240-362-7296  
**Billing Contact:** - 12 National Hwy Cumberland, MD 21502-7028 - Phone: 240-362-7296

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134455V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000173200		Manchester	2003	06/28/2021	Recurring Cert	Active	Shop
MD164386V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002008640		Twin Lakes Tanks	2017	06/28/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 2

**Location:** LGIT - Cumberland City / Canada Hose House  
**Address:** 400 N Mechanic St - Cumberland, MD 21502-2213  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 708412  
**Phone:** 301-724-6606  
**NOB/SIC:** Finance, taxation, and monetary policy  
**Primary Contact:** Greg Snyder - Phone: 301-759-6640  
**Billing Contact:** Greg Snyder - 57 N Liberty St Cumberland, MD 21502 - Phone: 301-759-6640

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149308H		Cast Iron	H - Hot Water Supply (Water <=	CI	371300551	Utica	2012	08/13/2021	Recurring Cert	Active	Equip Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

160 psig, 210 F)

**Total Objects at this Location:** 1

**Location:** LGIT - Cumberland City/Fire Department Engine Co  
**Address:** 411 Frederick St - Cumberland, MD 21502-1730  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Greg Snyder - Phone: 301-759-6640 - Cell: 301-268-9026 - Email: greg.snyder@cumberlandmd.gov  
**Billing Contact:** Greg Snyder - 400 E Offutt St Cumberland, MD 21502 - Phone: 301-759-6640 - Cell: 301-268-9026 - Email: greg.snyder@cumberlandmd.gov

**Location ID:** 710646  
**Phone:**  
**NOB/SIC:** Justice, public order, and safety

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007691H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1970	11/12/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Liller Asphalt Co  
**Address:** 15313 McMullen Hwy. - Pinto, MD 21556-0109  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Liller Asphalt Co - Phone: 301-729-0505  
**Billing Contact:** - PO Box 109 Pinto, MD 21556-0109 - Phone: 301-729-0505

**Location ID:** 716645  
**Phone:** 301-729-0505  
**NOB/SIC:** Stone, clay, glass, and concrete products

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127646V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001177122		Campbell Hausfield	2003	08/21/2021	Recurring Cert	Active	Storage Shed

**Total Objects at this Location:** 1

**Location:** Lonaconing Republican Club  
**Address:** 14 Union St - Lonaconing, MD 21539-1136  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Lonaconing Republican Club - Phone: 301 463 6191  
**Billing Contact:** - 14 Union St Lonaconing, MD 21539-1136 - Phone: 301 463 6191

**Location ID:** 716857  
**Phone:** 301-463-6191  
**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD053367H		Cast Iron	H - Hot Water	CI	IC10578	Slant Fin	1981	11/09/2021	Recurring Cert	Active	Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

**Total Objects at this Location:** 1

**Location:** M & T Bank  
**Address:** 118 Baltimore St - Cumberland, MD 21502-2302  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** M & T Bank  
**Billing Contact:** Matt Miller or Paul Kelly - 60 Pershing St Cumberland, MD 21502-3013 - Phone: 301-722-4173

**Location ID:** 717076  
**Phone:**  
**NOB/SIC:** Commercial Banks, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112617H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	1984	04/07/2022	Recurring Cert	Active	Boiler Rm
MD112618V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000567271		Buckeye	1984	04/07/2022	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 2

**Location:** M Kathryn Burkey, CPA  
**Address:** 120 S Liberty St - Cumberland, MD 21502-3016  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** M Kathryn Burkey - Phone: 301-777-3301  
**Billing Contact:** M Kathryn Burkey - 120 S Liberty St Cumberland, MD 21502-3016 - Phone: 301-777-3301

**Location ID:** 1666725  
**Phone:**  
**NOB/SIC:** Accounting, Auditing, and Bookkeeping Services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138498H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	102942	Peerless	2000	10/15/2021	Recurring Cert	Active	Office Boiler Room

**Total Objects at this Location:** 1

**Location:** Mc Donalds Auto Electric  
**Address:** 609 Virginia Ave P O Box 2383 - Cumberland, MD 21502-4540  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Mc Donalds Auto Electric - Phone: 3017772704  
**Billing Contact:**

**Location ID:** 718057  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD069905V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000191322		Manchester	1974	04/30/2023	Recurring Cert	Active	Garage Area

**Total Objects at this Location:** 1

**Location:** McDonald's #2027  
**Address:** 1242 National Hwy - Cumberland, MD 21502-7603  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Store Manager - Phone: 301-729-6679  
**Billing Contact:** Mark Bittner - 13 N Edgewood Dr Hagerstown, MD 21740-6501 - Phone: 301-766-4557 - Email: kmarkbittner@gmail.com

**Location ID:** 3322572  
**Phone:** 301-729-6679  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145087V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000012818		MVE Inc	1987	06/15/2021	Recurring Cert	Active	kitchen
MD145088V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000012820		MVE Inc	1987	06/15/2021	Recurring Cert	Active	kitchen

**Total Objects at this Location:** 2

**Location:** McDonald's #22608  
**Address:** 22 Queen City Dr - Cumberland, MD 21502-2483  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Store Manager - Phone: 301-722-4071  
**Billing Contact:** Mark Bittner - 13 N Edgewood Dr Hagerstown, MD 21740-6501 - Phone: 301-766-4557 - Email: kmarkbittner@gmail.com

**Location ID:** 3323049  
**Phone:** 301-722-4071  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145085V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000012828		MVE Inc	1987	06/15/2021	Recurring Cert	Active	kitchen

**Total Objects at this Location:** 1

**Location:** Mister Suds Auto Wash  
**Address:** 302 E Main St - Frostburg, MD 21532-2017  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Shawn Carder - Phone: 301-697-7919  
**Billing Contact:** Shawn Carder - 2980 Finzel Rd Frostburg, MD 21532-4117 - Phone: 301-697-7919

**Location ID:** 707341  
**Phone:**  
**NOB/SIC:** Carwashes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103325H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000153188	9810153188	Raypak	1998	10/15/2022	Recurring Cert	Active	Equipment Room
MD103326H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000149913	9806149913	Raypak	1998	10/15/2022	Recurring Cert	Active	Equipment Room
MD119558V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000259479		Manchester	2004	10/15/2022	Recurring Cert	Active	Equioment Rm

**Total Objects at this Location:** 3

**Location:** Mount Savage United Methodist Church Hall  
**Address:** 12619 New Row Rd NW - Mount Savage, MD 21545-1006  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Mount Savage United Methodist Church Hall  
**Billing Contact:**

**Location ID:** 4037464  
**Phone:** 301-264-3535  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113786H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	LGB-8	Weil-McLain	2002	09/08/2022	Recurring Cert	Active	Social Hall

**Total Objects at this Location:** 1



**Location:** Mr. Tire - 657  
**Address:** 1230 National Hwy Ste 1 - Lavale, MD 21502-7612  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Mr. Tire - 657  
**Billing Contact:** Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

**Location ID:** 3954874  
**Phone:** 301-729-5000  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166273V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000582007		Manchester	2006	01/29/2022	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

**Location:** Mrs Arthur S Bauer  
**Address:** 932 National Hwy - Lavale, MD 21502-7326  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Rick D. Bauer - Cell: 240-522-6509  
**Billing Contact:** Rick D. Bauer - 14916 Hidden View Ln Cresaptown, MD 21502-6267 - Cell: 240-522-6509

**Location ID:** 709207  
**Phone:** 301-729-0603  
**NOB/SIC:** Offices and Clinics of Doctors of Medicine

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD037069H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	G-260-D6	American Standard	1968	07/31/2021	Recurring Cert	Active	Craw Space
<b>Total Objects at this Location:</b>				1							

**Location:** Mt Savage Firebrick Company  
**Address:** 17901 Mount Savage Rd NW - Frostburg, MD 21532-3032  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Randy Swafford - Phone: 301-689-1788  
**Billing Contact:** - P O Box 179 17901 Mt Savage Road Frostburg, MD 21532 - Phone: 3016891788

**Location ID:** 719247  
**Phone:**  
**NOB/SIC:** Clay Refractories

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD029214H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7-22	US Radiator	1950	04/13/2022	Recurring Cert	Active	Office Bldg Bsmt
MD029218V	#2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001291	00000	Young Industries	1972	04/13/2022	Recurring Cert	Active	Comp Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154384V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000747926		Steel Fab	2014	04/13/2022	Recurring Cert	Active	Brick Storage
MD154385V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000741429		Steel Fab	2014	04/13/2022	Recurring Cert	Active	SCREEN ROOM
MD154386V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000492436		Manchester	1997	04/13/2022	Recurring Cert	Active	WELD SHOP
<b>Total Objects at this Location:</b>				5							

**Location:** Orchid Owls Catering, Inc.  
**Address:** 169 N Mechanic St - Cumberland, MD 21502-2315  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Owl House, LLC. - Phone: 240-362-7108  
**Billing Contact:** - 1042 Longwood Ave Cumberland, MD 21502-1931 - Phone: 240-362-7108

**Location ID:** 712964  
**Phone:** 240-362-7108  
**NOB/SIC:** Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD013571H		Cast Iron	H - Heating-Other w/comment (Stm <= 15 psig or Water <= 160 psig, 250 F)	CI		National Radiator	1965	10/07/2021	Recurring Cert	Active	1st Floor
<b>Total Objects at this Location:</b>				1							

**Location:** Oscars (NuCO2)  
**Address:** 1103 E Oldtown Rd - Cumberland, MD 21502-4039  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

**Location ID:** 4006473  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166297V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000052132		MVE Inc	1996	02/05/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Patrick's Pub & Eatery  
**Address:** 7 Willison Pl - Cumberland, MD 21502-3530  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Patrick's Pub & Eatery - Phone: 301-722-1007  
**Billing Contact:** - 7 Willison Pl Cumberland, MD 21502-3530 - Phone: 301-722-1007

**Location ID:** 3632946  
**Phone:** 301-722-1007  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164427V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000180556	CCAU06M128	CHART	2006	08/11/2021	Recurring Cert	Active	Outside Rear Bldg

**Total Objects at this Location:** 1

**Location:** Pepsi Cola Bottling Co  
**Address:** 414 Paca St - Cumberland, MD 21502-2819  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Mike Wageley - Phone: 301-724-1470  
**Billing Contact:** Mike Wageley - 414 Paca St Cumberland, MD 21502-2819 - Phone: 301-724-1470

**Location ID:** 721141  
**Phone:**  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090348V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000902576		Brunner	1992	02/02/2022	Recurring Cert	Active	Garage

**Total Objects at this Location:** 1

**Location:** Peterson Psychological Services  
**Address:** 7-9 Market St - Cumberland, MD 21502-2214  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Kevin Peterson  
**Billing Contact:** Kevin Peterson - 12517 Ellis Dr NE Cumberland, MD 21502-6876

**Location ID:** 712966  
**Phone:** 301-777-8093  
**NOB/SIC:** Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141106H	64368385	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2001	04/04/2022	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Premiere Car Wash & Laundry  
**Address:** 12410 Naves Crossroads - Cumberland, MD 21502  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 721831  
**Phone:** 301-777-0105  
**NOB/SIC:** Carwashes  
**Primary Contact:** Premiere Car Wash & Laundry - Phone: 301-707-8467  
**Billing Contact:** - 12410 Naves Cross Rd NE Cumberland, MD 21502-8212 - Phone: 301-707-8467

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD050739H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000062280		A O Smith	1986	10/20/2021	Recurring Cert	Active	Boiler Room
MD153891V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001887326		CAMPBELL HAUSFELD	2014	10/20/2021	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 2

**Location:** Princess Restaurant  
**Address:** 12 W Main St - Frostburg, MD 21532-1302  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 721944  
**Phone:** 301-689-1680  
**NOB/SIC:** Eating and drinking places  
**Primary Contact:** Lauren Pappas - Phone: 301-689-1680 - Email: twelvewestmain@gmail.com  
**Billing Contact:** Lauren Pappas - 12 W Main St Frostburg, MD 21532-1302 - Phone: 301-689-1680 - Email: twelvewestmain@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149864H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	18146006	Burnham	2014	10/31/2022	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Quality Auto  
**Address:** 931 National Hwy - Cumberland, MD 21502-7328  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 3293785  
**Phone:** 301-777-7000  
**NOB/SIC:** General Automotive Repair Shops  
**Primary Contact:** Rick Higson - Phone: 301-777-7000  
**Billing Contact:** Rick Higson - 931 National Hwy Cumberland, MD 21502-7328 - Phone: 301-777-7000

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155965V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001561777		Manchester	2015	11/21/2022	Recurring Cert	Active	shop

**Total Objects at this Location:** 1

**Location:** Queen City Motor Tire & Auto  
**Address:** 75 Henderson Ave - Cumberland, MD 21502-2452  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 727816  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Queen City Motor Tire & Auto  
**Billing Contact:** Mike Leasure - 75 Henderson Ave Cumberland, MD 21502-2452 - Phone: 301-777-0808

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130744H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64945132	Burnham	2006	08/21/2021	Recurring Cert	Active	Shop Front
MD130745V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	010506087		Trinity	2005	08/21/2021	Recurring Cert	Active	Shop Storage (Comp Room)

**Total Objects at this Location:** 2

**Location:** Queen City Motors  
**Address:** 81 Henderson Ave - Cumberland, MD 21502-2453  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 708415  
**Phone:**  
**NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops  
**Primary Contact:** Jeff Uhl - Phone: 301-777-0888  
**Billing Contact:** Jeff Uhl - 99 Henderson Ave Cumberland, MD 21502-1760 - Phone: 301-777-0888

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151167V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000221496		Steel Fab	1999	08/21/2021	Recurring Cert	Active	Paint Bay
MD151168V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000784929		Manchester	1999	08/21/2021	Recurring Cert	Active	Body Shop
MD151169V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000399851	428421	Morganton	2014	08/21/2021	Recurring Cert	Active	Reconditioning shop

**Total Objects at this Location:** 3

**Location:** Ramada-Downtown Cumberland  
**Address:** 100 S George St - Cumberland, MD 21502-3044  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Ramada-Downtown Cumberland - Phone: 301-724-8800  
**Billing Contact:** - 100 S George St Cumberland, MD 21502-3044 - Phone: 301-724-8800

**Location ID:** 713886  
**Phone:** 301-724-8800  
**NOB/SIC:** Hotels, rooming houses, camps, and other lodging places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147626H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000176120		A O Smith	2012	02/02/2022	Recurring Cert	Active	Boiler Room
MD158476H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000227107		A O Smith	2017	02/02/2022	Recurring Cert	Active	SERVICE RM
MD168983H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000494774		Sermeta	2020	04/16/2023	Recurring Cert	Active	Service Room
MD168984V		Vertical Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000358100		Sermeta	2020	04/16/2023	Recurring Cert	Active	Service Room
<b>Total Objects at this Location:</b>				4							

**Location:** Reeves Motor Co  
**Address:** 24411 Westernport Rd S W Rt 135 - Westernport, MD 21562-2221  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Jim Reeves - Phone: 3013599061  
**Billing Contact:**

**Location ID:** 722528  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070046V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000088484		Melben	1978	07/22/2021	Recurring Cert	Active	Garage
<b>Total Objects at this Location:</b>				1							

**Location:** Roy Rogers (Roberts) **Location ID:** 4004912  
**Address:** 624 Queen City Dr - Cumberland, MD 21502-3269 **Phone:**  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:**  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166272V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000246243		CHART	2013	01/29/2022	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

**Location:** Ruby Tuesday **Location ID:** 723510  
**Address:** 1238 National Hwy - Cumberland, MD 21502-7603 **Phone:**  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Ruby Tuesday - Phone: 703-415-4055 - Email: rt.licensing@issvc.com  
**Billing Contact:** - PO Box 78119 Wichita, KS 67278 - Phone: 703-415-4055 - Email: rt.licensing@issvc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160523H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000176139		A O Smith	2012	01/15/2022	Recurring Cert	Active	Water Heater Room

**Total Objects at this Location:** 1

**Location:** Saint Pauls Lutheran Church **Location ID:** 724127  
**Address:** 15 N Smallwood St - Cumberland, MD 21502-2919 **Phone:** 301-722-6604  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:** Religious Organizations  
**Primary Contact:** Debbie Szymanski - Phone: 301-722-6604 - Email: debbie@stpaulcumberland.org  
**Billing Contact:** Debbie Szymanski - 15 N Smallwood St Cumberland, MD 21502-2919 - Phone: 301-722-6604 - Email: debbie@stpaulcumberland.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043547H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000088750		A O Smith	1979	08/17/2022	External Cert, Recurring Cert	Active	Boiler Room
MD043548H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000059393		A O Smith	1977	08/17/2022	External Cert, Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043549H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000086828		A O Smith	1979	08/17/2022	External Cert, Recurring Cert	Active	Boiler Room
<b>Total Objects at this Location:</b>				3							

**Location:** Salem United Church Of Christ  
**Address:** 78 S Broadway - Frostburg, MD 21532-1711  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Suzanne Wehler - Phone: 301-689-8806  
**Billing Contact:** Suzanne Wehler - 75 S Broadway Frostburg, MD 21532-1785 - Phone: 301-689-8806

**Location ID:** 724227  
**Phone:**  
**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD013527H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	G24DPT	American Standard	1966	04/25/2022	Recurring Cert	Active	BSMT
MD070808H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	1987	04/25/2022	Recurring Cert	Active	BSMT
<b>Total Objects at this Location:</b>				2							

**Location:** Shaffer Ford Inc  
**Address:** 10335 Mount Savage Road N W P O Box 3323 - Cumberland, MD  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Michael Grabenstein - Phone: 301-777-3900  
**Billing Contact:** Michael Grabenstein - PO Box 3323 Cumberland, MD 21504-3323 - Phone: 301-777-3900

**Location ID:** 724743  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137925V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000886599		Manchester	2007	04/07/2022	Recurring Cert	Active	Outside shed
MD142394V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000722419		Buckeye	1988	04/07/2022	Recurring Cert	Active	Outside Shed
MD160538V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000726826		Morganton	2018	05/07/2022	Recurring Cert	Active	Outside shed
<b>Total Objects at this Location:</b>				3							



**Location:** Shoe's Auto Sales  
**Address:** 16214 National Hwy SW - Frostburg, MD 21532-3300  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Shoe's Auto Sales  
**Billing Contact:**

**Location ID:** 4041331  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155978V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000636649		Steel Fab	2010	09/18/2022	Recurring Cert	Active	Storage Room

**Total Objects at this Location:** 1

**Location:** Shoe's Diesel Performance  
**Address:** 114 W Main St - Frostburg, MD 21532-1607  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Brandy Reese - Phone: 301-687-0400 - Email: tlivinggood@wmdcs.com  
**Billing Contact:** Brandy Reese - 114 W Main St Frostburg, MD 21532-1607 - Phone: 301-687-0400 - Email: tlivinggood@wmdcs.com

**Location ID:** 728719  
**Phone:** 301-268-2964  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164411V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	018470085		Manchester	2017	07/25/2021	Recurring Cert	Active	Garage

**Total Objects at this Location:** 1

**Location:** Smitty's Tire & Truck Service, LLC.  
**Address:** 101 Frostburg Industrial Park - Frostburg, MD 21532-2028  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** John Smith - Phone: 301-463-2665 - Email: smittystire@hotmail.com  
**Billing Contact:** John Smith - 101 Frostburg Industrial Park Frostburg, MD 21532-2028 - Phone: 301-463-2665 - Email: smittystire@hotmail.com

**Location ID:** 722824  
**Phone:** 301-463-2665  
**NOB/SIC:** Heavy Construction Equipment Rental and Leasing

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168548V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047288		Stoystown	1997	02/22/2023	Recurring Cert	Active	COMP RM
MD168549V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001112028		Manchester	1993	02/22/2023	Recurring Cert	Active	COMP RM

Total Objects at this Location: 2

**Location:** SOM-Canal Place Preservation & Development Au  
**Address:** 13 Canal St Ste 301 - Cumberland, MD 21502-3054  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 705808  
**Phone:** 301-724-3655  
**NOB/SIC:** Amusement and Recreation Services, NEC  
**Primary Contact:** Tim Martin - Phone: 301-724-3655 - Cell: 301-707-8675  
**Billing Contact:** Deidra L. Ritchie - 13 Canal St Ste 301 Cumberland, MD 21502-3054 - Phone: 301-724-3655 - Email: deidra.ritchie@maryland.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD077539H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	17247595	Burnham	1991	03/28/2022	Recurring Cert	Active	Boiler Room
MD077540H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1991	03/28/2022	Recurring Cert	Active	Boiler Room
MD077541H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	17247596	Burnham	1991	03/28/2022	Recurring Cert	Active	Boiler Room
MD077542H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	17247598	Burnham	1991	03/28/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 4

**Location:** SOM-NG/ARNG/National Guard Armory/Cumberl  
**Address:** 1100 Brown Ave - Cumberland, MD 21502-3421  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 717727  
**Phone:**  
**NOB/SIC:** Justice, public order, and safety  
**Primary Contact:** Jeff Spiker - Phone: 443-253-7395 - Email: jlsipiker@hotmail.com  
**Billing Contact:** Francis Scott Gostomski - 219 W 29th Division St Ofc Baltimore, MD 21201-2288 - Phone: 410-576-1441 - Cell: 410-446-2736

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107932H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2000	04/28/2022	Recurring Cert	Active	Boiler Room
MD130791V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000739738		Wood	1979	04/28/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

**Location:** SOM-UMD/Frostburg Univ/Ctr Env Sci/Appalachn  
**Address:** 301 Braddock Rd - Frostburg, MD 21532-2307  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** John Piasecki - Phone: 301-689-7192 - Cell: 301-707-1355 - Email: jpiasecki@al.umces.edu  
**Billing Contact:** Tim Hockman - 301 Braddock Rd Frostburg, MD 21532-2307 - Phone: 301 689 7100 - Cell: 301 707 5251

**Location ID:** 727600  
**Phone:** 301-689-7100  
**NOB/SIC:** Colleges, Universities, and Professional Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100018H	1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003071	99999	Cleaver Brooks	1998	05/26/2022	Recurring Cert	Active	Boiler Rm
MD100019H	1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003074	99999	Cleaver Brooks	1998	05/26/2022	Recurring Cert	Active	Boiler Rm
MD100020H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000092996		PVI	1997	05/26/2022	Recurring Cert	Active	Boiler Rm
MD148998V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000373775		Morganton	2014	05/26/2022	Recurring Cert	Active	Boiler Rm

**Total Objects at this Location:** 4

**Location:** Subway  
**Address:** 1050 W Industrial Blvd - Cumberland, MD 21502-4331  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Subway  
**Billing Contact:**

**Location ID:** 3634719  
**Phone:**  
**NOB/SIC:** Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166261V	A1024285	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000063913	CCHA97C205	MVE Inc	1997	01/23/2022	External Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Subway  
**Address:** 66 Queen City Dr - Cumberland, MD 21502-2339  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Subway  
**Billing Contact:**

**Location ID:** 3634720  
**Phone:**  
**NOB/SIC:** Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158477V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000172568	SN-CJCS06D206	CHART	2006	08/19/2021	Recurring Cert	Active	Inside

**Total Objects at this Location:** 1

**Location:** SurgCenter of Western Maryland  
**Address:** 12252 Williams Rd SE - Cumberland, MD 21502-7987  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** SurgCenter of Western Maryland  
**Billing Contact:** Raghu Reddy - 12252 Williams Rd SE Cumberland, MD 21502-7987 - Phone: 240-522-0185 - Cell: 202-550-5295 - Email: rreddy@scwesternmd.com

**Location ID:** 4018429  
**Phone:** 2405220185  
**NOB/SIC:** Offices and Clinics of Doctors of Medicine

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157052	#2	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000003625		Pemberton	2019	04/07/2021	Recurring Cert	Active	CLEAN WORK ROOM
MD167051	#1	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000003624		Pemberton	2019	04/07/2021	Recurring Cert	Active	CLEAN WORK ROOM
MD167053V		Other w/comment	O - Other (PV Use) w/comment	000059727		Amsco	1989	04/07/2022	Recurring Cert	Active	CLEAN WORK ROOM
MD167054V		Other w/comment	O - Other (PV Use) w/comment	000059199		Amsco	1989	04/07/2022	Recurring Cert	Active	CLEAN WORK ROOM

**Total Objects at this Location:** 4

**Location:** TH & N Pit Stop  
**Address:** 12308 McMullen Hwy SW - Cumberland, MD 21502-5188  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Harold Painter, Jr. - Phone: 301-279-2800 - Cell: 301-424-6637  
**Billing Contact:** Harold Painter, Jr. - PO Box 603 Cumberland, MD 21501-0603 - Phone: 301-279-2800 - Cell: 301-424-6637

**Location ID:** 702711  
**Phone:** 301 -729-2201  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138451V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000988855		Manchester	2008	06/21/2022	Recurring Cert	Active	GARAGE

**Total Objects at this Location:** 1

**Location:** The Kensington Assisted Living Community  
**Address:** 1 Baltimore St - Cumberland, MD 21502-2963  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Debbie Slider - Phone: 301-777-8800 - Email: dslider@kensington-evergreen.com  
**Billing Contact:** Debbie Slider - 1 Baltimore St Cumberland, MD 21502-2963 - Phone: 301-777-8800 - Email: dslider@kensington-evergreen.com

**Location ID:** 715563  
**Phone:** 301-777-8800  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088210H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000025194	932H9425194	HB Smith	1994	04/21/2023	Recurring Cert	Active	Basement Boiler Room
MD110444H	REP-PRV	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	64349156	Burnham	2001	04/21/2023	Recurring Cert	Active	Basement Boiler Room
MD144206H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000C24430		A O Smith	2009	04/21/2023	Recurring Cert	Active	Basement Boiler Room
MD169006V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000200765		A O Smith	2015	04/21/2023	Recurring Cert	Active	Basement
MD169007V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000232956		A O Smith	2017	04/21/2023	Recurring Cert	Active	Basement
MD169008V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000233170		A O Smith	2017	04/21/2023	Recurring Cert	Active	Basement

**Total Objects at this Location:** 6

**Location:** The Oil Works  
**Address:** 1205 Oldtown Road - Cumberland, MD 21502-4001  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Richard Athey - Phone: 301-777-2820  
**Billing Contact:** Richard Athey - 1205 E Oldtown Rd Cumberland, MD 21502-4001 - Phone: 301-777-2820

**Location ID:** 708663  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137924V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000073390		C P C	1999	06/28/2021	Recurring Cert	Active	2ND FLOOR
MD164387V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001942862		CAMPBELL HAUSFELD	2015	06/28/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				2							

**Location:** Thomas Subaru Of Cumberland Motor City  
**Address:** 10325 Mt Savage Rd NW - Cumberland, MD 21502-4925  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Keith Roach - Phone: 301-724-6310  
**Billing Contact:** Keith Roach - 10325 Mount Savage Rd NW Cumberland, MD 21502-4925 - Phone: 301-724-6310

**Location ID:** 726533  
**Phone:** 301-724-6310 x16401  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110422V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0001086005		Manchester	2000	02/17/2022	Recurring Cert	Active	Comp Rm
MD159181V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000645585		Morganton	2017	01/25/2022	Recurring Cert	Active	Comp Room
Total Objects at this Location:				2							

**Location:** Thompson Gas  
**Address:** 13526 McMullen Hwy SW - Cumberland, MD 21502-5347  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Thompson Gas  
**Billing Contact:** - 13526 McMullen Hwy SW Cumberland, MD 21502-5347

**Location ID:** 727086  
**Phone:** 240-362-7274  
**NOB/SIC:** Oil and gas extraction

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD083792V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00030954H		Brunner	1993	04/30/2023	Recurring Cert	Active	Refilling Plant

**Total Objects at this Location:** 1

**Location:** Timbrook Pontiac Cadillac Nissan Inc  
**Address:** 10210 Mt Savage RD - Cumberland, MD 21502-4927  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Lee Wilson - Phone: 301-722-8300  
**Billing Contact:** Lee Wilson - 10210 Mt Savage Rd Cumberland, MD 21502 - Phone: 301-722-8300

**Location ID:** 726642  
**Phone:** 301-722-8300  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110424V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000826291		Melben	1999	07/27/2022	Recurring Cert	Active	Loft

**Total Objects at this Location:** 1

**Location:** Timothy J Mullaney  
**Address:** 404-406 N Center St - Cumberland, MD 21502  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Timothy Mullaney - Phone: 301-697-2255  
**Billing Contact:** Timothy Mullaney - 10003 Carrington Ct Cumberland, MD 21502-8357 - Phone: 301-697-2255

**Location ID:** 726669  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081485H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1090023	Dunkirk	1992	08/02/2022	Recurring Cert	Active	Basement
MD081486H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2090002	Dunkirk	1992	08/02/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 2

**Location:** Triton Construction **Location ID:** 3920223  
**Address:** 11014 PPG Rd SE - Cumberland, MD 21502-8902 **Phone:**  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:** General Contractors-Industrial Buildings and Warehouses  
**Primary Contact:** John Rose - Phone: 304 755 1401 - Cell: 304 590 2449 - Email: john.rose@tritonwv.com  
**Billing Contact:** John Rose - 1944 Windfield Rd St Albans, WVA 25177 - Phone: 304 755 1401 - Cell: 304 590 2449 - Email: john.rose@tritonwv.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162691V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290587	290587	Manchester	2004	01/18/2023	Recurring Cert	Active	PPG Building
MD162692V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000426506	426506	Manchester	1986	01/18/2023	Recurring Cert	Active	PPG Building

Total Objects at this Location: 2

**Location:** Twigg Automotive **Location ID:** 727249  
**Address:** 14201 Baltimore Pike NE - Cumberland, MD 21502-6578 **Phone:**  
**County:** Allegany **FIPS:** 24001 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Jeff Derrell - Phone: (301)777- 0070  
**Billing Contact:** Jeff Derrell - 14201 Baltimore Pike NE Cumberland, MD 21502-6578 - Phone: (301)777- 0070

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103335H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Keystone	1998	05/13/2022	Recurring Cert	Active	Basement
MD103336V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000594741		Manchester	1997	05/13/2022	Recurring Cert	Active	Outside Shed
MD167086V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000071888		Staystone	1993	05/14/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 3



**Location:** Verso Corp Savage Yard  
**Address:** Upper Savage Wood Yard Rd - Luke, MD 21540  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 2317021  
**Phone:**  
**NOB/SIC:** Pulp Mills  
**Primary Contact:** David Taylor - Phone: 301-359-3311 X 3365 - Cell: 301-697-2353 - Email: David.Taylor@Versoco.com  
**Billing Contact:** David Taylor - 300 Pratt St Luke, MD 21540-1015 - Phone: 301-359-3311 X 3365 - Cell: 301-697-2353 - Email: David.Taylor@Versoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD028473V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031784	B31784	P S T	1960	08/23/2020	Recurring Cert	Active	Comp Room

**Total Objects at this Location:** 1

**Location:** Verso Corporation Converting Facility  
**Address:** 23500 Westernport Rd SW - Westernport, MD 21562-2215  
**County:** Allegany **FIPS:** 24001  
**Location ID:** 710624  
**Phone:**  
**NOB/SIC:** General Warehousing and Storage  
**Primary Contact:** Glen Gilbert - Phone: 304-813-4831 - Email: glen.gilbert@versoco.com  
**Billing Contact:** Glen Gilbert - 300 Pratt St Luke, MD 21540-1015 - Phone: 304-813-4831 - Email: glen.gilbert@versoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072447V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000074828	Air Tk	Brunner	1988	08/23/2020	Recurring Cert	Active	Old Comp Area
MD072448V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000009649	871187	Pall	1987	08/23/2020	Recurring Cert	Active	Old Comp Area (Air Dryer)
MD072449V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000009650	871188	Pall	1987	08/23/2020	Recurring Cert	Active	Old Comp Area (Air Dryer)
MD087419V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000019102	930004	Pneumatic Products	1992	08/23/2020	Recurring Cert	Active	New Comp Area (Air Dryer)
MD087420V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000019107	930009	Pneumatic Products	1992	08/23/2020	Recurring Cert	Active	New Comp Area (Air Dryer)
MD087421V		Vertical Unfired Pressure Vessel w/comment	V - Process-Separator	000068638	G-D Comp	Silvan	1992	08/23/2020	Recurring Cert	Active	New Comp Area
MD087422V		Vertical Unfired Pressure Vessel w/comment	V - Process-Filter/Strainer	000102918	Air Filter	Frick	1992	08/23/2020	Recurring Cert	Active	New Comp Area
MD087485V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	00045639G	Air Tk	Brunner	1992	08/23/2020	Recurring Cert	Active	New Comp Area

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD099194V	87-GA	Vertical Unfired Pressure Vessel w/comment	V - Process-Separator	000249734		La Grange Products	1996	08/23/2020	Recurring Cert	Active	New Comp Area
MD099195V		Vertical Unfired Pressure Vessel w/comment	V - Process-Filter/Strainer	000128821	Air Filter	Frick	1996	08/23/2020	Recurring Cert	Active	New Comp Area
MD099196V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000027025	Air Dryer	Flair	1996	08/23/2020	Recurring Cert	Active	New Comp Area
MD099198V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000027034	Air Dryer	Flair	1996	08/23/2020	Recurring Cert	Active	New Comp Area
MD100356V	WC-46	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000059643	Chiller-G	York Shipley	1988	08/23/2020	Recurring Cert	Active	Chiller Area
MD100357V	WC-47	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000059294	Chiller-H	York Shipley	1987	08/23/2020	Recurring Cert	Active	Chiller Area
MD100358V	WC-48	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000059717	Chiller-I	York Shipley	1988	08/23/2020	Recurring Cert	Active	Chiller Area
MD100359V	WC-49	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000059706	Chiller-J	York Shipley	1988	08/23/2020	Recurring Cert	Active	Chiller Area
MD132464V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000511624	Air Dryer	Silvan	2006	08/23/2020	Recurring Cert	Active	New Comp Area
MD132465V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000511620	Air Dryer	Silvan	2006	08/23/2020	Recurring Cert	Active	New Comp Area
MD132466V		Vertical Unfired Pressure Vessel w/comment	V - Process-Filter/Strainer	000519417	Air Filter	Silvan	2006	08/23/2020	Recurring Cert	Active	New Comp Area
MD141460V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000334811	M55-3-18	Lagrange	2000	08/23/2020	Recurring Cert	Active	New Comp Area

**Total Objects at this Location:** 20

**Location:** Washington Lee Apts  
**Address:** 12 S Lee St - Cumberland, MD 21502-2801  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Mike Hatbell  
**Billing Contact:** Joyce Hanes - PO Box 34034 Bethesda, MD 20827-0034 - Phone: 301-881-1221

**Location ID:** 2363341  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141465H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	64822584	Burnham	2005	08/19/2021	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

**Location:** Weimer Chevrolet  
**Address:** 10355 Mount Savage Rd NW PO Box 3372 - Cumberland, MD  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Ben Preston - Phone: 301-777-5115  
**Billing Contact:** Ben Preston - 10355 Mount Savage Rd NW PO Box 3372 Cumberland, MD 21502-4925 - Phone: 301-777-5115

**Location ID:** 719082  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017039V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000151		Welding Engineering	1945	03/11/2022	Recurring Cert	Active	Loft Area
MD153892V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000360774		Morganton	2014	03/11/2022	Recurring Cert	Active	Loft Area

**Total Objects at this Location:** 2

**Location:** Womans Civic Club Of Cumberland  
**Address:** 515 Washington St - Cumberland, MD 21502-2708  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Womans Civic Club Of Cumberland - Phone: 301-722-6099  
**Billing Contact:** - 515 Washington St Cumberland, MD 21502-2708 - Phone: 301-722-6099

**Location ID:** 729351  
**Phone:**  
**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD013573H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1972	01/23/2023	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** YMCA of Allegany Co/Cumberland  
**Address:** 601 Kelly Rd - Cumberland, MD 21502-2878  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** YMCA Of Allegany County - Phone: 301-777-9622  
**Billing Contact:** - 601 Kelly Rd Cumberland, MD 21502-2878 - Phone: 301-777-9622

**Location ID:** 729633  
**Phone:**  
**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167058H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000474635		Semata	2019	06/08/2022	Recurring Cert	Active	BLRM
MD167059H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000474636		Sermeta	2019	06/08/2022	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 2

**Location:** Zion United Methodist Church  
**Address:** 12201 Bedford Rd NE - Cumberland, MD 21502-6811  
**County:** Allegany **FIPS:** 24001  
**Primary Contact:** Patrick H. Goss - Phone: 301-722-6831  
**Billing Contact:** Patrick H. Goss - 12201 Bedford Rd NE Cumberland, MD 21502-6811 - Phone: 301-722-6831

**Location ID:** 729741  
**Phone:**  
**NOB/SIC:** Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD019400H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	G-609	American Standard	1963	08/05/2022	Recurring Cert	Active	BSMT

**Total Objects at this Location:** 1

**Total Objects** 224  
**Total Locations** 101  
**Total Active Objects** 224