

Location Detail

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: <Choose>; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address

Location: 1500 S Edgewood, LLC.
Address: 1500 S Edgewood St - Halethorpe, MD 21227-1053
County: Baltimore **FIPS:** 24005
Location ID: 705634
Phone: 410-823-0282
NOB/SIC: Holding and other investment offices
Primary Contact: Christine Senft - Phone: 410-823-0282 - Email: csenft@lee-associates.com
Billing Contact: Christine Senft - PO Box 37254 Charlotte, NC 28237-7254 - Phone: 410-823-0282 - Email: leecpm@avidbill.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD055125H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000006899		A O Smith	1983	10/19/2021	External Cert, Recurring Cert	Active	Heater Room
Total Objects at this Location:				1							

Location: 1st Apostolic Faith Gospel Tabernacle
Address: 206 Balnew Ave - Dundalk, MD 21222-6107
County: Baltimore **FIPS:** 24005
Location ID: 701709
Phone:
NOB/SIC: Membership organizations
Primary Contact: Victor R. Heggins - Phone: 410-409-3645 - Email: vrheggins@verizon.net
Billing Contact: - 206 Balnew Ave Dundalk, MD 21222-6107 - Phone: 410-521-5562

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159422H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2009	10/20/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: 3 Brothers Italian Restaurant
Address: 3611 Washington Blvd Ste 108 - Halethorpe, MD 21227-1667
County: Baltimore **FIPS:** 24005
Primary Contact: 3 Brothers Italian Restaurant
Billing Contact:

Location ID: 4038774
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167279V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000118730		MVE Inc	2000	08/26/2022	Recurring Cert	Active	Outside Rear of Building

Total Objects at this Location: 1

Location: 305 Washington, LLC
Address: 305 Washington Ave - Towson, MD 21204-4740
County: Baltimore **FIPS:** 24005
Primary Contact: Christina Senft - Phone: 410-823-0282 ext 125 - Email: cenft@lee-associates.com
Billing Contact: Christina Senft - 8601 Lasalle Rd Ste 204 Towson, MD 21204-4740 - Phone: 410-823-0282 ext 125 - Email: cenft@lee-associates.com

Location ID: 701820
Phone:
NOB/SIC: Operators of Nonresidential Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148448H	Boiler #1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	CP6604135	Weil-McLain	2012	07/06/2021	Recurring Cert	Active	PENTHOUSE
MD148449H	Boiler #2	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	CP6604136	Weil-McLain	2012	07/06/2021	Recurring Cert	Active	PENTHOUSE

Total Objects at this Location: 2

Location: 5 Guys Arc3)
Address: 1401 Merritt Blvd - Dundalk, MD 21222-2140
County: Baltimore **FIPS:** 24005
Primary Contact: 5 Guys Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 4039044
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168349V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000119782		MVE	2000	08/27/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: 7 Eleven
Address: 204 Bowleys Quarters Rd - Middle River, MD 21220-2926
County: Baltimore **FIPS:** 24005
Primary Contact: 7 Eleven
Billing Contact:

Location ID: 3628136
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142891V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000210596		CHART	2010	01/11/2022	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: 7 Eleven
Address: 25 Eastern Blvd - Essex, MD 21221-7055
County: Baltimore **FIPS:** 24005
Primary Contact: 7 Eleven
Billing Contact:

Location ID: 3628365
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147723V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000007292		BTIC	2012	10/15/2021	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: 7 Eleven
Address: 6223 N Charles St - Baltimore, MD 21212-1113
County: Baltimore **FIPS:** 24005
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3628094
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142441V	A771971	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000210911	31005075	CHART	2010	01/19/2022	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: 7 Eleven (NuCo2) # 313455 **Location ID:** 3628079
Address: 6751 Windsor Mill Rd - Baltimore, MD 21207-4333 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156463V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000027406	SNECE89E296	MVE Inc	1989	12/18/2020	Recurring Cert	Active	Inside Store Room
Total Objects at this Location:				1							

Location: 7 Eleven (NuCo2) # 313478 **Location ID:** 3628092
Address: 9601 Philadelphia Rd - Baltimore, MD 21237-4107 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166346V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000075769		Taylor	2005	08/21/2021	Recurring Cert	Active	Inside Behind Counter
Total Objects at this Location:				1							

Location: 7 Eleven (NuCo2) # 313558 **Location ID:** 3628130
Address: 2701 N Rolling Rd - Baltimore, MD 21244-2182 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164262V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000209490		CHART	2010	08/16/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: 7-Eleven - 11537 (Roberts) **Location ID:** 3181313
Address: 1313 Francis Ave - Halethorpe, MD 21227-3913 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Miscellaneous Retail Stores, NEC
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144583V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000009936		Taylor-Wharton	1992	11/03/2021	Recurring Cert	Active	Store room
Total Objects at this Location:				1							

Location: 7-Eleven - 18623 **Location ID:** 3181311
Address: 6350 Frederick Rd - Catonsville, MD 21228-2375 **Phone:** 410-788-3094
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Miscellaneous Retail Stores, NEC
Primary Contact: 7-Eleven - 18623 - Phone: 410-788-3094
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148029V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020559		Taylor	1994	11/09/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: 7-Eleven - 21980 **Location ID:** 3181312
Address: 1611 Edmondson Ave - Catonsville, MD 21228-4913 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Miscellaneous Retail Stores, NEC
Primary Contact: 7-Eleven - 21980
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159361V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000119563	CSHMOOE107	MVE	2000	11/02/2021	Recurring Cert	Active	Closet
Total Objects at this Location:				1							

Location: 7-Eleven - 25045
Address: 403 Frederick Rd - Catonsville, MD 21228-4644
County: Baltimore **FIPS:** 24005
Primary Contact: 7-Eleven - 25045
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Location ID: 3181306
Phone: 410-788-3922
NOB/SIC: Miscellaneous Retail Stores, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159362V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000055095		MVE	1996	11/02/2021	Recurring Cert	Active	Office
Total Objects at this Location:				1							

Location: 7-Eleven - 26753
Address: 8601 Honeygo Blvd - Nottingham, MD 21236-2524
County: Baltimore **FIPS:** 24005
Primary Contact: 7-Eleven - 26753
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Location ID: 3215092
Phone:
NOB/SIC: Miscellaneous Retail Stores, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144890V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022191		Cryogenic Service	1998	12/16/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: A+ Auto Medics
Address: 1005 Leslie Ave - Catonsville, MD 21228-2913
County: Baltimore **FIPS:** 24005
Primary Contact: Byung Tae Kim - Phone: 410-744-3000 - Email: aplusautomedics@gmail.com
Billing Contact: Byung Tae Kim - 1005 Leslie Ave Catonsville, MD 21228-2913 - Phone: 410-744-3000 - Email: aplusautomedics@gmail.com

Location ID: 721808
Phone: 410-744-3000
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158990V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000618528		Morganton	2017	11/30/2021	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Abundant Grace Church
Address: 10019 Liberty Rd - Randallstown, MD 21133-1401
County: Baltimore **FIPS:** 24005
Location ID: 707433
Phone:
NOB/SIC: Civic, Social, and Fraternal Associations
Primary Contact: Rev. Dr. BJ Oduala - Phone: 443-858-3189
Billing Contact: Rev. Dr. BJ Oduala - 10019 Liberty Rd Randallstown, MD 21133-1401 - Phone: 443-858-3189

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161145H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	231700s615	Columbia	2017	08/04/2020	Recurring Cert	Active	basement

Total Objects at this Location: 1

Location: ACAC Fitness and Wellness
Address: 110 W Timonium Rd - Lutherville Timonium, MD 21093-7300
County: Baltimore **FIPS:** 24005
Location ID: 717590
Phone:
NOB/SIC: Membership Organizations, NEC
Primary Contact: Marcus Millsbaugh - Phone: 410-453-9111 - Email: marcusmi@acac.com
Billing Contact: Marcus Millsbaugh - 110 W Timonium Rd Lutherville Timonium, MD 21093-7300 - Phone: 410-453-9111 - Email: marcusmi@acac.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158998H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP7477136	Weil-McLain	2017	02/07/2022	Recurring Cert	Active	Pool Electric Room

Total Objects at this Location: 1

Location: Affordable Car Care Service
Address: 1006 Cummings Ave Unit A - Catonsville, MD 21228-2863
County: Baltimore **FIPS:** 24005
Location ID: 718567
Phone:
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Julian Rice - Phone: 443-315-5241
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127320V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000765874		Manchester	2005	10/23/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Ajellos Service Center
Address: 910 Taylor Ave - Towson, MD 21286-8310
County: Baltimore **FIPS:** 24005
Primary Contact: Ajellos Service Center - Phone: 4108211855
Billing Contact: Robert Ajello - 910 Taylor Ave Towson, MD 21286-8310 - Phone: 410-821-9829

Location ID: 702287
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135836V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000866848		Manchester	2007	02/10/2023	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Alko Distributors, Inc.
Address: 8053 Liberty Road - Windsor Mill, MD 21244-2966
County: Baltimore **FIPS:** 24005
Primary Contact: Hayley Amey - Phone: 571-383-1276 - Cell: 703-864-6724 - Email: hamey@rappaportco.com
Billing Contact: Hayley Amey - 8405 Greensboro Drive 8th Floor McLean, VA 22102 - Phone: 571-383-1276 - Cell: 703-864-6724 - Email: hamey@rappaportco.com

Location ID: 702387
Phone: 410-655-3515
NOB/SIC: Department Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101162H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	HU13764	Utica	1998	10/29/2021	Recurring Cert	Active	Boiler Room, Boiler #1
MD101163H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	HU12919	Utica	1998	10/29/2021	Recurring Cert	Active	Boiler Room, Boiler #2

Total Objects at this Location: 2

Location: All American Steakhouse (Arc3)
Address: 3615 E Joppa Rd - Parkville, MD 21234-3382
County: Baltimore **FIPS:** 24005
Primary Contact: All American Steakhouse (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3950081
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163585V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166245		CHART	2007	04/16/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Allyson Garden Apartments
Address: 102 Enchanted Hills Rd - Owings Mills, MD 21117-2583
County: Baltimore **FIPS:** 24005
Primary Contact: Nikki Thomas - Phone: 410-356-3700 - Email: nthomas@wpmlc.com
Billing Contact: Nikki Thomas - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmlc.com

Location ID: 702520
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163514H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000221207		State	2016	02/28/2021	Recurring Cert	Active	Laundry Upstairs

Total Objects at this Location: 1

Location: Allyson Garden Apartments
Address: 110 Enchanted Hills Rd - Owings Mills, MD 21117-2587
County: Baltimore **FIPS:** 24005
Primary Contact: Nikki Thomas - Phone: 410-356-3700 - Email: nthomas@wpmlc.com
Billing Contact: Nikki Thomas - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmlc.com

Location ID: 702522
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163515H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000C48806		A O Smith	2018	02/28/2021	Recurring Cert	Active	110 laundry Rm

Total Objects at this Location: 1

Location: Allyson Garden Apartments
Address: 303 Pleasant Ridge Dr - Owings Mills, MD 21117-2595
County: Baltimore **FIPS:** 24005
Primary Contact: Nikki Thomas - Phone: 410-356-3700 - Email: nthomas@wpmlc.com
Billing Contact: Nikki Thomas - 206 Frost Hill Dr Owings Mills, MD 21117-5717 - Phone: 410-356-3700 - Email: nthomas@wpmlc.com

Location ID: 2912071
Phone:
NOB/SIC: Nonclassifiable Establishments

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163528H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000282983		Laars	2017	04/09/2021	Recurring Cert	Active	Laundry

Total Objects at this Location: 1

Location: America's Best Wing (Arc3) **Location ID:** 4045962
Address: 3531 Washington Blvd - Halethorpe, MD 21227-1603 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: America's Best Wing (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168316V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000278089		CHART	2017	10/14/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: America's Best Wings **Location ID:** 4060795
Address: 574 Cranbrook Rd - Cockeysville, MD 21030-3702 **Phone:** 410-667-0050
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: America's Best Wings - Phone: 410-667-0050
Billing Contact: - 574 Cranbrook Rd Cockeysville, MD 21030-3702 - Phone: 410-667-0050

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168374V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000023178		Taylor-Wharton	1995	03/03/2023	Recurring Cert	Active	Outside Rear

Total Objects at this Location: 1

Location: America's Best Wings (Arc3) **Location ID:** 3949966
Address: 1310 Eastern Blvd - Essex, MD 21221-3423 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: America's Best Wings (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163578V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000108494		CHART	1999	04/16/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: American Legion Post #22
Address: 125 York Rd - Towson, MD 21204-5207
County: Baltimore **FIPS:** 24005
Primary Contact: Lou Zimmerman - Phone: 410-823-8030
Billing Contact: Comander - 125 York Rd Towson, MD 21204-5207 - Phone: (410)823-8030

Location ID: 702657
Phone: 410-823-8030
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD060064H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	1988	09/28/2021	External Cert, Recurring Cert	Active	Supply Room

Total Objects at this Location: 1

Location: AMF Towson Lanes
Address: 701 Southwick Dr - Towson, MD 21286-2904
County: Baltimore **FIPS:** 24005
Primary Contact: Joe Godsey - Phone: 410-591-8088
Billing Contact: Remi Alle - 7313 Bell Creek Rd Mechanicsville, VA 23111-3551 - Phone: 804-417-2039 - Email: ralle@amf.com

Location ID: 710301
Phone: 410-825-4100
NOB/SIC: Bowling Centers

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135758H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Crown	2008	04/19/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Anderson Buick GMC
Address: 10125 York Rd - Cockeysville, MD 21030-3305
County: Baltimore **FIPS:** 24005
Primary Contact: Tom Mostyn - Phone: 410-403-1370
Billing Contact:

Location ID: 3992511
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169197V		Other w/comment	V - Storage (NOT Cryogenic)	000639264		Steel Fab	2010	11/09/2022	Recurring Cert	Active	Comp Rm

Total Objects at this Location: 1

Location: Andrea Biesecker (Antique)/Arcadia
Address: 16020 Carnival Ave - Upperco, MD 21155-9509
County: Baltimore **FIPS:** 24005
Primary Contact: Andrea Biesecker - Phone: 717 687 8421 X 124
Billing Contact: Andrea Biesecker - 1723 Porter Rd Bear, DE 19701-2119 - Phone: 717 687 8421 X 124

Location ID: 3361506
Phone:
NOB/SIC: Museums and Art Galleries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147025	PA304502B	Horizontal Fire Tube	A - Antique w/comment	Antique		Russell	1901	07/07/2020	Recurring Cert	Active	Field
Total Objects at this Location:				1							

Location: Anthony P. Kopecni Jr Engine (Model)
Address: 3026 Dunleer Rd - Dundalk, MD 21222-5105
County: Baltimore **FIPS:** 24005
Primary Contact: Anthony P. Kopecni Jr.
Billing Contact: - 3026 Dunleer Rd Dundalk, MD 21222-5105

Location ID: 786557
Phone:
NOB/SIC: Membership Sports and Recreation Clubs

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004113		Horizontal Fire Tube	M - Model w/comment	Model	1090	Morewood	1992	05/20/2022	Recurring Cert	Active	Portable
MD017645		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model		Norman Burgess	1982	05/20/2022	Recurring Cert	Active	Portable
MD141082		Horizontal Fire Tube	M - Model w/comment	Model		Marty Knox	2012	05/20/2022	Recurring Cert	Active	Portable
Total Objects at this Location:				3							

Location: Anthony's Anchors Away (Arc3)
Address: 3648 Washington Blvd - Halethorpe, MD 21227-1626
County: Baltimore **FIPS:** 24005
Primary Contact: Anthony's Anchors Away (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 4045963
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168317V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000023078		Taylor	1995	10/14/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Arbys
Address: 11025 York Rd - Cockeysville, MD 21030-2007
County: Baltimore **FIPS:** 24005
Primary Contact: Carlos Acosta - Phone: 410-329-1405
Billing Contact: Carlos Acosta - 11025 York Rd Cockeysville, MD 21030-2007 - Phone: 410-329-1405

Location ID: 3628801
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156437V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000086350	SN840-015- D07	Taylor-Wharton	2007	12/16/2022	Recurring Cert	Active	Inside Store Room
Total Objects at this Location:				1							

Location: Arbys
Address: 7905 Eastern Ave - Baltimore, MD 21224-2141
County: Baltimore **FIPS:** 24005
Primary Contact: Arbys
Billing Contact:

Location ID: 3628805
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164207V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000196797		CHART	2008	06/11/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Arbys
Address: 8672 Pulaski Hwy - Rosedale, MD 21237-3008
County: Baltimore **FIPS:** 24005
Primary Contact: Arbys
Billing Contact:

Location ID: 3628803
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156882V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000090329	SN840-031- EE9	Taylor-Wharton	2008	12/20/2020	Recurring Cert	Active	Inside Store Room
Total Objects at this Location:				1							

Location: Arc of Baltimore at Dundalk **Location ID:** 703603
Address: 1401 North Point Rd - Dundalk, MD 21222-1524 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Job Training and Vocational Rehabilitation Services
Primary Contact: John G. Sanford - Phone: 410-296-2272 x 5041 - Cell: 443-279-3419 - Email: JSanford@thearcbaltimore.org
Billing Contact: John G. Sanford - 7215 York Rd Baltimore, MD 21212-1528 - Phone: 410-296-2272 x 5041 - Cell: 443-279-3419 - Email: JSanford@thearcbaltimore.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115853H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1999	11/10/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Arcadia Vol. Fire Co. **Location ID:** 703030
Address: 5415 Arcadia Avenue - Upperco, MD 21155-9346 **Phone:** 410-887-1576
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Business Services, NEC
Primary Contact: Ralph Walter - Phone: 443-375-6837 - Email: deereralph@gmail.com
Billing Contact: Ralph Walter - 5415 Arcadia Ave Upperco, MD 21155-9346 - Phone: 443-375-6837 - Email: deereralph@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167260H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	D0010297	Slant	1995	06/09/2022	Recurring Cert	Active	Activities Bldg Blrm

Total Objects at this Location: 1

Location: Arsh Mirmiran **Location ID:** 702426
Address: 13 W Chesapeake Ave - Towson, MD 21204-4802 **Phone:** \$10-825-2030
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Barber Shops
Primary Contact: Teri Weatherly - Phone: 410 825 2030
Billing Contact: Teri Weatherly - 13 W Chesapeake Ave Towson, MD 21204-4802 - Phone: 410 825 2030

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD006883H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1960	04/08/2020	Recurring Cert	Active	Rear

Total Objects at this Location: 1

Location: Athelas Institute
Address: 1717 Gwynn Oak Ave - Woodlawn, MD 21207-5280
County: Baltimore **FIPS:** 24005
Location ID: 719353
Phone:
NOB/SIC: Health services
Primary Contact: John Contreras - Phone: 443-677-7004
Billing Contact: John Contreras - 9104 Red Branch Rd Columbia, MD 21045-2014 - Phone: 443-677-7004

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001202H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	0	Weil-McLain	1962	08/02/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: ATI Performance Products Inc
Address: 6718 Whitestone Rd - Gwynn Oak, MD 21207-4102
County: Baltimore **FIPS:** 24005
Location ID: 3933273
Phone: 410-298-4343
NOB/SIC:
Primary Contact: Lynn Beattie - Phone: 410-298-4343
Billing Contact: Kim Brady - 6718 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410-298-4343

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163552V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854751		Steel Fab	2017	04/03/2023	Recurring Cert	Active	MILL DEPT
MD163553V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854753		Steel Fab	2017	04/03/2023	Recurring Cert	Active	COMPRESSOR RM
MD163554V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854749		Steel Fab	2017	04/03/2023	Recurring Cert	Active	COMPRESSOR RM

Total Objects at this Location: 3

Location: Atlantic Nationwide
Address: 4490 North Point Blvd - Sparrows Point, MD 21219
County: Baltimore **FIPS:** 24005
Primary Contact: Atlantic Nationwide - Phone: 410-477-9733
Billing Contact: - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 410-477-9733

Location ID: 3674323
Phone: 410-477-9733
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153312V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000547872		Wood	1972	01/29/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Augsburg Lutheran Home Of Maryland
Address: 6811 Campfield Rd - Baltimore, MD 21207-4657
County: Baltimore **FIPS:** 24005
Primary Contact: Augsburg Lutheran Home Of Maryland - Phone: 4104864573
Billing Contact: - 6811 Campfield Rd Baltimore, MD 21207-4657 - Phone: 4104864573

Location ID: 703332
Phone:
NOB/SIC: Nursing and Personal Care Facilities, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070179H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	566	H B Smith	1987	11/28/2022	Recurring Cert	Active	BLDG C CENT
MD070181V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000003164		Magna Tank	1988	11/28/2022	Recurring Cert	Active	BLDG C CENT
MD070184H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	690	H B Smith	1987	11/28/2022	Recurring Cert	Active	BLDG C CENT
MD123543H		Horizontal Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000171535		Raypak	2004	11/28/2022	Recurring Cert	Active	BLDG C CENT
MD125248H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000168352		Lochinvar	2006	11/28/2022	Recurring Cert	Active	BLDG 11
MD129286H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000273011		Raypak	2007	11/28/2022	Recurring Cert	Active	BLDG C CENT
MD137653H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000125042		A O Smith	2008	11/28/2022	Recurring Cert	Active	BLDG D MAINT
MD137654H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000124601		A O Smith	2008	11/28/2022	Recurring Cert	Active	BLDG G

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137656H		Cast Iron	160 psig, 210 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2010	11/28/2022	Recurring Cert	Active	C BLDG SOUTH
MD137657H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2010	11/28/2022	Recurring Cert	Active	BLDG C SOUTH
MD156196H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		Weil-McLain	2015	11/28/2022	Recurring Cert	Active	BLDG D BLRM
MD156197H		Electric (NOT HLW)	H - Heating-Cooking (Steam <= 15 psig)	000113352		Cleveland	2014	11/28/2022	Recurring Cert	Active	KITCHEN
MD163563H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000234540		A O Smith	2017	11/07/2022	Recurring Cert	Active	BLDG D MAINT

Total Objects at this Location: 13

Location: Auto Body Evolution
Address: 2 Ensor Ave - Towson, MD 21204-2511
County: Baltimore **FIPS:** 24005
Location ID: 722701
Phone: 410-828-5225
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Dennie Huff - Phone: 410-828-5225 - Email: dennie@autobodyevolution.com
Billing Contact: Dennie Huff - 2 Ensor Ave Towson, MD 21204-2511 - Phone: 410-828-5225 - Email: dennie@autobodyevolution.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157387V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000517598	567464	Morganton	2015	05/11/2021	Recurring Cert	Active	Outside Rear Shed
MD157391V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000517600	567466	Morganton	2015	05/11/2021	Recurring Cert	Active	Outside Rear Shed

Total Objects at this Location: 2

Location: Auto Glass Now
Address: 790 Merritt Blvd - Dundalk, MD 21222-1409
County: Baltimore **FIPS:** 24005
Primary Contact: Auto Glass - Phone: 410-282-2600
Billing Contact: - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-282-2600

Location ID: 3296696
Phone: 410-282-2600
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081534V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000338504		Melben	2004	12/29/2020	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Auto Nation Chevrolet-Timonium
Address: 60 E Padonia Road - Lutherville/Timonium, MD 21093-2300
County: Baltimore **FIPS:** 24005
Primary Contact: Wendy Hawkins - Phone: 410-666-6312
Billing Contact: Wendy Hawkins - 60 E Padonia Rd Lutherville Timonium, MD 21093-2300 - Phone: 410-666-6312

Location ID: 711115
Phone: 410-666-6312
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135803V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000908738		Manchester	2007	08/29/2022	Recurring Cert	Active	Outside Rear Compressor Shed
MD135804V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000908752		Manchester	2007	08/29/2022	Recurring Cert	Active	Outside Rear Compressor Shed

Total Objects at this Location: 2

Location: B & T Automotive
Address: 7802 Wise Ave - Dundalk, MD 21222-3300
County: Baltimore **FIPS:** 24005
Primary Contact: Bernard Bankard - Phone: 410-288-1500
Billing Contact: Bernard Bankard - 7802 Wise Ave Dundalk, MD 21222-3300 - Phone: 410-288-1500

Location ID: 705726
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108436V	CAT	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000589811		John Wood	1973	05/26/2021	Recurring Cert	Active	TRAILER

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152547V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000357670		Scaife	1950	05/26/2021	Recurring Cert	Active	Trailer

Total Objects at this Location: 2

Location: BalCitySch/Dickey Hill Elementary / Middle #201 **Location ID:** 708938
Address: 5025 Dickey Hill Rd - Baltimore, MD 21207-7239 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: John Walton - Phone: 410-396-7612 - Cell: 410-926-0370 - Email: jwalton@bcps.k12.md.us
Billing Contact: Velma Boykins-Early - 401 E Fayette St Ste 700 Baltimore, MD 21202-3419 - Phone: 410-396-5115/1072/ 410-347-2023 - Email: Velma.boykins-early@baltimorecity.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD026697V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047897		Richmond Engineering	1965	09/17/2021	Recurring Cert	Active	BLRM
MD123201V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000318629		Steel Fab	2004	09/17/2021	Recurring Cert	Active	BLRM
MD129070H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000200611		L C I	2007	09/17/2021	Recurring Cert	Active	BLRM
MD129071H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000200609		L C I	2007	09/17/2021	Recurring Cert	Active	BLRM
MD129072H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000200610		L C I	2007	09/17/2021	Recurring Cert	Active	BLRM
MD159018H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000231079		A O Smith	2017	05/10/2022	Recurring Cert	Active	BOILER ROOM

Total Objects at this Location: 6

Location: Baltimore Co. EFCU/ Ridgely's Choice
Address: 8640 Ridgelys Choice Dr - Nottingham, MD 21236-3029
County: Baltimore **FIPS:** 24005
Location ID: 2657979
Phone: 410-828-4730
NOB/SIC: Credit Unions, Federally Chartered
Primary Contact: Patricia La Martina - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com
Billing Contact: Patricia La Martina - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135275H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	05/11/2022	Recurring Cert	Active	Basement
MD135276H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	05/11/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: Baltimore County Employees Federal Credit Union
Address: 23 W Susquehanna Ave - Towson, MD 21204-5222
County: Baltimore **FIPS:** 24005
Location ID: 703664
Phone: 410-828-4730
NOB/SIC: Nondepository credit institutions
Primary Contact: Patricia La Martina - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com
Billing Contact: Patricia La Martina - 8640 Ridgely's Choice Dr Nottingham, MD 21236-3029 - Phone: 410-828-4730 ext 7215 - Email: trisha.lamartina@bcefcu.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD030105H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1977	05/11/2022	Recurring Cert	Active	Boiler Rm

Total Objects at this Location: 1

Location: Baltimore Towing Company Inc.
Address: 4112 North Point Blvd - Dundalk, MD 21222-3629
County: Baltimore **FIPS:** 24005
Location ID: 1646504
Phone: 410-477-8800
NOB/SIC: Automotive Services, Except Repair and Carwashes
Primary Contact: Baltimore Towing Company Inc - Phone: 410-477-8800 - Email: baltimoretowinginc@yahoo.com
Billing Contact: - 4112 N Point Blvd Dundalk, MD 21222-3629 - Phone: 410-477-8800 - Email: baltimoretowinginc@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137181V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000979436		Manchester	2008	12/16/2022	Recurring Cert	Active	Garage

Total Objects at this Location: 1

Location: Barton Brands of MD. **Location ID:** 717215
Address: 2200 Monumental Rd - Baltimore, MD 21227-4612 **Phone:** 410-242-0200
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Manufacturing Industries, NEC
Primary Contact: Erin Miller - Phone: 410-242-0200 x7017, 7022 - Email: emiller@bartonbrands.com
Billing Contact: Erin Miller - 2200 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410-242-0200 x7017, 7022 - Email: emiller@bartonbrands.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134250H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2008	01/25/2023	Recurring Cert	Active	Compressor/Boiler Room
MD140566H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2010	01/25/2023	Recurring Cert	Active	Boiler Room -Not Main Bldg
MD165389V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000903997		Samual PV Group	2019	01/25/2023	Recurring Cert	Active	WNF Building
MD166517V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000940140		Samuel Pressure Vessel Group	2020	01/25/2023	Recurring Cert	Active	Compressor/Boiler Room
MD166518V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000937877		Samuel Pressure Vessel Group	2020	01/25/2023	Recurring Cert	Active	Compressor/Boiler Room
MD166519V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000074216	74216	Steel Fab	1993	01/25/2023	Recurring Cert	Active	Rectifying A Room

Total Objects at this Location: 6

Location: Basta Pasta **Location ID:** 725712
Address: 60 W Timonium Rd - Lutherville/Timonium, MD 21093-3103 **Phone:** 410-308-0838
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Dino Konstantinou - Phone: 410 308 0838
Billing Contact: Dino Konstantinou - 60 W Timonium Rd Lutherville Timonium, MD 21093-3103 - Phone: 410 308 0838

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127877H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000095529	95529	Rheem	2002	07/22/2021	Recurring Cert	Active	HTR RM

Total Objects at this Location: 1

Location: Bayside Auto Body
Address: 310 Eastern Blvd - Essex, MD 21221-6920
County: Baltimore **FIPS:** 24005
Location ID: 704010
Phone: 410-391-9414
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Yong Jin Lee - Phone: 571-232-4953/410-391-9414 - Email: batsideauto@gmail.com
Billing Contact: Yong Jin Lee - 310 Eastern Blvd Essex, MD 21221-6920 - Phone: 571-232-4953/410-391-9414 - Email: batsideauto@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD025224V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000242525	N/A	Wayne	1972	07/08/2022	Recurring Cert	Active	Compressor Room
MD109975V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032967		Stoystown	1984	07/08/2022	Recurring Cert	Active	Compressor Room
MD161472V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000392486	N/A	Mat-Industries	2016	07/16/2022	Recurring Cert	Active	Paint Shop across street 309
MD161473V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000682643	N/A	Manchester	2006	07/16/2022	Recurring Cert	Active	Paint Shop across street 309

Total Objects at this Location: 4

Location: Bell Truck & Auto Repair
Address: 4490 North Point Blvd - Sparrows Point, MD 21219-1004
County: Baltimore **FIPS:** 24005
Location ID: 2504884
Phone: 443-250-6969
NOB/SIC: General Automotive Repair Shops
Primary Contact: Gary Bell - Phone: 443-970-5959
Billing Contact: Gary Bell - 4490 N Point Blvd Sparrows Point, MD 21219-1004 - Phone: 443-970-5959

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168335V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000730918		Morganton	2018	12/29/2022	Recurring Cert	Active	Outside rear

Total Objects at this Location: 1

Location: Bellona Commons
Address: 1300 Bellona Ave - Lutherville/Timonium, MD 21093-5465
County: Baltimore **FIPS:** 24005
Primary Contact: Chuck Dyjak - Cell: 410-790-2649 - Email: cdyjak@pinkardproperties.com
Billing Contact: - 305 W Chesapeake Ave Ste 503 Towson, MD 21204-4438

Location ID: 704240
Phone:
NOB/SIC: Operators of Nonresidential Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146955H	Buderus Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2530-110-00381-5178454	Buderus	2012	07/21/2021	Recurring Cert	Active	Mechanical Rm #2, Buderus Boiler #1
MD146956H	Buderus Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2530-207-000212-5178454	Buderus	2012	07/21/2021	Recurring Cert	Active	Mechanical Rm #2, Buderus Boiler #2

Total Objects at this Location: 2

Location: Berkshires At Town Center
Address: 204 E Joppa Rd - Towson, MD 21286-3118
County: Baltimore **FIPS:** 24005
Primary Contact: Brad Nafisi - Phone: 410-874-4589 - Email: nafisi@berkshirescommunities.com
Billing Contact: Brad Nafisi - 204 E Joppa Rd Towson, MD 21286-3118 - Phone: 410-874-4589 - Email: nafisi@berkshirescommunities.com

Location ID: 713168
Phone: 410-828-8300
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD005851H	Boiler #1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000023005		Cleaver Brooks	1964	06/02/2021	Recurring Cert	Active	Boiler Room, Boiler #1
MD010587H	Boiler #2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000023004	L-33899	Cleaver Brooks	1964	06/02/2021	Recurring Cert	Active	Boiler Room, Boiler #2
MD126995V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000357725		Manchester	2004	06/02/2021	Recurring Cert	Active	Boiler Room
MD141554H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000110789		A O Smith	2006	06/02/2021	Recurring Cert	Active	BLRM
MD141573V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024861		Lochinvar	2006	06/08/2021	Recurring Cert	Active	BLRM
MD141574V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032007		R B I	2007	06/02/2021	Recurring Cert	Active	BLRM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141575H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C34254		A O Smith	2012	06/02/2021	Recurring Cert	Active	Boiler Room
MD141576H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C34255	1210M002347	A O Smith	2012	06/02/2021	Recurring Cert	Active	Boiler Room
MD152042V		Other w/comment	V - Storage (NOT Cryogenic)	000100489		R B I	2012	06/08/2021	Recurring Cert	Active	Blrm
Total Objects at this Location:				9							

Location: Beste Automotive
Address: 10823A Veneer Ln - Cockeysville, MD 21030-2158
County: Baltimore **FIPS:** 24005
Primary Contact: Beste Automotive - Phone: 4107711593
Billing Contact: C/O Ron Beste - 10823A Veneer Ln Cockeysville, MD 21030-2158 - Phone: 4107711593

Location ID: 704452
Phone:
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127305V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000438855		Manchester	2005	11/07/2020	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Bethany United Church Of Christ
Address: 1932 Gwynn Oak Ave - Woodlawn, MD 21207-5260
County: Baltimore **FIPS:** 24005
Primary Contact: Bethany United Church Of Christ - Phone: 410-944-4788
Billing Contact: Ms. Evelyn McDonald - 1932 Gwynn Oak Ave Woodlawn, MD 21207-5260 - Phone: 410-944-3593

Location ID: 704466
Phone:
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080439H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1890714	Weil-McLain	1992	10/20/2022	Recurring Cert	Active	BLR RM
Total Objects at this Location:				1							

Location: Better Engineering Manufacturing
Address: 8361 Town Center Ct - Nottingham, MD 21236-4964
County: Baltimore **FIPS:** 24005
Location ID: 704556
Phone: 410-931-0000
NOB/SIC: Primary metal industries
Primary Contact: Denise Hussar - Phone: 410-931-0000x315 - Email: Denise.Hussar@Better Engineer.com
Billing Contact: - 8361 Town Center Ct Nottingham, MD 21236-4964

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD095292V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000245230		Manchester	1994	03/13/2021	Recurring Cert	Active	COMP ROOM
MD150464V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000439133		Morganton	2014	03/13/2021	Recurring Cert	Active	Comp rm

Total Objects at this Location: 2

Location: Betty Brite Cleaners
Address: 9918 Reisterstown Rd - Owings Mills, MD 21117-3945
County: Baltimore **FIPS:** 24005
Location ID: 704572
Phone:
NOB/SIC: Miscellaneous Personal Services, NEC
Primary Contact: Bong Chung - Phone: 410 363 4848
Billing Contact: Bong Chung - 9918 Reisterstown Rd Owings Mills, MD 21117-3945 - Phone: 410 363 4848

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD062473V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028291		Melben	1981	03/23/2020	Recurring Cert	Active	Boiler Room
MD112002		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000087635		Fulton	2001	03/23/2020	Recurring Cert	Active	Blrm

Total Objects at this Location: 2

Location: Beynon Sports Surfaces, Inc.
Address: 10822 Williamson Ln - Cockeysville, MD 21030-2154
County: Baltimore **FIPS:** 24005
Location ID: 4057026
Phone:
NOB/SIC:
Primary Contact: Ron Dellinger - Phone: (410) 771-9473 ext. 114 - Email: RDellinger@beynonports.com
Billing Contact: Ron Dellinger - 16 Alt Rd Cockeysville, MD 21030-2105 - Phone: (410) 771-9473 ext. 114 - Email: RDellinger@beynonports.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168396V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000439215		Mat Ind.	2017	03/12/2023	Recurring Cert	Active	10838 Oak Ln - oak 1 warehouse

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD168397V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000965736		Samuel	2020	03/12/2023	Recurring Cert	Active	10822 Williamson Ln Bldg S

Total Objects at this Location: 2

Location: Big Falls Inn
Address: 11818 Philadelphia Rd - White Marsh, MD 21162-1141
County: Baltimore **FIPS:** 24005
Primary Contact: Jerry Shepard or E.J. Mitchell - Phone: 410-256-9770/ 410-256-5637
Billing Contact: Jerry Shepard or E.J. Mitchell - PO Box 181 White Marsh, MD 21162-0181 - Phone: 410-256-9770/ 410-256-5637

Location ID: 704603
Phone: 410-256-9770
NOB/SIC: Hotels, rooming houses, camps, and other lodging places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161845H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65647273	U.S Boiler Company	2018	12/11/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Bills Seafood
Address: 9016 Belair Rd - Baltimore, MD 21236-2103
County: Baltimore **FIPS:** 24005
Primary Contact: Bill Paulshock - Phone: 443-324-0292 - Email: bsacc@verizon.net
Billing Contact: Bill Paulshock - 9016 Belair Rd Baltimore, MD 21236-2103 - Phone: 443-324-0292 - Email: bsacc@verizon.net

Location ID: 704643
Phone: 410-256-9520
NOB/SIC: Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169204H		Horizontal Fire Tube	H - Heating-Cooking (Steam <= 15 psig)	000155360		Columbia	2020	08/17/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Bioreclamation IVT
Address: 1450 S Rolling Rd Ste 3030 - Halethorpe, MD 21227-3863
County: Baltimore **FIPS:** 24005

Location ID: 980815
Phone:
NOB/SIC: Colleges, Universities, and Professional Schools

Primary Contact: Dan Dryden - Phone: 410-394-7620 - Email: ddryden@bioreclamationivt.com

Billing Contact: Dan Dryden - 1450 S Rolling Rd Ste 3030 Halethorpe, MD 21227-3863 - Phone: 410-394-7620 - Email: ddryden@bioreclamationivt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144587V		Autoclave	V - Process-Sterilizing	000001364		Consolidated	1993	07/21/2021	Recurring Cert	Active	LAB
MD144588		Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000002030		Consolidated	1996	11/01/2021	Recurring Cert	Active	LAB

Total Objects at this Location: 2

Location: BJ's - 621
Address: 55 Music Fair Rd - Owings Mills, MD 21117-3471
County: Baltimore **FIPS:** 24005

Location ID: 703499
Phone:
NOB/SIC: Automotive Repair Shops, NEC

Primary Contact: BJ's - 621 - Phone: 410-363-0005

Billing Contact: - 55 Music Fair Rd Owings Mills, MD 21117-3471 - Phone: 410-363-0005

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086837V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001076144		Manchester	1993	04/07/2020	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Black Tie Cleaners
Address: 8724 Liberty Rd - Randallstown, MD 21133-4710
County: Baltimore **FIPS:** 24005

Location ID: 704701
Phone:
NOB/SIC: Personal services

Primary Contact: Heoug Lae Ahn - Phone: 4106557877

Billing Contact: Heoug Lae Ahn - 8724 Liberty Rd Randallstown, MD 21133-4710 - Phone: 4106557877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098351V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000625618		Manchester	1998	09/01/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Blvd at White Springs
Address: 7924 Belridge Road - Baltimore, MD 21236-3611
County: Baltimore **FIPS:** 24005
Location ID: 729033
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Nancy Kovac - Phone: 410-665-8700
Billing Contact: Nancy Kovac - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153252H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 250 F)	000199035		State Industries	2014	12/17/2021	Recurring Cert	Active	BSMT 7924
Total Objects at this Location:				1							

Location: Blvd. at White Spring
Address: 7928 Belridge Rd - Baltimore, MD 21236-3616
County: Baltimore **FIPS:** 24005
Location ID: 729034
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Nancy Kovac - Phone: 410-665-8700
Billing Contact: Nancy Kovac - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153253H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000109882		Bradford White	2014	12/17/2021	Recurring Cert	Active	BSMT 7928
Total Objects at this Location:				1							

Location: Blvd. at White Spring
Address: 7934 Belridge Rd - Baltimore, MD 21236-3619
County: Baltimore **FIPS:** 24005
Location ID: 729035
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Nancy Kovac - Phone: 410-665-8700
Billing Contact: Nancy Kovac - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153254H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 250 F)	000099263		Bradford White	2012	12/17/2021	Recurring Cert	Active	BSMT 7934
Total Objects at this Location:				1							

Location: Blvd. at White Springs
Address: 7908 Marfield Pl - Baltimore, MD 21236-3625
County: Baltimore **FIPS:** 24005
Location ID: 728076
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Nancy Kovac - Phone: 410-665-8700
Billing Contact: Nancy Kovac - 7935 Belridge Rd Baltimore, MD 21236-3611 - Phone: 410-665-8700

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120186H	HWH	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096284		Rheem/Ruud	2003	12/17/2021	Recurring Cert	Active	7908 Marfield

Total Objects at this Location: 1

Location: BMW of Towson Collision Repair
Address: 1765 E Joppa Rd - Parkville, MD 21234-3616
County: Baltimore **FIPS:** 24005
Location ID: 724392
Phone: 410-823-3400
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Jason Bageant - Phone: 410-823-3400 - Email: jbageant@bmwtowson.com
Billing Contact: Jason Bageant - 1765 E Joppa Rd Parkville, MD 21234-3616 - Phone: 410-823-3400 - Email: jbageant@bmwtowson.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147476V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000622550		Steel Fab	2010	10/29/2021	Recurring Cert	Active	Rear Shed

Total Objects at this Location: 1

Location: Bob Bell Nissan
Address: 7900 Eastern Ave - Baltimore, MD 21224-2125
County: Baltimore **FIPS:** 24005
Location ID: 704786
Phone:
NOB/SIC: Automotive Dealers, NEC
Primary Contact: Barry Durst - Phone: 410-288-2500 - Email: bdurst@bobbell.com
Billing Contact: Barry Durst - 7900 Eastern Ave Baltimore, MD 21224-2125 - Phone: 410-288-2500 - Email: bdurst@bobbell.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD016353V	CAT 2	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000023238		Dresser	1973	02/12/2023	Recurring Cert	Active	TOOL ROOM
MD016354V	CAT 3	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024001		Dresser	1974	02/12/2023	Recurring Cert	Active	TOOL ROOM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD016355V	CAT 4	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000153377		Curtis	1971	02/12/2023	Recurring Cert	Active	TOOL ROOM
MD016356V	CAT 5	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000152667	188916	Curtis	1971	02/12/2023	Recurring Cert	Active	Comp Room
MD141706V	CAT 1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000619425		Steel Fab	2010	02/12/2023	Recurring Cert	Active	BODY SHOP
Total Objects at this Location:				5							

Location: Bob's Auto Service
Address: 2702 N Point Rd - Dundalk, MD 21222-1606
County: Baltimore **FIPS:** 24005
Location ID: 704798
Phone: 410-282-8603
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Bobs Auto Service - Phone: 410-282-8603
Billing Contact: - 2702 N Point Rd Dundalk, MD 21222-1606 - Phone: 410-282-8603 - Email: Bobsautoservice@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD083217V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001035553		Manchester	1992	02/10/2023	Recurring Cert	Active	Compressor Room
MD083218V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000112731		Manchester	1983	02/10/2023	Recurring Cert	Active	Compressor Room
Total Objects at this Location:				2							

Location: Bonefish Grill
Address: 10906 Boulevard Cir - Owings Mills, MD 21117-7813
County: Baltimore **FIPS:** 24005
Location ID: 4023164
Phone: 410-654-5500
NOB/SIC:
Primary Contact: Manager on Duty - Phone: 410-654-5500
Billing Contact: Manager on Duty - 10906 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-654-5500

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167226V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000028990		Taylor-Wharton	1996	05/28/2022	Recurring Cert	Active	Outside Dumpster Area
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments **Location ID:** 2321994
Address: 14 Wytchwood Ct - Baltimore, MD 21209-1911 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161484H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000123875		Bradford	2017	06/05/2022	Recurring Cert	Active	14 Wychwood
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments **Location ID:** 2910587
Address: 15 Wytchwood Ct - Baltimore, MD 21209-1914 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161819H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000120075		Bradford White	2016	10/02/2022	Recurring Cert	Active	15 Wytch
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments **Location ID:** 2321992
Address: 19 Wytchwood Ct - Baltimore, MD 21209-1912 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155871H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000115519		Bradford	2016	11/01/2022	Recurring Cert	Active	19 Wytchwood
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 2 Bonnie Ridge Ct - Baltimore, MD 21209-1708
County: Baltimore **FIPS:** 24005
Location ID: 704860
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152261H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000097945		Bradford White	2012	06/30/2022	Recurring Cert	Active	Bonnie Ridge CT 2
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 2 Wytchwood Ct - Baltimore, MD 21209-1905
County: Baltimore **FIPS:** 24005
Location ID: 2321984
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136169H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090762		Bradford White	2010	07/15/2022	Recurring Cert	Active	2 Wytchwood
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 2001 Fitzwarren Pl - Baltimore, MD 21209-1730
County: Baltimore **FIPS:** 24005
Location ID: 2321974
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160207H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000118995		Bradford White	2016	03/09/2022	Recurring Cert	Active	2001 Fitzwar
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 2005 Fitzwarren Pl - Baltimore, MD 21209-1733
County: Baltimore **FIPS:** 24005
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Location ID: 4001933
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110585H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000084885		Rheem/Ruud	1999	05/12/2022	Recurring Cert	Active	2005 Fitzwarren

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments
Address: 2013 Pheasant Cross Dr - Baltimore, MD 21209-1740
County: Baltimore **FIPS:** 24005
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Teresa Weyant - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: TWeyant@WMapts.com

Location ID: 2322047
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130296H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000075228		Bradford White	2006	03/09/2022	Recurring Cert	Active	2013 Pheasant

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments
Address: 3 Aspen Tree Ct - Baltimore, MD 21209-2346
County: Baltimore **FIPS:** 24005
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Location ID: 2322364
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148317H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106854		Bradford White	2014	03/09/2022	Recurring Cert	Active	3 ASPEN

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments
Address: 6503 Copper Ridge Dr - Baltimore, MD 21209-2313
County: Baltimore **FIPS:** 24005
Location ID: 1760657
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166512H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000256992	S/N256992	A O Smith	2019	03/30/2022	Recurring Cert	Active	6503 Copper Ridge
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 6512 Copper Ridge Dr - Baltimore, MD 21209-2330
County: Baltimore **FIPS:** 24005
Location ID: 2322363
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161820H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000225670		A O Smith	2017	10/02/2022	Recurring Cert	Active	6512 Copper
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 6513 Copper Ridge Dr - Baltimore, MD 21209-2332
County: Baltimore **FIPS:** 24005
Location ID: 2322367
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136235H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000087568		Bradford White	2009	11/01/2022	Recurring Cert	Active	laundry room
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments **Location ID:** 2322368
Address: 6602 Copper Ridge Dr - Baltimore, MD 21209-2335 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136170H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090757		Bradford White	2009	12/25/2022	Recurring Cert	Active	6602 Copper Ridge
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments **Location ID:** 704861
Address: 6603 Bonnie Ridge Dr - Baltimore, MD 21209-1923 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154638H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106333		Bradford	2013	05/12/2022	Recurring Cert	Active	6603 Bonnie
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments **Location ID:** 2322369
Address: 6606 Copper Ridge Dr - Baltimore, MD 21209-2337 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159006H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000108328		Bradford	2014	03/09/2022	Recurring Cert	Active	6606 Copper
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 6608 Bonnie Ridge Dr - Baltimore, MD 21209-1926
County: Baltimore **FIPS:** 24005
Location ID: 2322362
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136234H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092711		Bradford White	2010	11/01/2022	Recurring Cert	Active	6608 Bonnie Ridge

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments
Address: 6621 Bonnie Ridge Dr - Baltimore, MD 21209-1943
County: Baltimore **FIPS:** 24005
Location ID: 704863
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Teresa Weyant - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: TWeyant@WMapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135940H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086246		Bradford White	2009	03/09/2022	Recurring Cert	Active	6621 Bonnie Ridge
MD153907H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000113721		Bradford White	2015	03/09/2022	Recurring Cert	Active	6621 Bonnie Ridge

Total Objects at this Location: 2

Location: Bonnie Ridge Apartments
Address: 6705 Maple Leaf Ct - Baltimore, MD 21209-1853
County: Baltimore **FIPS:** 24005
Location ID: 2322352
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148314H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000104066		Bradford White	2013	12/28/2022	Recurring Cert	Active	6705 Maple Leaf

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments
Address: 6712 Bonnie Ridge Dr - Baltimore, MD 21209-1815
County: Baltimore **FIPS:** 24005
Location ID: 2322356
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Teresa Weyant - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: TWeyant@WMapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160206H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000233690		A O Smith	2017	03/09/2022	Recurring Cert	Active	6712 Bonnie

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments
Address: 6720 Bonnie Ridge Dr - Baltimore, MD 21209-1811
County: Baltimore **FIPS:** 24005
Location ID: 704864
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161817H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119479		Bradford White	2016	10/02/2022	Recurring Cert	Active	6720 Bonnie
MD161818H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119000		Bradford White	2016	10/02/2022	Recurring Cert	Active	6720 Bonnie

Total Objects at this Location: 2

Location: Bonnie Ridge Apartments
Address: 6803 Bonnie Ridge Dr - Baltimore, MD 21209-1723
County: Baltimore **FIPS:** 24005
Location ID: 1760651
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Teresa Weyant - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: TWeyant@WMapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160208H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000123874		Bradford White	2017	03/09/2022	Recurring Cert	Active	6803 Bonnie

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166513H		Water Heater (HLW)	160 psig, 210 F) H - Hot Water Supply (Water <= 160 psig, 210 F)	000128991		Bradford White	2018	03/30/2022	Recurring Cert	Active	6803 Bonnie

Total Objects at this Location: 2

Location: Bonnie Ridge Apartments
Address: 6808 Harrowdale Rd - Baltimore, MD 21209-1831
County: Baltimore **FIPS:** 24005
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Location ID: 2322350
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153906H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000111797		A O Smith	2015	05/12/2022	Recurring Cert	Active	6808 Harrowdale

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments
Address: 6812 Maple Leaf Ct - Baltimore, MD 21209-1856
County: Baltimore **FIPS:** 24005
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Location ID: 2322355
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148313H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105509		Bradford White	2013	12/28/2022	Recurring Cert	Active	6812 MAPLE

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments **Location ID:** 2322261
Address: 6820 Bonnie Ridge Dr - Baltimore, MD 21209-1724 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Teresa Weyant - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: TWeyant@WMapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148316H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106853		Bradford White	2014	03/09/2022	Recurring Cert	Active	6820 Bonnie Ridge

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments **Location ID:** 1760661
Address: 6829 Bonnie Ridge Dr - Baltimore, MD 21209-1729 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135936H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090012	105012	Bradford White	2009	11/01/2022	Recurring Cert	Active	6829 Bonnie Ridge

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments **Location ID:** 2322248
Address: 6900 Bonnie Ridge Dr - Baltimore, MD 21209-1850 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159433H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000117414		Bradford White	2016	11/09/2022	Recurring Cert	Active	6900 BONNIE

Total Objects at this Location: 1

Location: Bonnie Ridge Apartments
Address: 6903 Harrowdale Rd - Baltimore, MD 21209-1745
County: Baltimore **FIPS:** 24005
Location ID: 3099566
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144190H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000094313		Bradford White	2011	05/12/2022	Recurring Cert	Active	6903 Harrowdale
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 6904 Bonnie Ridge Dr - Baltimore, MD 21209-1848
County: Baltimore **FIPS:** 24005
Location ID: 2322250
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130298H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077995		Bradford White	2007	05/12/2022	Recurring Cert	Active	6904 Bonnie Ridge
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments
Address: 6905 Bonnie Ridge Dr - Baltimore, MD 21209-1839
County: Baltimore **FIPS:** 24005
Location ID: 704865
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Teresa Weyant - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: TWeyant@WMapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144191H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096165		Bradford White	2011	03/09/2022	Recurring Cert	Active	6905 Bonnie Ridge
MD155870H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000117410		Bradford	2016	03/09/2022	Recurring Cert	Active	6905 Bonnie Ridge

Total Objects at this Location: 2

Location: Bonnie Ridge Apartments **Location ID:** 2322253
Address: 6915 Bonnie Ridge Dr - Baltimore, MD 21209-1844 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161485H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000116406		Bradford	2016	06/12/2022	Recurring Cert	Active	6915 BONNIE
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments **Location ID:** 2321988
Address: 8 Wytchwood Ct - Baltimore, MD 21209-1908 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jose Lovo - Phone: 410-484-8674 - Email: Jlovo@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144193H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096751		Bradford White	2011	05/12/2022	Recurring Cert	Active	8 Wytchwood
Total Objects at this Location:				1							

Location: Bonnie Ridge Apartments **Location ID:** 704866
Address: 9 Wytchwood Ct - Baltimore, MD 21209-1917 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Angel Rosa - Phone: 443-842-0703 - Cell: 443-677-1312 - Email: ANrosa@WMapts.com
Billing Contact: Jessica Richards - 6617 Bonnie Ridge Dr Baltimore, MD 21209-1948 - Phone: 410-484-0055 - Email: Jrichards@wmapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131465H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000080974		Bradford White	2008	11/01/2022	Recurring Cert	Active	9 Wytchwood
MD152260H		Vertical Fire Tube	H - Hot Water Supply (Water <=	000092119	107119	Bradford White	2010	11/01/2022	Recurring Cert	Active	9 Wytchwood

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
160 psig, 210 F)											
Total Objects at this Location:				2							

Location: Brands Re **Location ID:** 3988556
Address: 5 W Aylesbury Rd - Lutherville Timonium, MD 21093-4102 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Dave Myers - Phone: 410 847 4698
Billing Contact: Dave Myers - 5 W Aylesbury Rd Lutherville Timonium, MD 21093-4102 - Phone: 410 847 4698

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166363H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000392427		Lochinvar	2017	10/15/2021	Recurring Cert	Active	WATER RM
Total Objects at this Location:				1							

Location: Brenbrook Apartments **Location ID:** 705034
Address: 11 Cinnamon Cir - Randallstown, MD 21133-5003 **Phone:** 410-655-0900
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Dianna Pollard Rental Office- - Phone: 410-655-0900 - Email: dianna@questmgmtgroup.com
Billing Contact: Dianna Pollard Rental Office- - 11 Cinnamon Cir Randallstown, MD 21133-5003 - Phone: 410-655-0900 - Email: dianna@questmgmtgroup.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128002H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0106077		State	2006	12/08/2021	Recurring Cert	Active	Building 21 cinnamon
Total Objects at this Location:				1							

Location: Brenbrook Shell
Address: 8712 Liberty Rd - Randallstown, MD 21133-4706
County: Baltimore **FIPS:** 24005
Primary Contact: Mannder Singh - Phone: (410) 521-2256
Billing Contact: - 8712 Liberty Rd Randallstown, MD 21133-4706 - Phone: 410-521-2256

Location ID: 705032
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147734V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290339		Morganton	2013	02/24/2020	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: Broadmead Retirement Comm (Arc3)
Address: 13801 York Rd - Cockeysville, MD 21030-1825
County: Baltimore **FIPS:** 24005
Primary Contact: Broadmead Retirement Comm (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3925611
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163493V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000141314		CHART	2002	02/27/2023	Recurring Cert	Active	Dining Rm Closet
Total Objects at this Location:				1							

Location: Brooks Muffler & Brake Centers
Address: 11405 Pulaski Hwy - White Marsh, MD 21162-1511
County: Baltimore **FIPS:** 24005
Primary Contact: Brooks Muffler & Brake Centers - Phone: 410-335-4828
Billing Contact: - 11405 Pulaski Hwy White Marsh, MD 21162-1511 - Phone: 410-335-4828

Location ID: 705274
Phone: 410-335-4828
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD077910V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000139685		Iamco	1988	05/02/2022	Recurring Cert	Active	#1 Building (Auto Shop)
MD077911V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0180374		Iamco	1989	05/02/2022	Recurring Cert	Active	#2 Building (RV Shop)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132896V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0393782		Steel	2005	05/02/2022	Recurring Cert	Active	#2 Building (RV Shop)
Total Objects at this Location:				3							

Location: Bruce Hamilton III/ Douglas Hamilton Jr.
Address: 7941 Johnnycake Rd - Baltimore, MD 21244-1221
County: Baltimore **FIPS:** 24005
Location ID: 706742
Phone: 410-952-4514
NOB/SIC: Museums and Art Galleries
Primary Contact: Bruce Hamilton III - Phone: 410-952-4514
Billing Contact: - 1433 Corbett Rd Monkton, MD 21111-1518 - Phone: 410-952-4514

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004374		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model	614	Hamilton Eng	1997	04/09/2022	Recurring Cert	Active	Portable
MD017647		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model	3712	Hamilton Eng	1980	04/09/2021	Recurring Cert	Active	Portable
Total Objects at this Location:				2							

Location: Budget Automatic Transmission
Address: 2617 N Point Blvd - Dundalk, MD 21222-1625
County: Baltimore **FIPS:** 24005
Location ID: 705422
Phone:
NOB/SIC: Automotive Transmission Repair Shops
Primary Contact: Frank Garey - Phone: 410-288-0968
Billing Contact: Frank Garey - 2617 N Point Blvd Dundalk, MD 21222-1625 - Phone: 410-288-0968

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110906V	CAT	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000118200		Manchester	1999	09/29/2020	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Butch Beseiker (Antique)/Arcadia
Address: 16020 Carnival Ave - Upperco, MD 21155-9509
County: Baltimore **FIPS:** 24005
Primary Contact: Butch Beseiker
Billing Contact: Butch Beseiker - 1723 Porter Rd Bear, DE 19701-2119

Location ID: 3361504
Phone:
NOB/SIC: Amusement and Recreation Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147024	PA155603B	Horizontal Fire Tube	A - Antique w/comment	Antique		Keck Connerman	1924	07/07/2020	Recurring Cert	Active	MD Steam Historic Society
MD164301		Horizontal Fire Tube	A - Antique w/comment	Antique		Baker	1900	09/13/2020	Recurring Cert	Active	Rough and Tumble

Total Objects at this Location: 2

Location: C & P Towing, Inc.
Address: 11408 Pulaski Hwy - White Marsh, MD 21162-1512
County: Baltimore **FIPS:** 24005
Primary Contact: C & P Towing, Inc. - Phone: 410-335-6021
Billing Contact: - 11408 Pulaski Hwy White Marsh, MD 21162-1512 - Phone: 410-335-6021

Location ID: 705558
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100820V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000390165		Buckeye	1982	09/27/2022	Recurring Cert	Active	Upper Container
MD132897V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000326207		Bell & Gossett	1971	09/27/2022	Recurring Cert	Active	Lower Container
MD168318V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000811548		Manchester	1999	11/17/2022	Recurring Cert	Active	Back Room of Front Shop

Total Objects at this Location: 3

Location: Cadmus Communications
Address: 1323 Greenwood Rd - Pikesville, MD 21208-3611
County: Baltimore **FIPS:** 24005
Location ID: 721669
Phone: 410-580-2560
NOB/SIC: Printing and publishing
Primary Contact: Bryan Nuckols - Phone: 240-444-5154 - Email: bryan.nuckols@cenvco.com
Billing Contact: Bryan Nuckols - 1323 Greenwood Rd Pikesville, MD 21208-3611 - Phone: 240-444-5154 - Email: bryan.nuckols@cenvco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD011908H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000073273	75L173	Federal	1973	07/29/2021	External Cert, Recurring Cert	Active	Boiler Room
MD070861H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7584560	Burnham	1989	07/29/2021	Recurring Cert	Active	Basement
MD070862V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000750893		Wood	1979	07/29/2021	External Cert, Recurring Cert	Active	Compressor Room
MD158093V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000081432	432	Silvan	1992	07/24/2021	Recurring Cert	Active	Dust Pellet Rm
Total Objects at this Location:				4							

Location: Calvary Baptist Church
Address: 7321 Manchester Rd - Dundalk, MD 21222-1322
County: Baltimore **FIPS:** 24005
Location ID: 705717
Phone: 410-285-4129
NOB/SIC: Religious Organizations
Primary Contact: Harold Wingler - Phone: 410-285-4129 - Cell: 443-904-9996 - Email: s.wingler@cbcdundalk.org
Billing Contact: - 7321 Manchester Rd Dundalk, MD 21222-1322

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096166H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	16003555	Burnham	1995	06/02/2022	Recurring Cert	Active	School Boiler Room
MD096167H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	16003485	Burnham	1995	06/02/2022	Recurring Cert	Active	Old Boiler Room
Total Objects at this Location:				2							

Location: Camp Chapel United Methodist Church
Address: 5000 E Joppa Rd - Perry Hall, MD 21128-9314
County: Baltimore **FIPS:** 24005
Location ID: 705776
Phone: 410-529-6022
NOB/SIC: Membership organizations
Primary Contact: Barbara McCready - Phone: (410) 256-5561
Billing Contact: Bob White - 5000 E Joppa Rd Perry Hall, MD 21128-9314 - Phone: 410-256-5561/410-335-1495

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135207H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	8305-5424	Bosch Thermotechnik	2009	01/29/2022	Recurring Cert	Active	Boiler Room
MD135208H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	835-5420	Bosch Thermotechnik	2009	01/29/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Canterbury Apartments
Address: 9102 Oswald Way - Rosedale, MD 21237-4441
County: Baltimore **FIPS:** 24005
Location ID: 705841
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Erica Morgan-Watson - Phone: 410-574-4300 - Email: ericamo@homeproperties.com
Billing Contact: Erica Morgan-Watson - 9206 Oswald Way Baltimore, MD 21237-4403 - Phone: 410-574-4300 - Email: ericamo@homeproperties.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168310H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000252158	CRNR1418.5C	A O Smith	2019	07/11/2022	Recurring Cert	Active	9102 Oswald

Total Objects at this Location: 1

Location: Capital Funding Group
Address: 1422A Clarkview Rd - Baltimore, MD 21209-2104
County: Baltimore **FIPS:** 24005
Location ID: 2252617
Phone:
NOB/SIC: Offices of Bank Holding Companies
Primary Contact: John Paule - Cell: 410-350-9351 - Email: jpaule@capfundinc.com
Billing Contact: Mike Cioro - 1422A Clarkview Rd Baltimore, MD 21209-2104 - Phone: 410-539-0224

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128924H	Boiler #2	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000047510	G-07-0824	Aerco	2007	09/28/2021	Recurring Cert	Active	Boiler Room, Boiler #2

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128925H	Boiler #1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000047509	G-07-0823	Aerco	2007	09/28/2021	Recurring Cert	Active	Boiler Room, Boiler #1

Total Objects at this Location: 2

Location: Captain Dicks Crabs Galore
Address: 5618 Southwestern Blvd - Halethorpe, MD 21227-3920
County: Baltimore **FIPS:** 24005
Primary Contact: Sandra L. Molloy - Phone: 410-242-2191 - Cell: 410-618-8920/443-618-8920
Billing Contact: Sandra L. Molloy - 8124 Riverside Dr Pasadena, MD 21122-5722 - Phone: 410-242-2191 - Cell: 410-618-8920/443-618-8920

Location ID: 705936
Phone: 410-242-2191
NOB/SIC: Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155628H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI		Weil-McLain	2014	08/09/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Care Resources
Address: 1026 Cromwell Bridge Rd - Towson, MD 21286-3318
County: Baltimore **FIPS:** 24005
Primary Contact: Cromwell LLC. - Phone: 410-583-1515
Billing Contact: - 1026 Cromwell Bridge Rd Towson, MD 21286-3318 - Phone: 410-583-1515

Location ID: 705972
Phone: 410-583-1515
NOB/SIC: Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD058722H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1970	08/24/2020	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Caseys Bar & Restaurant
Address: 1742 E Joppa Rd - Parkville, MD 21234-3620
County: Baltimore **FIPS:** 24005
Location ID: 3629730
Phone:
NOB/SIC: Industrial Gases
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156647V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000046433	SN433-031-R7	Taylor-Wharton	1999	12/23/2020	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Catholic Community at Relay
Address: 5025 Cedar Ave - Baltimore, MD 21227-4928
County: Baltimore **FIPS:** 24005
Location ID: 1901518
Phone:
NOB/SIC: Religious Organizations
Primary Contact: Linda Cain - Phone: 410-242-0060
Billing Contact: Linda Cain - 4100 Washington St Baltimore, MD 21227-3648 - Phone: 410-242-0060

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124839H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64730612	Burnham	2004	12/19/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Caton Auto Park (Fuel)
Address: 6013 Baltimore National Pike - Catonsville, MD 21228-2904
County: Baltimore **FIPS:** 24005
Location ID: 706265
Phone: 410-747-5353
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Caton Auto Park, Inc. - Phone: 410-747-5353 - Email: catonauto@aol.com
Billing Contact: - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonauto@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115417V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001143599		Manchester	2001	09/10/2021	Recurring Cert	Active	Shop
MD139109V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000446507		Manchester	1996	09/29/2021	Recurring Cert	Active	Shop-Left of office

Total Objects at this Location: 2

Location: Caton Auto Park (Repair) **Location ID:** 716414
Address: 6013 Baltimore National Pike - Catonsville, MD 21228-2904 **Phone:** 410-747-5353
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Scott Steinbach - Phone: 410-747-5353 - Email: catonautoclinin@gmail.com
Billing Contact: Scott Steinbach - 6013 Baltimore National Pike Catonsville, MD 21228-2904 - Phone: 410-747-5353 - Email: catonautoclinin@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100228V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000446499		Manchester	1996	09/10/2021	Recurring Cert	Active	Tire Shop
MD100229V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000437362		Manchester	1996	09/10/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 2

Location: Catonsville Cleaners **Location ID:** 714776
Address: 403 Frederick Rd - Catonsville, MD 21228-4644 **Phone:** 410-747-1501
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Personal services
Primary Contact: An Vo - Phone: 410-747-1501
Billing Contact: An Vo - 403 Frederick Rd Catonsville, MD 21228-4644 - Phone: 410-747-1501

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070278V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000197684		IAMCO	1989	03/19/2023	Recurring Cert	Active	Behind Dry Clean Machine
MD081178V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000360998		Melben	1992	03/19/2023	Recurring Cert	Active	Rear Outside Shed
MD129111		Vertical Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000105228	105228	Fulton	2007	03/30/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: Catonsville Gourmet (Arc3) **Location ID:** 3931262
Address: 829 Frederick Rd - Catonsville, MD 21228-4506 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Catonsville Gourmet (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163529V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166061		CHART	2005	02/28/2023	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Catonsville Presbyterian Church **Location ID:** 706280
Address: 1400 Frederick Rd - Baltimore, MD 21228-5017 **Phone:** 410-747-6180
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Religious Organizations
Primary Contact: Andrew Glennan - Phone: 410-747-6180 - Email: office@catonspres.org
Billing Contact: Andrew Glennan - 1400 Frederick Rd Baltimore, MD 21228-5017 - Phone: 410-747-6180 - Email: office@catonspres.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129989H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2007	11/05/2022	Recurring Cert	Active	BLRM
MD157368H		Cast Iron	H - Hot Water Supply (Water <= 160 psig, 210 F)	CI		Lochinvar	2007	10/21/2022	Recurring Cert	Active	BLRM
Total Objects at this Location:				2							

Location: CBC National Bank **Location ID:** 727939
Address: 1526 York Rd - Lutherville Timonium, MD 21093-5609 **Phone:** 410-870-7657
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Holding and other investment offices
Primary Contact: Jann Guinn - Phone: 410-870-7657
Billing Contact: Jann Guinn - 1526 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-870-7657

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074071H	Ci	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1971	05/28/2021	Recurring Cert	Active	2nd Floor

Total Objects at this Location: 1

Location: CCBC Catonsville
Address: 800 S Rolling Rd - Catonsville, MD 21228-5317
County: Baltimore **FIPS:** 24005
Location ID: 706275
Phone:
NOB/SIC: Colleges, Universities, and Professional Schools
Primary Contact: Robert Stewart - Phone: 443-840-4222 - Email: rstewart3@ccbcmd.edu
Billing Contact: Robert Stewart - 800 S Rolling Rd Catonsville, MD 21228-5317 - Phone: 443-840-4222 - Email: rstewart3@ccbcmd.edu

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164285V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002045434		Twin Lakes	2018	09/24/2021	Recurring Cert	Active	BARN

Total Objects at this Location: 1

Location: CCBC Essex
Address: 7201 Rossville Blvd - Baltimore, MD 21237-3855
County: Baltimore **FIPS:** 24005
Location ID: 710113
Phone: 443-840-1503
NOB/SIC: Colleges, Universities, and Professional Schools
Primary Contact: Roy Stuenes - Phone: 443-840-1710 - Cell: 443-695-4248 - Email: rstuenes@ccbcmd.edu
Billing Contact: Tim Burton - 7201 Rossville Blvd Baltimore, MD 21237-3855 - Phone: 443-840-2513 - Email: tburton@ccbcmd.edu

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168320H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000336340	114005873	Lochinvar	2019	09/24/2020	Recurring Cert	Active	Eustis Center Mech Rm
MD168321H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000259556	259556	A O Smith	2019	03/18/2022	Recurring Cert	Active	Wellness Center Mech Rm
MD168323V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000893851		Steel Fab	2018	11/19/2022	Recurring Cert	Active	Eustis Center Mech Rm

Total Objects at this Location: 3

Location: Center Place Offices
Address: 9 Center Pl - Dundalk, MD 21222-4362
County: Baltimore **FIPS:** 24005
Location ID: 706392
Phone:
NOB/SIC: Holding and other investment offices
Primary Contact: Bruce Keifner - Phone: 410-866-4448 - Cell: 4432550658
Billing Contact: Bruce Keifner - 5826 Farmview Ave Baltimore, MD 21206-2218 - Phone: 410-866-4448 - Cell: 4432550658

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086684H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2395662	Weil-McLain	1992	03/13/2020	Recurring Cert	Active	Basement of Print Shop

Total Objects at this Location: 1

Location: Century Engineering
Address: 10710 Gilroy Rd - Hunt Valley, MD 21031-1310
County: Baltimore **FIPS:** 24005
Location ID: 2607487
Phone: 443-589-2400
NOB/SIC: Engineering Services
Primary Contact: Emma Brooks - Phone: 410 583 8383
Billing Contact: Connie Leedy - 10710 Gilroy Rd Hunt Valley, MD 21031-1310 - Phone: 443.589.2407 - Email: cleedy@centuryeng.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133760H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000182102		Lochinvar	2005	03/07/2021	Recurring Cert	Active	Boiler Room
MD133761H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000181920		LC	2005	03/07/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Charlies Service Center
Address: 11024 Liberty Rd - Randallstown, MD 21133-1024
County: Baltimore **FIPS:** 24005
Location ID: 706650
Phone:
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Charlies Service Center - Phone: 4109222910
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106616V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000749442		Manchester	1998	12/01/2021	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Cheesecake Factory/Towson Town Mall **Location ID:** 2441204
Address: 825 Dulaney Valley Rd Ste 1159 - Towson, MD 21204-1010 **Phone:** 410-337-7411
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Steve Jovanovic - Phone: 410-337-7411
Billing Contact: Steve Jovanovic - 825 Dulaney Valley Rd Ste 1159 Towson, MD 21204-1010 - Phone: 410-337-7411

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131380H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000200223	C08-200223	Teledyne Laars	2008	07/14/2021	Recurring Cert	Active	ROOF

Total Objects at this Location: 1

Location: Chesapeak&AllghnySteamPrsvnSoc (Model)/LeakinPk **Location ID:** 715183
Address: 1941 Sloman Dr - Baltimore, MD 21207-8034 **Phone:** 410-461-5797
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Membership Sports and Recreation Clubs
Primary Contact: Craig Close - Phone: 410-461-5797 - Email: bigsteam@comcast.net
Billing Contact: Craig Close - 15 Benway Ct Catonsville, MD 21228-5401 - Phone: 410-461-5797 - Email: bigsteam@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004483		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model	2306	Homebuilt	1997	04/08/2022	Recurring Cert	Active	Portable
MD065160V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000442121		Buckeye	1983	04/03/2023	Recurring Cert	Active	Compressor Shed

Total Objects at this Location: 2

Location: Chesapeake Ford Truck Sales **Location ID:** 706841
Address: 8540 Pulaski Hwy - Baltimore, MD 21237-3006 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Rick Martin - Phone: 410-682-4000 - Cell: 443-645-0934 - Email: Rmartin@norrisautogroup.com
Billing Contact: Rick Martin - 8540 Pulaski Hwy Baltimore, MD 21237-3006 - Phone: 410-682-4000 - Cell: 443-645-0934 - Email: Rmartin@norrisautogroup.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088750V	Air Tank	Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000317922		Melben	1991	07/22/2021	Recurring Cert	Active	Rear Store Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD102141V	Air Tank	Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000563060		Melben	1995	07/22/2021	Recurring Cert	Active	Rear Store Room
		w/comment									

Total Objects at this Location: 2

Location: Chic-Fil-A #3678 (Arc3) **Location ID:** 3992521
Address: 12001 Reisterstown Rd - Reisterstown, MD 21136-3052 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Chic-Fil-A #3678 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166331V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000301959		CHART	2017	11/22/2021	Recurring Cert	Active	Kitchen
		w/comment									

Total Objects at this Location: 1

Location: Chic-Fil-A - 02103 (Arc3) **Location ID:** 4006550
Address: 10480 Owings Mills Blvd - Owings Mills, MD 21117-7810 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Chic-Fil-A - 02103 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000322611		CHART	2019	01/28/2022	Recurring Cert	Active	Kitchen
		w/comment									

Total Objects at this Location: 1

Location: Chic-Fil-A 03937 (Arc3) **Location ID:** 4006549
Address: 10170 Reisterstown Rd - Owings Mills, MD 21117-3815 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Chic-Fil-A 03937 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000300494		CHART	2017	01/28/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Chick Fresh A (Arc3) **Location ID:** 4006975
Address: 3418 Annapolis Rd - Halethorpe, MD 21227-1117 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Chick Fresh A (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166547V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000293484		CHART	2016	01/29/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Chick-Fil-A 2034 (Arc3) **Location ID:** 3925615
Address: 6 Hyland Ave - Cockeysville, MD 21030-1395 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Chick-Fil-A 2034 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163491V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000212529		CHART	2010	02/27/2023	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Chick-Fil-A (Arc3)
Address: 7907 Eastern Ave - Baltimore, MD 21224-2141
County: Baltimore **FIPS:** 24005
Primary Contact: Chick-Fil-A (Arc3)
Billing Contact:

Location ID: 4045946
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000199434		CHART	2008	10/30/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Chick-Fil-A (Arc3)
Address: 8867 Belair Rd - Nottingham, MD 21236-2404
County: Baltimore **FIPS:** 24005
Primary Contact: Chick-Fil-A (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3949959
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163592V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000314225		CHART	2018	04/16/2023	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Chick-Fil-A - 1049 (Arc3)
Address: 5198 Campbell Blvd - White Marsh, MD 21162
County: Baltimore **FIPS:** 24005
Primary Contact: Chick-Fil-A - 1049 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3918186
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161850V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000314246		CHART	2018	12/11/2022	Recurring Cert	Active	Outside Caged Area

Total Objects at this Location: 1

Location: Chidos Tex Mex Grill **Location ID:** 3899453
Address: 1 Restaurant Park Dr - Owings Mills, MD 21117-3578 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161757V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000061313	CCIA97A146	CHART	1997	08/13/2020	Recurring Cert	Active	Beverage Carbonation
Total Objects at this Location:				1							

Location: Chili's Bar & Grill **Location ID:** 3954311
Address: 1734 Merritt Blvd - Dundalk, MD 21222-3212 **Phone:** 410-282-0941
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Chili's Bar & Grill
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164210V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000282734		CHART	2016	06/14/2021	Recurring Cert	Active	Outside Closet
Total Objects at this Location:				1							

Location: Chilis #115479 **Location ID:** 3629871
Address: 9615 Deereco Rd - Lutherville Timonium, MD 21093-6903 **Phone:** 0
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Dues and Licenses
Billing Contact: Dues and Licenses - 6820 Lyndon B Johnson Fwy Dallas, TX 75240-6511

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156630V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000102336	SNCGAE99C1 19	MVE Inc	1999	12/14/2020	Recurring Cert	Active	Inside Kitchen
Total Objects at this Location:				1							

Location: Chimes Inc
Address: 3630 Milford Mill Rd - Windsor Mill, MD 21244-3328
County: Baltimore **FIPS:** 24005
Location ID: 706982
Phone:
NOB/SIC: Health services
Primary Contact: Scott Miller - Phone: 410 521 1555
Billing Contact: Doug Turnbaugh - 4815 Seton Dr Baltimore, MD 21215-3211 - Phone: 410-358-6400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115412H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000065106		A O Smith	1991	10/03/2020	Recurring Cert	Active	Warehouse Storeroom

Total Objects at this Location: 1

Location: Chizuk Amuno Congregation
Address: 8100 Stevenson Rd - Pikesville, MD 21208-1866
County: Baltimore **FIPS:** 24005
Location ID: 706992
Phone: 410-486-6400
NOB/SIC: Membership organizations
Primary Contact: Glenn Easton - Phone: 410-486-6400 x224
Billing Contact: - 8100 Stevenson Rd Pikesville, MD 21208-1866 - Phone: 410-486-6400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164254V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000269533		Trane	2019	05/23/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Christian Temple Church
Address: 5820 Edmondson Ave - Catonsville, MD 21228-1929
County: Baltimore **FIPS:** 24005
Location ID: 707048
Phone:
NOB/SIC: Membership organizations
Primary Contact: Johnnie Fries - Email: office@christiantemple.org
Billing Contact: Rev. Richard Powell - 5820 Edmondson Ave Catonsville, MD 21228-1929 - Phone: 410 747 2041 - Email: office@christiantemple.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096142H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	1997	09/21/2022	Recurring Cert	Active	CHAPEL BLRM
MD152725H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2015	09/21/2022	Recurring Cert	Active	Kitchen Basement

Total Objects at this Location: 2

Location: Chuck's Auto Service
Address: 2240 Monumental Ave - Baltimore, MD 21227-4632
County: Baltimore **FIPS:** 24005
Primary Contact: Chuck's Auto Service - Phone: 410-247-5384
Billing Contact: - 2240 Monumental Rd Baltimore, MD 21227-4612 - Phone: 410-247-5384

Location ID: 730156
Phone: 410-247-5384
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150607V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000376811		Morganton	2014	05/02/2020	Recurring Cert	Active	Comp Shed

Total Objects at this Location: 1

Location: Church of the Good Shepherd
Address: 1401 Carrollton Ave - Towson, MD 21204-6518
County: Baltimore **FIPS:** 24005
Primary Contact: Kim Chalmers - Phone: 410-823-0122 x103 - Cell: 443 825 7140 - Email: kchalmers@goodsshepardruxton.org
Billing Contact: Kim Chalmers - 1401 Carrollton Ave Towson, MD 21204-6518 - Phone: 410-823-0122 x103 - Cell: 443 825 7140 - Email: kchalmers@goodsshepardruxton.org

Location ID: 707086
Phone: 410-823-0122
NOB/SIC: Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161882H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	180632	HB Smith	2018	12/01/2022	Recurring Cert	Active	Bsmt

Total Objects at this Location: 1

Location: Church Of The Holy Apostles
Address: 4922 Leeds Ave - Halethorpe, MD 21227-2412
County: Baltimore **FIPS:** 24005
Primary Contact: Angie Adams - Phone: 410-242-5477 - Email: office@apostles-stephens.org
Billing Contact: Angie Adams - 901 Courtney Rd Halethorpe, MD 21227 - Phone: 410-242-5477 - Email: office@apostles-stephens.org

Location ID: 707116
Phone: 410-242-5477
NOB/SIC: Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120809H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	12/12/2022	Recurring Cert	Active	Boiler Room
MD120810H	2	Cast Iron	H - Hot Water Heat (Water <=	CI		Weil-McLain	2003	12/12/2022	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
160 psig, 250 F)											
Total Objects at this Location:				2							

Location: Citron (Arc3) **Location ID:** 4045947
Address: 2605 Quarry Lake Dr - Baltimore, MD 21209-3758 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Citron (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168350V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000289008		CHART	2016	10/30/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Clark Machine Corp **Location ID:** 707286
Address: 1000 Todds Ln - Rosedale, MD 21237-2944 **Phone:** 410-687-3020
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Miscellaneous manufacturing industries
Primary Contact: Lynda Hefner - Phone: 410-687-3020 X3308 - Cell: 443-386-4356 - Email: lhefner@clarkmachine.com
Billing Contact: Lynda Hefner - 1000 Todds Ln Rosedale, MD 21237-2944 - Phone: 410-687-3020 X3308 - Cell: 443-386-4356 - Email: lhefner@clarkmachine.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096651V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000027536		Master	1978	08/12/2021	Recurring Cert	Active	Outside Shop
MD096653V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000044614		Beaird	1957	08/12/2021	Recurring Cert	Active	Rear of Shop
Total Objects at this Location:				2							

Location: Clark Machine Corp (Keen Compressed Gas) **Location ID:** 1587506
Address: 1000 Todds Ln - Rosedale, MD 21237-2944 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Machine Tools, Metal Forming Type
Primary Contact: Lynda Hefner - Phone: 410-687-3020 X3308 - Cell: 443-386-4356 - Email: lhefner@clarkmachine.com
Billing Contact: Lawrence Priebe - 4063 New Castle Ave New Castle, DE 19720-1414 - Email: lpriebe@keengas.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121553V	#1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000050963	00000	Minnesota Valley	1995	08/12/2021	Recurring Cert	Active	OUTSIDE

Total Objects at this Location: 1

Location: Clarkview Surgery Center **Location ID:** 3974613
Address: 1427 Clarkview Rd Ste 300C - Baltimore, MD 21209-2100 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Clarkview Surgery Center
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165376		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000005332	33809	Chromalox	2008	10/10/2021	Recurring Cert	Active	Sterilization Room
MD165377V		Autoclave	V - Process-Sterilizing	000060628	1089192	Amsco	1989	10/10/2021	Recurring Cert	Active	Sterilization Room

Total Objects at this Location: 2

Location: Cliffs Direct Effect Inc **Location ID:** 707381
Address: 610 Stemmers Run Rd - Essex, MD 21221-3318 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Cliff O'Connell - Phone: 410-574-0070
Billing Contact: Cliff O'Connell - 610 Stemmers Run Rd Essex, MD 21221-3318 - Phone: 410-574-0070

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD028949V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000808518		Buckeye	1987	08/31/2022	Recurring Cert	Active	Comp Room
MD071884V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000895023		Buckeye	1989	08/31/2022	Recurring Cert	Active	Comp Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
w/comment											

Total Objects at this Location: 2

Location: Clipper City Brewing Co./Heavy Seas Brewing Co.
Address: 4615 Hollins Ferry Rd - Halethorpe, MD 21227-4624
County: Baltimore **FIPS:** 24005
Primary Contact: Bruce Dombeck - Phone: 443-834-2244
Billing Contact: Bruce Dombeck - 4615 Hollins Ferry Rd Halethorpe, MD 21227-4624 - Phone: 443-834-2244

Location ID: 707413
Phone: 4140-247-7822
NOB/SIC: Manufacturing Industries, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164273V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000089902		Taylor-Wharton	2008	10/07/2021	Recurring Cert	Active	Outside in Caged Area

Total Objects at this Location: 1

Location: Collison Body Shop
Address: 105 Back River Neck Rd - Essex, MD 21221-3921
County: Baltimore **FIPS:** 24005
Primary Contact: Chuck - Phone: 410 682 5180
Billing Contact: Chuck - 105 Back River Neck Rd Essex, MD 21221-3921 - Phone: 410 682 5180

Location ID: 714099
Phone: 410-682-5180
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121962V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000792972		Buckeye	1987	10/27/2020	Recurring Cert	Active	shop

Total Objects at this Location: 1

Location: Comfort Inn
Address: 8801 Loch Raven Blvd - Towson, MD 21286-2213
County: Baltimore **FIPS:** 24005
Location ID: 708692
Phone: 410-882-0900
NOB/SIC: Hotels, rooming houses, camps, and other lodging places
Primary Contact: Paras Bhavsar - Phone: 410-882-0900/443-472-2805 - Email: greenhospitality@gmail.com
Billing Contact: Jay Bhavsar - 8801 Loch Raven Blvd Towson, MD 21286-2213 - Phone: 410-882-0900 - Email: bhavsar.jay5@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150058H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000116124		RHEEM	2008	05/11/2022	Recurring Cert	Active	PENTHOUSE BLRM
MD150059H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000116127		RHEEM	2008	05/11/2022	Recurring Cert	Active	PENTHOUSE BLRM
MD167241H		Horizontal Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000338118		Lochinvar	2019	06/29/2022	Recurring Cert	Active	Penthouse Blrm
MD167242H		Horizontal Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000349777		Lochinvar	2019	06/29/2022	Recurring Cert	Active	Penthouse Blrm

Total Objects at this Location: 4

Location: Commercial and Industrial Service Inc.
Address: 8209 Rosebank Ave - Dundalk, MD 21222-2873
County: Baltimore **FIPS:** 24005
Location ID: 723597
Phone: 410-288-4450
NOB/SIC: Automotive Repair Shops, NEC
Primary Contact: Stephen Hughes - Phone: 443 530 6945
Billing Contact: Stephen Hughes - 8209 Rosebank Ave Dundalk, MD 21222-2873 - Phone: 443 530 6945

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110905V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000652396		Manchester	1998	11/06/2020	Recurring Cert	Active	O / S Shed

Total Objects at this Location: 1

Location: Conrad's Seafood (Arc3) **Location ID:** 3950077
Address: 9654 Belair Rd - Nottingham, MD 21236-1129 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Conrad's Seafood (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163586V		Dryer Can	V - Storage (Cryogenic)	000071337		Taylor	2004	04/16/2023	Recurring Cert	Active	Sprinkler Room
Total Objects at this Location:				1							

Location: Constellation/Riverside GenSta **Location ID:** 722921
Address: 4000 Broening Hwy - Baltimore, MD 21222 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Electric, gas, and sanitary services
Primary Contact: Douglas Berger - Phone: 443-510-3294
Billing Contact: John Hutchinson - 2900 Lord Baltimore Dr # 104 Baltimore, MD 21244-2619 - Phone: 410-470-8523 - Cell: 443-547-2473/443-536-8675 - Email: john.c.hutchinson@bge.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD034548V	#1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000123271	00000	Westinghouse	1952	10/14/2020	Recurring Cert	Active	33 KV yard - OCB 33966
MD034549V	#2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000123310	00000	Westinghouse	1952	10/14/2020	Recurring Cert	Active	33 KV yard - Future Black Bus Brkr
MD034567V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000039872		Buffalo Tank Div	1969	10/14/2020	Recurring Cert	Active	Inside #6 Gas Turbine
MD034570V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060435		Richmond Engineering	1969	10/14/2020	Recurring Cert	Active	Outside #6 Gas Turbine
MD034571V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060434		Richmond Engineering	1969	10/14/2020	Recurring Cert	Active	Outside #6 Gas Turbine
MD034572V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000465926		John Wood	1969	10/14/2020	Recurring Cert	Active	#8 Gas Turbine rm
MD034573V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000470612		John Wood	1969	10/14/2020	Recurring Cert	Active	#8 Gas Turbine rm
MD034575V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000470613		John Wood	1969	10/14/2020	Recurring Cert	Active	#7 Gas Turbine rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD034576V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000464524		John Wood	1969	10/14/2020	Recurring Cert	Active	#7 Gas Turbine rm
MD034580V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000136958		Gardner Denver	1976	10/14/2020	Recurring Cert	Active	#7 Gas Turbine rm
MD058650V	#4	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000209027	00000	Westinghouse	1971	10/14/2020	Recurring Cert	Active	230 KV yard - 2317 OCB
MD058651V	#5	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000212360	00000	Westinghouse	1973	10/14/2020	Recurring Cert	Active	230 KV yard - 2345 OCB
MD058652V	#6	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000208923	00000	Westinghouse	1971	10/14/2020	Recurring Cert	Active	230 KV yard - Tie OCB 2339/44
MD148470V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000268222		Morganton	2013	10/14/2020	Recurring Cert	Active	8 gas turbine rm

Total Objects at this Location: 14

Location: Coppermine Racquet and Fitness Club
Address: 1420 Clarkview Rd - Mt Washington, MD 21209-2104
County: Baltimore **FIPS:** 24005
Location ID: 703891
Phone:
NOB/SIC: Physical Fitness Facilities
Primary Contact: Chip Dettor - Phone: 410-584-9032 - Email: dettor@fmharvey.com
Billing Contact: Chip Dettor - 1420 Clarkview Rd Mt Washington, MD 21209-2104 - Phone: 410-584-9032 - Email: dettor@fmharvey.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135860H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000029389		Electro-Steam	2008	04/21/2022	Recurring Cert	Active	LADIES RM
MD153587H		Horizontal Fire Tube	O - Other (Blr Use) w/comment	000002158		Electro-Steam	2016	04/21/2022	Recurring Cert	Active	LADIES ROOM
MD158985H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000177977		State	2013	04/11/2022	Recurring Cert	Active	YOGA CLASS

Total Objects at this Location: 3

Location: Corner Stable Restaurant
Address: 9942 York Rd - Cockeysville, MD 21030-3401
County: Baltimore **FIPS:** 24005
Primary Contact: Corner Stable Restaurant - Phone: 410-666-8722
Billing Contact: - 9942 York Rd Cockeysville, MD 21030-3401 - Phone: 410-666-8722

Location ID: 4060794
Phone: 410-666-8722
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168373V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000010808		Taylor-Wharton	1992	03/03/2023	Recurring Cert	Active	Outside Under Steps

Total Objects at this Location: 1

Location: Costas Inn
Address: 4100 North Point Blvd - Dundalk, MD 21222-3629
County: Baltimore **FIPS:** 24005
Primary Contact: Pete Triantofilos - Phone: 410-477-2460 - Cell: 410-365-0145 - Email: ptria@aol.com
Billing Contact: Pete Triantofilos - 4100 North Point Blvd Dundalk, MD 21222-3629 - Phone: 410-477-2460 - Cell: 410-365-0145 - Email: ptria@aol.com

Location ID: 707979
Phone:
NOB/SIC: Hotels, rooming houses, camps, and other lodging places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100859H	CI	Cast Iron	S - Power-Other w/comment (Stm > 15 psig)	CI	64081210	Peerless	1995	02/26/2022	Recurring Cert	Active	PLANT

Total Objects at this Location: 1

Location: Country Club Cars
Address: 8606 Wise Ave - Dundalk, MD 21222-5050
County: Baltimore **FIPS:** 24005
Primary Contact: Country Club Cars - Phone: 4104773100
Billing Contact:

Location ID: 708024
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135823V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000254283		Devilbiss	2009	12/08/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Country Laundry Basket
Address: 8631 Philadelphia Rd - Rosedale, MD 21237-3020
County: Baltimore **FIPS:** 24005
Location ID: 2001465
Phone: 410-687-5446
NOB/SIC: Power Laundries, Family and Commercial
Primary Contact: Abraham Daramola - Phone: 410-687-5446 - Cell: 240-876-9711/301-793-0792 - Email: funkebowie@aol.com
Billing Contact: Abraham Daramola - 8631 Philadelphia Rd Rosedale, MD 21237-3020 - Phone: 410-687-5446 - Cell: 240-876-9711/301-793-0792 - Email: funkebowie@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126670H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000059048	K951514	Lochinvar	1995	04/14/2023	Recurring Cert	Active	BACK ROOM
Total Objects at this Location:				1							

Location: Coursey Station Apartments #617
Address: 200 1st Ave - Halethorpe, MD 21227-3031
County: Baltimore **FIPS:** 24005
Location ID: 708123
Phone: 410-242-6167
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Coursey Station Apartments #617
Billing Contact: Hal Smith - 320 Cathedral St Baltimore, MD 21201-4421

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078099H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1991	09/30/2021	Recurring Cert	Active	Boiler Room
MD078100H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1991	09/30/2021	Recurring Cert	Active	Boiler Room
MD078101H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1991	09/30/2021	Recurring Cert	Active	Boiler Room
MD167291H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000253850		A O Smith	2019	11/26/2021	Recurring Cert	Active	BOILER ROOM
MD167292H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000227675		A O Smith	2017	11/26/2021	Recurring Cert	Active	BOILER ROOM
Total Objects at this Location:				5							

Location: Courtyard by Marriott Baltimore Hunt Valley
Address: 221 International Circle - Hunt Valley, MD 21030-1303
County: Baltimore **FIPS:** 24005
Location ID: 717626
Phone: 410-584-7070
NOB/SIC: Hotels and Motels
Primary Contact: Len Goodman - Phone: 410-584-7070 - Email: len.goodman@marriott.com
Billing Contact: Len Goodman - 221 International Cir Hunt Valley, MD 21030-1303 - Phone: 410-584-7070 - Email: len.goodman@marriott.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115982H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000142724		Lochinvar	2002	03/04/2023	Recurring Cert	Active	Boiler Room
MD115983H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000142723		Lochinvar	2002	03/04/2023	Recurring Cert	Active	Boiler Room
MD115984V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001175806		Manchester	2001	03/04/2023	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				3							

Location: Crab Quarters
Address: 2909 Eastern Blvd - Middle River, MD 21220-2804
County: Baltimore **FIPS:** 24005
Location ID: 708208
Phone:
NOB/SIC: Eating and drinking places
Primary Contact: Crab Quarters
Billing Contact: - 1326 Goose Neck Rd Middle River, MD 21220-4027

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161476H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000153127		Columbia	2015	04/11/2020	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Crazy Tuna (Arc3) **Location ID:** 3949967
Address: 203 Nanticoke Rd - Essex, MD 21221-1532 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Crazy Tuna (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163583V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000230506		CHART	2012	04/16/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Crown Shade Co. **Location ID:** 708364
Address: 775 Chesaco Ave - Rosedale, MD 21237-3126 **Phone:** 410-682-4550
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Miscellaneous manufacturing industries
Primary Contact: Steven Grodnitzky - Phone: 410-682-4450 - Email: steveg@crownshadeco.com
Billing Contact: Steven Grodnitzky - 775 Chesaco Ave Rosedale, MD 21237-3126 - Phone: 410-682-4450 - Email: steveg@crownshadeco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136691V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001069900	N/A	Manchester	2009	09/30/2021	Recurring Cert	Active	Plant Rear Bldg
MD159397V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000502076	535111	Morganton	2015	11/27/2022	Recurring Cert	Active	Plant Rear Corner
Total Objects at this Location:				2							

Location: Cuvino Trattoria Pizza **Location ID:** 4023162
Address: 31 E Padonia Rd Ste A - Lutherville Timonium, MD 21093-2306 **Phone:** 410-853-7484
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 410-853-7484
Billing Contact: Manager on Duty - 31 E Padonia Rd Ste A Lutherville Timonium, MD 21093-2306 - Phone: 410-853-7484

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167228V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004558		Taylor-Wharton	2006	06/01/2022	Recurring Cert	Active	Outside Rear of Bldg

Total Objects at this Location: 1

Location: D And D Hi Tech Inc
Address: 8606 Old Harford Rd - Parkville, MD 21234-3913
County: Baltimore **FIPS:** 24005
Location ID: 708510
Phone:
NOB/SIC: General Automotive Repair Shops
Primary Contact: D And D Hi Tech Inc - Phone: 4106614377
Billing Contact: Don Ruth - 8606 Old Harford Rd Parkville, MD 21234-3913 - Phone: 4106614377

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104048V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000039974		Brunner	1993	09/20/2020	Recurring Cert	Active	Shop
MD104049V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000070959		Brunner	1983	09/20/2020	Recurring Cert	Active	Shop

Total Objects at this Location: 2

Location: Dash In (Roberts Oxygen)
Address: 1517 S Caton Ave - Halethorpe, MD 21227-1014
County: Baltimore **FIPS:** 24005
Location ID: 4045773
Phone:
NOB/SIC:
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168315V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004841		Taylor	1988	10/14/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Dash In (Roberts)
Address: 8200 Liberty Rd - Windsor Mill, MD 21244-3032
County: Baltimore **FIPS:** 24005
Location ID: 4070252
Phone:
NOB/SIC:
Primary Contact: Dash In (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000024153		Taylor	1995	04/22/2023	Recurring Cert	Active	Storage Area

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	-------------------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

Total Objects at this Location: 1

Location: Dash In Shell (Roberts)
Address: 30 Main St - Reisterstown, MD 21136-1210
County: Baltimore **FIPS:** 24005
Location ID: 3992526
Phone:
NOB/SIC: Gasoline Service Stations
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165366V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021806		Taylor	1996	11/21/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: David Blum Engine (Model)
Address: 3315 Timberfield Ln - Pikesville, MD 21208-4425
County: Baltimore **FIPS:** 24005
Location ID: 2966949
Phone:
NOB/SIC: Membership Organizations, NEC
Primary Contact: David Blum - Phone: 410 653 2440
Billing Contact: David Blum - 3315 Timberfield Ln Pikesville, MD 21208-4425 - Phone: 410 653 2440

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139451		Horizontal Fire Tube	M - Model w/comment	Model		Railroad Warehouse	2011	04/08/2022	Recurring Cert	Active	Portable

Total Objects at this Location: 1

Location: Day Village
Address: 505 Avondale Rd - Dundalk, MD 21222-6218
County: Baltimore **FIPS:** 24005
Location ID: 708669
Phone: 410-284-7100
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Sabrina Gendreau - Cell: 919 724 0546
Billing Contact: Sabrina Gendreau - 505 Avondale Rd Dundalk, MD 21222-6218 - Cell: 919 724 0546

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131234H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000119507		State	2007	01/21/2022	Recurring Cert	Active	Laundry

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 250 F)								

Total Objects at this Location: 1

Location: Deer Park Building Supplies
Address: 9314 Liberty Rd - Randallstown, MD 21133-3545
County: Baltimore **FIPS:** 24005
Primary Contact: Deer Park Building Supplies - Phone: 4109225464
Billing Contact:

Location ID: 708741
Phone:
NOB/SIC: Department Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158638V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000985119		Buckeye	1980	08/23/2021	Recurring Cert	Active	BASEMT

Total Objects at this Location: 1

Location: Della Rosa's Tavern (Arc3)
Address: 5001 Honeygo Center Dr - Perry Hall, MD 21128-9815
County: Baltimore **FIPS:** 24005
Primary Contact: Della Rosa's Tavern (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 4057885
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000138738		CHART	2003	01/27/2023	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Denny's
Address: 101 Orville Rd - Essex, MD 21221-1309
County: Baltimore
Primary Contact: Manager on Duty - Phone: 443-969-2308
Billing Contact:

FIPS: 24005

Location ID: 4031766
Phone: 443-969-2308
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167253V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000088074		MVE Inc	1998	07/15/2022	Recurring Cert	Active	Outsied in Trash Area

Total Objects at this Location: 1

Location: Display Craft Manufacturing Co
Address: 3939 Washington Blvd - Halethorpe, MD 21227-4132
County: Baltimore
Primary Contact: Display Craft Manufacturing Co - Phone: 410-242-0400
Billing Contact: Eric Sullivan - 3939 Washington Blvd Halethorpe, MD 21227-4132 - Phone: 410-242-0400

Location ID: 708990
Phone:
NOB/SIC: Furniture and fixtures

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121985V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000231833		Steel Fab	2000	03/12/2023	Recurring Cert	Active	shop

Total Objects at this Location: 1

Location: Dons Crabs
Address: 1764 E Joppa Rd - Parkville, MD 21234-3620
County: Baltimore
Primary Contact: Jeff Hubbard - Cell: 443-324-2422 - Email: jeffhubbard6625@gmail.com
Billing Contact:

Location ID: 709102
Phone:
NOB/SIC: Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164255H		Cast Iron	H - Heating- Cooking (Steam <= 15 psig)	000154469		Columbia	2018	11/11/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Dukes Motel
Address: 7905 Pulaski Hwy - Rosedale, MD 21237-2713
County: Baltimore **FIPS:** 24005
Location ID: 709304
Phone: 410-686-0400
NOB/SIC: Hotels, rooming houses, camps, and other lodging places
Primary Contact: Loretta Willard - Phone: 410-686-0400
Billing Contact: Loretta Willard - 7905 Pulaski Hwy Rosedale, MD 21237-2713 - Phone: 410-686-0400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149082H	CI 2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP6416135	Weil-McLain	2014	04/22/2022	Recurring Cert	Active	BOILER ROOM
MD149083H	CI 1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP6526416	Weil-McLain	2014	04/22/2022	Recurring Cert	Active	BOILER ROOM

Total Objects at this Location: 2

Location: Dundalk Presbyterian Church
Address: 1973 Merritt Blvd - Dundalk, MD 21222-4630
County: Baltimore **FIPS:** 24005
Location ID: 709327
Phone: 410 284 3252
NOB/SIC: Religious Organizations
Primary Contact: Jean Pavlosky - Phone: 410-284-3252 - Email: admin@dundalkpres.org
Billing Contact: Jean Pavlosky - 1973 Merritt Blvd Baltimore, MD 21222-4630 - Phone: 410-284-3252 - Email: admin@dundalkpres.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD049670H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Utica	1982	03/08/2022	Recurring Cert	Active	Boiler room

Total Objects at this Location: 1

Location: Eastern Crane Service
Address: 7910 Stansbury Rd - Dundalk, MD 21222-5523
County: Baltimore **FIPS:** 24005
Location ID: 709532
Phone: 410-288-2525
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Ken Mroz - Phone: 410 288 2525 - Email: easterncrane@verizon.net
Billing Contact: Ken Mroz - 7910 Stansbury Rd Dundalk, MD 21222-5523 - Phone: 410 288 2525 - Email: easterncrane@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086737V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040269		Stoystown	1985	07/07/2022	Recurring Cert	Active	Compressor Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD109645V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000142087	N/A	John Wood	1954	07/07/2022	Recurring Cert	Active	Compressor Room

Total Objects at this Location: 2

Location: Eastern LFG
Address: 6259 Days Cove Rd - White Marsh, MD 21162-1205
County: Baltimore **FIPS:** 24005
Primary Contact: Shane Willis - Cell: 570-560-0344
Billing Contact: Shane Willis - 6259 Days Cove Rd White Marsh, MD 21162-1205 - Cell: 570-560-0344

Location ID: 3988179

Phone:

NOB/SIC: Nonclassifiable Establishments

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166337V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000499092		Morganton	2015	01/23/2022	Recurring Cert	Active	Flare Site Shop
MD166338V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000475340		Morganton	2015	01/23/2022	Recurring Cert	Active	Flare Site Shop
MD168326V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000959544		Samuel Pressure Vessel Group	2020	11/30/2022	Recurring Cert	Active	Flare Site Shop

Total Objects at this Location: 3

Location: Eastern Lift Truck Co.
Address: 2211 Sulphur Spring Rd - Halethorpe, MD 21227-2933
County: Baltimore **FIPS:** 24005
Primary Contact: Eastern Lift Truck Co - Phone: 410 247 8844
Billing Contact: - 2211 Sulphur Spring Rd Halethorpe, MD 21227-2933 - Phone: 410 247 8844

Location ID: 709547

Phone: 410-247-8844

NOB/SIC: Transportation Equipment, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151831V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000352399		Morganton	2014	05/11/2023	Recurring Cert	Active	Shop
MD157716V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000553449		Morganton	2016	05/12/2023	Recurring Cert	Active	shop

Total Objects at this Location: 2

Location: Eastern Plating Co.
Address: 7803 Pulaski Hwy - Rosedale, MD 21237-2607
County: Baltimore **FIPS:** 24005
Primary Contact: Eastern Plating Co. - Phone: 410-682-4500
Billing Contact: - 7803 Pulaski Hwy Rosedale, MD 21237-2607 - Phone: 410-682-4500

Location ID: 3331354
Phone: 410-682-4500
NOB/SIC: Engineering Services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129976V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012848	18114	Air Com	2007	06/04/2021	Recurring Cert	Active	Plant Mezzanine
MD130121V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000250794		Steel Fab	2000	06/04/2021	Recurring Cert	Active	Bldg 2 Plant Floor
MD130122V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000131470		Manchester	1985	06/04/2021	Recurring Cert	Active	Bldg 2 Plant Floor
MD146166H		Cast Iron	H - Heating-Other w/comment (Stm <= 15 psig or Water <= 160 psig, 250 F)	CI	19A-06138	BFC	2006	06/04/2021	Recurring Cert	Active	Boiler Room
MD146179V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000529333		Steel Fab	2008	06/04/2021	Recurring Cert	Active	Plant Mezzanine
MD161791V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000879095		Steel Fab	2018	06/04/2021	Recurring Cert	Active	Bldg 2 Rear Floor
MD167251V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000938897		Samuels	2020	06/16/2022	Recurring Cert	Active	Outside
MD167252V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000938988		Samuels	2020	06/16/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 8

Location: Ed and Jims Body Shop Inc
Address: 8902 Audrey Ave - Baltimore, MD 21234-2602
County: Baltimore **FIPS:** 24005
Primary Contact: Denny Spataro - Phone: 410-665-0047
Billing Contact: Denny Spataro - 8902 Audrey Ave Baltimore, MD 21234-2602 - Phone: 410-665-0047

Location ID: 754014
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157747V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001747499		Manchester	2016	04/11/2023	Recurring Cert	Active	BK SHED
Total Objects at this Location:				1							

Location: Edorrito
Address: 5203B Campbell Blvd - Nottingham, MD 21236-5047
County: Baltimore **FIPS:** 24005
Primary Contact: Edorrito - Phone: 410-933-8888
Billing Contact: - 5203B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-933-8888

Location ID: 4018717
Phone: 410-933-8888
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166521V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000068641		MVE Inc	1997	05/01/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: El Gran Pollo (Arc3)
Address: 75 Main St - Reisterstown, MD 21136-1215
County: Baltimore **FIPS:** 24005
Primary Contact: El Gran Pollo (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3992523
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166326V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000288971		CHART	2016	11/22/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: El Salto Mexican Rest (Arc3) **Location ID:** 4039047
Address: 4335 Ebenezer Rd - Nottingham, MD 21236-2143 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: El Salto Mexican Rest (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000122142		MVE	2000	08/27/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Emmanuel Tire, LLC **Location ID:** 4040832
Address: 4653 Hollins Ferry Rd - Halethorpe, MD 21227-4601 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Emmanuel Tire, LLC
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167302V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000113572		Manchester	2002	09/10/2022	Recurring Cert	Active	Compressor/Tool Cage
MD167303V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	526453		Steel Fab	2008	09/10/2022	Recurring Cert	Active	Compressor/Tool Cage
MD167304V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	202254		Manchester	2003	09/10/2022	Recurring Cert	Active	Compressor/Tool Cage
Total Objects at this Location:				3							

Location: Emmarts United Methodist Church **Location ID:** 709977
Address: 7100 Dogwood Rd - Windsor Mill, MD 21244-1801 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Religious Organizations
Primary Contact: Katrina Leonard - Phone: 443-804-0642 - Email: emmartsumc@verizon.net
Billing Contact: - 7100 Dogwood Rd Windsor Mill, MD 21244-1801 - Phone: 410-944-1131

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124248H		Cast Iron	H - Hot Water	CI		Columbia	2005	11/10/2022	Recurring Cert	Active	BLR RM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								
Total Objects at this Location:				1							

Location: Epworth United Methodist Chapel
Address: 3317 St Lukes Lane - Woodlawn, MD 21207-5703
County: Baltimore **FIPS:** 24005
Primary Contact: Epworth United Methodist Chapel - Phone: 410 944 1070
Billing Contact: - 3317 Saint Lukes Ln Woodlawn, MD 21207-5703 - Phone: 410 944 1070

Location ID: 710068
Phone:
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121989V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000431416		Manchester	2005	08/24/2021	Recurring Cert	Active	#1 BLRM
MD122304H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/24/2021	Recurring Cert	Active	#1 BLRM
MD122305H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/24/2021	Recurring Cert	Active	#1 BLRM
MD122306H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/24/2021	Recurring Cert	Active	#1 BLRM
MD122307H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/24/2021	Recurring Cert	Active	boiler room
MD122309H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/24/2021	Recurring Cert	Active	#1 BLRM
MD122310H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/24/2021	Recurring Cert	Active	BLRM #2
MD122311H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/24/2021	Recurring Cert	Active	boiler room
MD122312H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/24/2021	Recurring Cert	Active	BLRM #2
MD146245H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2012	08/24/2021	Recurring Cert	Active	#1 Blrm
Total Objects at this Location:				10							

Location: EW Auto Shop
Address: 7208 Windsor Mill Rd - Windsor Mill, MD 21244-2889
County: Baltimore **FIPS:** 24005
Primary Contact: EW Auto Shop - Phone: 410-944-6112 - Email: ewautoshop@yahoo.com
Billing Contact:

Location ID: 711342
Phone: 410-944-6112
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149730V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001789184		CAMPBELL	2012	01/28/2021	Recurring Cert	Active	Compressor Area

Total Objects at this Location: 1

Location: Exxon - On the Run (Arc3)
Address: 100 Back River rd - Essex, MD 21221
County: Baltimore **FIPS:** 24005
Primary Contact: Exxon - On the Run (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3949968
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163580V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000151135		CHART	2003	04/16/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Fairview United Methodist Church
Address: 13916 Jarrettsville Pike - Phoenix, MD 21131-2040
County: Baltimore **FIPS:** 24005
Primary Contact: Helen Petrich - Phone: 410-666-8048 - Email: helenjoules@aol.com
Billing Contact: Helen Petrich - 13916 Jarrettsville Pike Phoenix, MD 21131-2040 - Phone: 410-666-8048 - Email: helenjoules@aol.com

Location ID: 710367
Phone: 410-666-8288
NOB/SIC: Membership Organizations, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143962H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2007	02/03/2022	Recurring Cert	Active	Boiler room

Total Objects at this Location: 1

Location: Faith Brethren In Christ
Address: 611 S Marlyn Ave - Essex, MD 21221-5235
County: Baltimore **FIPS:** 24005
Location ID: 710386
Phone: 410-687-0701
NOB/SIC: Religious Organizations
Primary Contact: John Melhorn - Phone: 410-687-0701 - Email: jmelhorn@verizon.net
Billing Contact: John Melhorn - 611 S Marlyn Ave Essex, MD 21221-5235 - Phone: 410-687-0701 - Email: jmelhorn@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119878H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2001	09/29/2020	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Family Car Care
Address: 9126 Harford Rd - Parkville, MD 21234-3101
County: Baltimore **FIPS:** 24005
Location ID: 706026
Phone:
NOB/SIC: Automotive Services, Except Repair and Carwashes
Primary Contact: Family Car Care
Billing Contact: - 9126 Harford Rd Parkville, MD 21234-3101

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112184V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001188419		Manchester	2001	11/19/2021	Recurring Cert	Active	Outside Shed Rear of Building
Total Objects at this Location:				1							

Location: Family YMCA of Baltimore Co/Parkville
Address: 8910 Waltham Woods Rd - Parkville, MD 21234-2404
County: Baltimore **FIPS:** 24005
Location ID: 3469179
Phone: 410-663-1300
NOB/SIC: Miscellaneous Personal Services, NEC
Primary Contact: Frank Holden - Phone: 410-823-8870 - Email: frank.hilden@ymaryland.org
Billing Contact: - 8910 Waltham Woods Rd Parkville, MD 21234-2404 - Phone: 410-663-1300

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156672H	Pool	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000428264		Raypak	2016	01/26/2023	Recurring Cert	Active	POOL HTR RM
Total Objects at this Location:				1							

Location: Family YMCA of Baltimore Co/Towson
Address: 600 W Chesapeake Ave - Towson, MD 21204-6909
County: Baltimore **FIPS:** 24005
Primary Contact: Frank Holden - Phone: 410-823-8870 - Email: frank.hilden@ymaryland.org
Billing Contact: Frank Holden - 600 W Chesapeake Ave Towson, MD 21204-6909 - Phone: 410-823-8870 - Email: frank.hilden@ymaryland.org

Location ID: 726957
Phone:
NOB/SIC: Membership Organizations, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147539H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000135839		PVI Industries	2013	10/20/2021	Recurring Cert	Active	BLRM
MD147540H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000135841		PVI Industries	2013	10/20/2021	Recurring Cert	Active	BLRM
MD147541H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000135840		PVI Industries	2013	10/20/2021	Recurring Cert	Active	BLRM
MD147542H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000265035		Lochinvar	2013	10/20/2021	Recurring Cert	Active	POOL HTR RM
MD147543H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000265033		Lochinvar	2013	10/20/2021	Recurring Cert	Active	POOL HTR RM
Total Objects at this Location:				5							

Location: Fatties Bar & Grill (Arc3)
Address: 1030 Old Eastern Ave - Essex, MD 21221-3705
County: Baltimore **FIPS:** 24005
Primary Contact: Fatties Bar & Grill (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3949962
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163591V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142632		CHART	2002	04/16/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Finch Services
Address: 11212 York Rd - Hunt Valley, MD 21030-1908
County: Baltimore **FIPS:** 24005
Location ID: 724391
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Bob Constantine - Phone: 410-840-5675
Billing Contact: Bob Constantine - 11212 York Rd Hunt Valley, MD 21030-1908 - Phone: 410-840-5675

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135839V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	485212		Steel Fab	2007	07/06/2022	Recurring Cert	Active	COMPRESSOR ROOM
Total Objects at this Location:				1							

Location: Fire Museum Of Maryland (Antique)
Address: 1301 York Rd - Lutherville Timonium, MD 21093-6035
County: Baltimore **FIPS:** 24005
Location ID: 710690
Phone: 410-321-7500
NOB/SIC: Museums and Art Galleries
Primary Contact: Stephen G. Heaver, Jr. - Phone: 410-321-7500 x101 - Email: info@firemuseummd.org
Billing Contact: Stephen G. Heaver, Jr. - 1301 York Rd Lutherville Timonium, MD 21093-6023 - Phone: 410-321-7500 x101 - Email: info@firemuseummd.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156547		Vertical Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000000004		Boothbay Railway	2017	05/08/2022	Recurring Cert	Active	portable
Total Objects at this Location:				1							

Location: Firestone - 0428
Address: 5610 Baltimore National Pike - Catonsville, MD 21228-1401
County: Baltimore **FIPS:** 24005
Location ID: 710720
Phone:
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Firestone - 0428
Billing Contact: Greg Bowman - 300 Redland Ct Ste 302 Owings Mills, MD 21117-3280

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123241V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001168230		Manchester	2001	06/14/2022	Recurring Cert	Active	shop
MD123242V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001194541		Manchester	2001	06/14/2022	Recurring Cert	Active	shop

Total Objects at this Location: 2

Location: Firestone - 0455
Address: 1737 York Rd - Lutherville Timonium, MD 21093-5607
County: Baltimore **FIPS:** 24005
Primary Contact: Firestone - 0455
Billing Contact: - 1737 York Rd Lutherville Timonium, MD 21093-5607 - Phone: 41-252-7720

Location ID: 710710
Phone: 410-252-7720
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD038957V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000233678		Wayne	1971	05/13/2022	Recurring Cert	Active	Storage Room
MD167305V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002111635		Manchester	2019	03/04/2022	Recurring Cert	Active	Equipment Area

Total Objects at this Location: 2

Location: Firestone - 0456
Address: 1100 N Rolling Rd - Catonsville, MD 21228
County: Baltimore **FIPS:** 24005
Primary Contact: Firestone - 0456
Billing Contact:

Location ID: 710703
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119389V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000772945		Manchester	1999	06/14/2022	Recurring Cert	Active	Store Room
MD119390V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000196549		Manchester	2003	06/14/2022	Recurring Cert	Active	Store Room

Total Objects at this Location: 2

Location: Firestone Complete Auto Care
Address: 8016 Liberty Rd - Windsor Mill, MD 21244-2967
County: Baltimore **FIPS:** 24005
Primary Contact: Firestone Complete Auto Care - Phone: 443-272-5183
Billing Contact: - 8016 Liberty Rd Windsor Mill, MD 21244-2967 - Phone: 443-272-5183

Location ID: 710730
Phone: 443-272-5183
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152998V	2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000257067		Morganton	2013	09/09/2022	Recurring Cert	Active	Basement Tire storage
MD166551V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0002154574		Manchester	2019	11/18/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: First Financial Federal Credit Union
Address: 1215 York Road - Lutherville/Timonium, MD 21093-6207
County: Baltimore **FIPS:** 24005
Primary Contact: Ronald Shockley - Phone: 410-427-8974 - Email: rshockley@firstfinancial.org
Billing Contact: Ronald Shockley - 1215 York Rd Lutherville Timonium, MD 21093-6207 - Phone: 410-427-8974 - Email: rshockley@firstfinancial.org

Location ID: 701767
Phone: 410-321-6060
NOB/SIC: Central Reserve Depository Institutions, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD033909H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1972	08/16/2020	Recurring Cert	Active	Mechanical Room
MD071713H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	A85-141	H B Smith	1983	08/16/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Flavor & Fragrance Specialties
Address: 8800 Kelso Dr Ste P - Essex, MD 21221-3125
County: Baltimore **FIPS:** 24005
Primary Contact: Flavor & Fragrance Specialties - Phone: 410-574-4101
Billing Contact: Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101

Location ID: 710800
Phone:
NOB/SIC: Business services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD084172H		Vertical Fire Tube	S - Power-Other	000067310		Fulton	1993	01/14/2023	Recurring Cert	Active	PLANT

Juris #	Alt Juris #	Type	Use w/comment (Stm > 15 psig)	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138015V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000705163		Manchester	1998	01/14/2023	Recurring Cert	Active	SHOP
MD138016V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001159904		CAMPBELL	2003	01/14/2023	Recurring Cert	Active	FRAGRANCE
MD138017V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000629852		Manchester	2006	01/14/2023	Recurring Cert	Active	FRAGRANCE
MD138019V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001314746		CAMPBELL	2005	01/14/2023	Recurring Cert	Active	WHSE
MD163480V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000758883		Morganton	2018	01/22/2023	Recurring Cert	Active	FLAVOR
MD163481V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000729273		Morganton	2018	01/22/2023	Recurring Cert	Active	8803 AIR
Total Objects at this Location:				7							

Location: Flavor & Fragrance Specialties
Address: 8803 Kelso Dr - Essex, MD 21221-3112
County: Baltimore
Primary Contact: Bryan Duzan - Phone: 410-574-4101
Billing Contact: Bryan Duzan - 8800 Kelso Dr Ste P Essex, MD 21221-3125 - Phone: 410-574-4101

Location ID: 728670
Phone: 410-687-8500
NOB/SIC: Miscellaneous manufacturing industries
FIPS: 24005

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163482V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000442435		Manchester	2018	01/22/2023	Recurring Cert	Active	8803 N2
Total Objects at this Location:				1							

Location: Fleet Pride/Quest Diagnostics **Location ID:** 715474
Address: 1715 Twin Springs Rd # 111 - Halethorpe, MD 21227-3553 **Phone:** 410-355-8686
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: John Huhn - Phone: 410-355-8686 - Cell: 410-725-6345 - Email: john.kuhn@fleetpride.com
Billing Contact: AP - 600 Las Colinas Blvd E Ste 400 Irving, TX 75039-5637 - Email: ap@fleetpride.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD093203V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000527343		Melben	1995	03/09/2022	Recurring Cert	Active	Drum Room
Total Objects at this Location:				1							

Location: Floors Etc. **Location ID:** 3352409
Address: 9603 Deereco Rd Ste 200 - Lutherville Timonium, MD 21093-2188 **Phone:** 410-329-9680
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Nondurable Goods, NEC
Primary Contact: Elton Streeter - Phone: 410-329-9680 X136
Billing Contact: Elton Streeter - 9603 Deereco Rd Ste 200 Lutherville Timonium, MD 21093-2188 - Phone: 410-329-9680 X136

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146957V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000282258		Mat Industries Inc	2013	10/13/2021	Recurring Cert	Active	Warehouse - Carpet Area
MD167295V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290487		Mat Industries	2013	12/10/2021	Recurring Cert	Active	Warehouse - Area Rug
Total Objects at this Location:				2							

Location: Forest Park Shell **Location ID:** 710991
Address: 1699 Forest Park Avenue - Woodlawn, MD 21207-4927 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Shamrez (Ali) Showkat - Phone: 410-744-9577 - Email: shamrezs2016@yahoo.com
Billing Contact: - 1699 Forest Park Avenue Woodlawn, MD 21207 - Phone: 4107449228

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139279V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000744886		Manchester	2006	07/29/2021	Recurring Cert	Active	outside shed

Total Objects at this Location: 1

Location: Forty West Shell Inc
Address: 700 N Rolling Rd - Catonsville, MD 21228-4135
County: Baltimore **FIPS:** 24005
Primary Contact: Mike Singh - Phone: 410-788-5202
Billing Contact:

Location ID: 711061
Phone:
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157745V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000468917		Morganton	2015	06/08/2021	Recurring Cert	Active	Parts Store Rm

Total Objects at this Location: 1

Location: Franco Italian Bistro (Arc3)
Address: 803 Frederick Rd - Catonsville, MD 21228-4506
County: Baltimore **FIPS:** 24005
Primary Contact: Franco Italian Bistro (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3931263
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163531V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021120		Taylor	1995	02/28/2023	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Franklin Blvd. Exxon
Address: 11904 Reisterstown Rd - Reisterstown, MD 21136-3001
County: Baltimore **FIPS:** 24005
Primary Contact: Joe Cavey - Phone: 410-526-9089
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 722563
Phone: 410-526-9089
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131438V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000978867		Manchester	2008	09/29/2021	Recurring Cert	Active	Car Wash
MD158305V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000160456		CHART	2005	08/04/2021	Recurring Cert	Active	Outside

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
w/comment											

Total Objects at this Location: 2

Location: Free State Arena (Arc3) **Location ID:** 3918187
Address: 5811 Allender Rd - White Marsh, MD 21162-1314 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Free State Arena (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161858V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024601		Taylor	1995	12/11/2022	Recurring Cert	Active	Closet

Total Objects at this Location: 1

Location: Full Moon Pub & Grill (Arc3) **Location ID:** 4006478
Address: 1100 Westminster Pike - Reisterstown, MD 21136-4621 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Full Moon Pub & Grill (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165400V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000182667		CHART	2007	01/10/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Full Moon Pub and Grill **Location ID:** 722556
Address: 1100 Westminster Rd - Reisterstown, MD 21136-4621 **Phone:** 410-526-5565
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and drinking places
Primary Contact: Robin Bitner - Phone: 410-526-5565
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074818H	0	Cast Iron	H - Hot Water	CI	12061591	Burnham	1990	08/13/2021	Recurring Cert	Active	Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

Total Objects at this Location: 1

Location: Fusco Financial Assoc
Address: 505 Baltimore Ave - Towson, MD 21204-4503
County: Baltimore **FIPS:** 24005
Location ID: 711389
Phone:
NOB/SIC: Holding and other investment offices
Primary Contact: Donna - Phone: 410-296-5400 - Email: donna.childress@lpl.com
Billing Contact: Donna - 505 Baltimore Ave Towson, MD 21204-4503 - Phone: 410-296-5400 - Email: donna.childress@lpl.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD050686H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	260837	Weil-McLain	1978	09/29/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: FutureCare Courtland
Address: 7920 Scotts Level Rd - Pikesville, MD 21208-2629
County: Baltimore **FIPS:** 24005
Location ID: 715006
Phone: 410-521-3600
NOB/SIC: Skilled Nursing Care Facilities
Primary Contact: Scott Grenwell - Phone: 410-521-3600 x71125 - Cell: 443-251-2351 - Email: GreenwelR@futurecare.com
Billing Contact: - 7920 Scotts Level Rd Pikesville, MD 21208-2629 - Phone: 410-521-3600

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104550H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Hydrotherm	1980	09/16/2021	Recurring Cert	Active	Boiler Room
MD104551H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Hydrotherm	1980	09/16/2021	Recurring Cert	Active	Boiler Room
MD104552H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Hydrotherm	1980	09/16/2021	Recurring Cert	Active	Boiler Room
MD104553H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1992	09/16/2021	Recurring Cert	Active	Boiler Room
MD104554V	Air Tank	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047703		Brunner	1992	09/16/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 5

Location: G & M Automotive Inc
Address: 11825 Belair Rd - Kingsville, MD 21087-1313
County: Baltimore **FIPS:** 24005
Primary Contact: G & M Automotive Inc - Phone: 410-592-6868
Billing Contact: - PO Box 260 Kingsville, MD 21087-0260 - Phone: 410-592-6868

Location ID: 711495
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD046257V	CAT	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000097085		Kargard	1964	07/27/2022	Recurring Cert	Active	Store Room
MD046258V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000097167		Kargard	1964	07/27/2022	Recurring Cert	Active	Store Room
Total Objects at this Location:				2							

Location: G and S Automotive
Address: 501 Mace Ave - Essex, MD 21221-6607
County: Baltimore **FIPS:** 24005
Primary Contact: G and S Automotive - Phone: 410-238-0520
Billing Contact: - 501 Mace Ave Essex, MD 21221-6607 - Phone: 410-238-0520

Location ID: 1739817
Phone: 410-238-0520
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124205V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001049716		Manchester	2000	08/18/2022	Recurring Cert	Active	Compressor Room
Total Objects at this Location:				1							

Location: Gardiners Furniture
Address: 6415 Baltimore National Pike - Catonsville, MD 21228-3904
County: Baltimore **FIPS:** 24005
Primary Contact: Gardiners Furniture
Billing Contact:

Location ID: 711632
Phone: 410-719-6900
NOB/SIC: Department Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097304H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000128018	9512128018	Raypak	1996	05/29/2021	Recurring Cert	Active	Basement, Boiler Room

Total Objects at this Location: 1

Location: Garlands Garage
Address: 12300 Owings Mill Blvd. Unit #2 - Reisterstown, MD 21136-1744
County: Baltimore **FIPS:** 24005
Location ID: 711642
Phone:
NOB/SIC: General Automotive Repair Shops
Primary Contact: Garland - Phone: 410-526-0882
Billing Contact: Garland - 12300 Owings Mills Blvd Ste 2 Reisterstown, MD 21136-1744 - Phone: 410-526-0882

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159352V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000543340	565972	Morganton	2016	10/02/2021	Recurring Cert	Active	Shop Comp. Shed

Total Objects at this Location: 1

Location: Gerber's Trash Removal
Address: 200 Cockeysville Rd - Cockeysville, MD 21030-2111
County: Baltimore **FIPS:** 24005
Location ID: 711895
Phone: 410-771-1321
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Patty Gerber - Phone: 410-771-1321
Billing Contact: Patty Gerber - PO Box 942 Cockeysville, MD 21030-0942 - Phone: 410-771-1321

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD064891H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1985	12/07/2021	Recurring Cert	Active	COMP RM
MD147657V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000697537		Manchester	2012	12/07/2021	Recurring Cert	Active	SHOP

Total Objects at this Location: 2

Location: German Hill Exxon (Sunoco)
Address: 1300 Merritt Blvd - Dundalk, MD 21222-2108
County: Baltimore **FIPS:** 24005
Location ID: 711897
Phone:
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: German Hill Exxon - Phone: 410-285-0555
Billing Contact: - 1300 Merritt Blvd Dundalk, MD 21222-2108 - Phone: 410-285-0555

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110099V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000073680		Brunner	1998	09/18/2021	Recurring Cert	Active	Car Wash

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
Total Objects at this Location:				1							

Location: Glen Meadows Retirement Community
Address: 11630 Glen Arm Rd - Glen Arm, MD 21057-9403
County: Baltimore **FIPS:** 24005
Primary Contact: Dan Golliday - Phone: 410-319-5024 - Cell: 443-454-1494 - Email: dgolliday@psi.org
Billing Contact: Dan Golliday - 11630 Glen Arm Rd Glen Arm, MD 21057-9403 - Phone: 410-319-5024 - Cell: 443-454-1494 - Email: dgolliday@psi.org

Location ID: 721848
Phone: 410-592-5310
NOB/SIC: Residential Care

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161877H	#4	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000238132	238132	A O Smith	2018	12/08/2020	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Glory Days Grill
Address: 1220 E Joppa Rd - Towson, MD 21286-5811
County: Baltimore **FIPS:** 24005
Primary Contact: Glory Days Grill
Billing Contact:

Location ID: 4038224
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167276V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000258225		CHART	2014	08/21/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: God's Will Apostolic Ministries
Address: 155 Orville Rd - Essex, MD 21221-1309
County: Baltimore

FIPS: 24005

Location ID: 722025
Phone: 410-687-2836
NOB/SIC: Membership organizations

Primary Contact: Barbara Bennett - Phone: 443-838-1078 - Email: barbbennett46@comcast.net

Billing Contact: Barbara Bennett - 155 Orville Rd Essex, MD 21221-1309 - Phone: 443-838-1078 - Email: barbbennett46@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130423H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UCCI-17909	Utica	2006	01/15/2022	Recurring Cert	Active	Boiler Room, Boiler #2
MD130424H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UID-29072	Utica	2006	01/15/2022	Recurring Cert	Active	Boiler Room, Boiler #1

Total Objects at this Location: 2

Location: Goodwrappers Inc
Address: 1920 Halethorpe Farms Rd - Halethorpe, MD 21227-4501
County: Baltimore

FIPS: 24005

Location ID: 714722
Phone: 410-536-0400
NOB/SIC: Rubber and miscellaneous plastics products

Primary Contact: Becky Amesen - Phone: 410-536-0400 - Cell: 800-638-1127 - Email: bkuhn@goodwrappers.com

Billing Contact: - 1920 Halethorpe Farms Rd Halethorpe, MD 21227-4501 - Phone: 8006381127

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000920661		Samual Pressure Vessel	2019	01/08/2022	Recurring Cert	Active	Plant Compressor Area

Total Objects at this Location: 1

Location: Goodwrappers Inc.
Address: 3901 Washington Blvd - Halethorpe, MD 21227-4146
County: Baltimore

FIPS: 24005

Location ID: 717598
Phone: 410-536-0400
NOB/SIC: Unsupported Plastics Film and Sheet

Primary Contact: Becky Amesen - Phone: 410-536-0400 - Cell: 800-638-1127 - Email: bkuhn@goodwrappers.com

Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097147V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001100233		Manchester	1993	06/14/2021	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000877906		Steel Products	2018	06/14/2021	Recurring Cert	Active	Rear Loading Dock

Total Objects at this Location: 2

Location: Green Contracting
Address: 8837 Yellow Brick Rd - Rosedale, MD 21237-2301
County: Baltimore **FIPS:** 24005
Location ID: 707837
Phone:
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Peggy DeLetis - Phone: 410-780-0500 - Email: pdeletis@greencontracting.com
Billing Contact: Peggy DeLetis - 8837 Yellow Brick Rd Rosedale, MD 21237-2301 - Phone: 410-780-0500 - Email: pdeletis@greencontracting.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136736V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000965773		Manchester	2008	06/30/2022	Recurring Cert	Active	SHOP

Total Objects at this Location: 1

Location: Greene's Family Butcher Shop
Address: 12037 Belair Rd - Kingsville, MD 21087-1169
County: Baltimore **FIPS:** 24005
Location ID: 715781
Phone: 410-592-6202
NOB/SIC: Eating and drinking places
Primary Contact: Red's Wine & Spirits - Phone: 410-592-6202
Billing Contact: Facility Manager - 12037 Belair Rd Kingsville, MD 21087-1169 - Phone: 410-592-6202

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117373V	CAT	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000211112		Steel Fab	1999	06/16/2022	Recurring Cert	Active	Basement Boiler Room
MD167282H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65694906	Burnham	2019	09/01/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: Greenspring Valley Hounds
Address: 13920 Mantua Mill Rd - Reisterstown, MD 21136-4824
County: Baltimore **FIPS:** 24005
Location ID: 712718
Phone: 410-833-4884
NOB/SIC: Membership organizations
Primary Contact: Sam Clifton - Phone: 410 526 2628
Billing Contact: John Warden - PO Box 1123 Westminster, MD 21158-5123 - Phone: 410-707-3127

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD087928H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	1994	04/29/2020	Recurring Cert	Active	CLUBHOUSE BS
NEW		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2019	06/01/2020	Recurring Cert	Active	Unknown
Total Objects at this Location:				2							

Location: Griffins Service Center
Address: 3605 Brenbrook Dr - Randallstown, MD 21133-4703
County: Baltimore **FIPS:** 24005
Location ID: 712835
Phone:
NOB/SIC: Automotive Dealers, NEC
Primary Contact: Christina Griffin - Phone: 410-521-8247
Billing Contact: Stan Griffin - 3605 Brenbrook Dr Randallstown, MD 21133-4703 - Phone: 410-922-9860

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD035705V	Backup Comp	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000756550		Buckeye	1986	01/04/2022	External Cert, Recurring Cert	Active	Shop, Under Stairwell
MD106617V	Primary Comp	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000841511		Manchester	1999	01/04/2022	External Cert, Recurring Cert	Active	Store Room
Total Objects at this Location:				2							

Location: Guardrails, Etc., Inc.
Address: 4010 N Point Blvd - Dundalk, MD 21222-3641
County: Baltimore **FIPS:** 24005
Location ID: 712876
Phone: 410-477-8300
NOB/SIC: Miscellaneous manufacturing industries
Primary Contact: Darlene Horner - Phone: 410-477-8300
Billing Contact: Marnie Beier - 4010 N Point Blvd Dundalk, MD 21222-3641 - Phone: 410-477-8300

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117374V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000217161		Steel Fab	1999	05/28/2021	Recurring Cert	Active	REAR OF SHOP
MD152501V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001863599		CAMPBELL	2014	05/28/2021	Recurring Cert	Active	MECH SHOP

Total Objects at this Location: 2

Location: Gunpowder Auto Marine
Address: 9715 Belair Rd - Perry Hall, MD 21128
County: Baltimore **FIPS:** 24005
Location ID: 3356294
Phone: 443-469-3364
NOB/SIC: Boat Building and Repairing
Primary Contact: Kenneth Antkowiak
Billing Contact: Kenneth Antkowiak - 9715 Belair Rd Perry Hall, MD 21128

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110509V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001088558		Manchester	2000	03/07/2022	Recurring Cert	Active	Utility Room

Total Objects at this Location: 1

Location: Gunpowder Lodge (Arc3)
Address: 10092 Belair Rd - Kingsville, MD 21087-1452
County: Baltimore **FIPS:** 24005
Location ID: 3950074
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: Gunpowder Lodge (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163587V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000209945		CHART	2010	04/16/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Gwynn Oak United Methodist Church
Address: 5020 Gwynn Oak Ave - Woodlawn, MD 21207-6803
County: Baltimore **FIPS:** 24005
Location ID: 714224
Phone: 410-542-1276
NOB/SIC: Membership organizations
Primary Contact: Richard Wright - Phone: 410-225-0998 - Cell: 267-243-0230
Billing Contact: Richard Wright - 5020 Gwynn Oak Ave Woodlawn, MD 21207-6803 - Phone: 410-225-0998 - Cell: 267-243-0230

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132387H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2009	04/16/2021	Recurring Cert	Active	Boiler Room
MD132388H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2009	04/16/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Gwynn Oaks Landing Apts
Address: 3109 Woodford Pl - Gwynn Oak, MD 21207-5576
County: Baltimore **FIPS:** 24005
Location ID: 2209973
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Tammi Cunningham - Phone: 410-944-1300 - Email: tcunningham@srhllc.com
Billing Contact: Tammi Cunningham - 3103 Windsor Blvd Baltimore, MD 21207-5550 - Phone: 410-944-1300 - Email: tcunningham@srhllc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165352H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119695		Bradford White	2016	10/10/2021	Recurring Cert	Active	3109 WOODFOR

Total Objects at this Location: 1

Location: H & N Printing & Graphics, Inc.
Address: 1913 Greenspring Dr - Lutherville Timonium, MD 21093-4113
County: Baltimore **FIPS:** 24005
Location ID: 712940
Phone: 410-252-5300
NOB/SIC: Books: Publishing, or Publishing and Printing
Primary Contact: Jen Wirginis - Phone: 410 252-5300
Billing Contact: Jen Wirginis - 1913 Greenspring Dr Lutherville Timonium, MD 21093-4113 - Phone: 410 252-5300

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167281V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	002187354	2187354	Manchester	2019	03/18/2022	Recurring Cert	Active	Compressor Shed

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	-------------------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

Total Objects at this Location: 1

Location: H Mart - 14
Address: 800 N Rolling Rd - Catonsville, MD 21228-4136
County: Baltimore **FIPS:** 24005
Primary Contact: Eric Lim - Email: judy.lim@hmart.com
Billing Contact: Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com

Location ID: 3218908
Phone:
NOB/SIC: Grocery Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143958V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000087415		Standard	1984	06/14/2022	Recurring Cert	Active	Motor Room
MD143959V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000087413		Standard	1984	06/14/2022	Recurring Cert	Active	Motor Room
MD143960V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000198412		Standard	1984	06/14/2022	Recurring Cert	Active	Motor Room

Total Objects at this Location: 3

Location: Hammer Automotive
Address: 8545 Philadelphia Rd - Rosedale, MD 21237-3014
County: Baltimore **FIPS:** 24005
Primary Contact: Ken Hammer - Phone: 410-686-4111 - Email: hammerautomotiveinc@gmail.com
Billing Contact: - PO Box 70042 Rosedale, MD 21237-6042 - Phone: 410-686-4111

Location ID: 713129
Phone: 410-686-4111
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145207V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000138166		MELBEN	1986	05/15/2021	Recurring Cert	Active	GARAGE

Total Objects at this Location: 1

Location: Hampton Plaza
Address: 302 E Joppa Rd - Towson, MD 21286-3152
County: Baltimore **FIPS:** 24005
Location ID: 713181
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Kemp Thomas - Phone: 410-296-6600
Billing Contact: Kemp Thomas - 302 E Joppa Rd Towson, MD 21286-3152 - Phone: 410-296-6600

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137483H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000084729		Bradford	2008	02/07/2023	Recurring Cert	Active	2ND FLR HTR
MD146228H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000101020		Bock Energy	2012	02/07/2023	Recurring Cert	Active	2nd FI Heater
MD151603H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000109514		Bradford	2014	02/07/2023	Recurring Cert	Active	2nd Flr Blrm
MD156880H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108825		Bradford White	2014	02/07/2023	Recurring Cert	Active	2nd FI Blrm
MD168363H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000135877		Bradford	2020	03/22/2023	Recurring Cert	Active	2nd fl htr room
Total Objects at this Location:				5							

Location: Har Sinai-Oheb Shalom Congregation
Address: 7310 Park Heights Ave - Pikesville, MD 21208-5436
County: Baltimore **FIPS:** 24005
Location ID: 720176
Phone: 410-385-0105
NOB/SIC: Membership organizations
Primary Contact: Michael Paige - Phone: 410-916-8901 - Email: michael@templeohebshalom.org
Billing Contact: Michael Paige - 7310 Park Heights Ave Pikesville, MD 21208-5436 - Phone: 410-916-8901 - Email: michael@templeohebshalom.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081547H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N91-643	H B Smith	1991	09/21/2022	Recurring Cert	Active	Boiler Room
MD101420V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000007980		Brunner	1998	09/21/2022	Recurring Cert	Active	Boiler Room
MD159070H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000153929	153929	RHEEM	2018	09/21/2022	Recurring Cert	Active	BLRM
MD159071H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000154647	154647	RHEEM	2018	09/21/2022	Recurring Cert	Active	BLRM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
160 psig, 210 F)											

Total Objects at this Location: 4

Location: Haris Auto Center
Address: 7600 Harford Rd - Parkville, MD 21234-6402
County: Baltimore **FIPS:** 24005
Primary Contact: Haris Auto Center - Phone: 410-663-0074
Billing Contact: - 7600 Harford Rd Parkville, MD 21234-6402 - Phone: 410-663-0074

Location ID: 727870
Phone: 410-663-0074
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112188V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000129192		Manchester	2000	04/22/2023	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Harryman House (Arc3)
Address: 340 Main St - Reisterstown, MD 21136-1904
County: Baltimore **FIPS:** 24005
Primary Contact: Harryman House (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3992522
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166327V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000151292		CHART	2003	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: HAV Auto Services **Location ID:** 1600315
Address: 6126 Edmondson Ave - Baltimore, MD 21228-1825 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Art Mele - Phone: 410-455-9100 - Email: havauto1@verizon.net
Billing Contact: Art Mele - 6126 Edmondson Ave Baltimore, MD 21228-1825 - Phone: 410-455-9100 - Email: havauto1@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066596V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000490444		Buckeye	1984	07/11/2020	Recurring Cert	Active	Outside Shed
MD126984V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019638		Cylsa	2000	07/11/2020	Recurring Cert	Active	Shop
Total Objects at this Location:				2							

Location: Hawthorne Bi Rite **Location ID:** 713424
Address: 2007 Eastern Blvd - Middle River, MD 21220-4701 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: Hawthorne Bi Rite - Phone: 4105744190
Billing Contact: - 2007 Eastern Blvd Middle River, MD 21220-4701 - Phone: 4105744190

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD035642V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000089899		STOVER	1965	07/07/2021	Recurring Cert	Active	Z UTILITY RM
MD143126V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001685521		CAMPBELL	2010	07/07/2021	Recurring Cert	Active	UTILITY RM
Total Objects at this Location:				2							

Location: Health for Life
Address: 4741 Ridge Rd - Baltimore, MD 21236-3817
County: Baltimore **FIPS:** 24005
Primary Contact: John Seifert - Phone: 410-665-1560
Billing Contact: John Seifert - 4741 Ridge Rd Baltimore, MD 21236-3817 - Phone: 410-665-1560

Location ID: 724953
Phone:
NOB/SIC: Miscellaneous retail

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165338H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2018001045	Columbia	2018	11/22/2021	Recurring Cert	Active	Dispensary Basement

Total Objects at this Location: 1

Location: Heaver Properties Limited Partnership
Address: 1301 York Road Suite 707 - Lutherville/Timonium, MD 21093-6010
County: Baltimore **FIPS:** 24005
Primary Contact: Tom Gentry - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com
Billing Contact: Tom Gentry - 2328 W Joppa Rd Suite 200 Lutherville, MD 21093-4674 - Phone: 410-821-8585 - Email: tgentry@mackenziemanagement.com

Location ID: 713502
Phone:
NOB/SIC: Offices of Holding Companies, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001127H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1970	09/29/2020	Recurring Cert	Active	Penthouse Boiler Room

Total Objects at this Location: 1

Location: Hebbville Auto Repair Inc.
Address: 7404 Windsor Mill Rd - Windsor Mill, MD 21244-2990
County: Baltimore **FIPS:** 24005
Primary Contact: Hebbville Auto Repair Inc. - Phone: 410-655-0480
Billing Contact: - 7404 Windsor Mill Rd Windsor Mill, MD 21244-2990 - Phone: 410-655-0480

Location ID: 713504
Phone: 410-655-0480
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138883V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001081205		Melben	2002	09/13/2022	Recurring Cert	Active	Tire Shed
MD168325V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000007576		AIR COM	2009	11/20/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 2

Location: Hereford Collision Center
Address: 16917 York Rd - Monkton, MD 21111-1023
County: Baltimore **FIPS:** 24005
Location ID: 3812192
Phone: 410-357-9061
NOB/SIC:
Primary Contact: North County Unlimited Inc
Billing Contact: Steven Galasso - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD039538V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000003851		Steel Fab.	1978	10/16/2021	Recurring Cert	Active	Shop
MD158776V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001478854		Manchester	2014	10/16/2021	Recurring Cert	Active	Storage Room
MD158777V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000122317		Manchester	2000	10/16/2021	Recurring Cert	Active	Storage Room
Total Objects at this Location:				3							

Location: Heritage Honda
Address: 9213 Harford Rd - Baltimore, MD 21234-3102
County: Baltimore **FIPS:** 24005
Location ID: 996910
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Sam Bongiovano - Phone: 410-602-6177 - Email: riskmgmt@mileone.com
Billing Contact: Sam Bongiovano - 1 Olympic Pl Ste 1100 Towson, MD 21204-4108 - Phone: 410-602-6177 - Email: riskmgmt@mileone.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115995V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001218604		Manchester	2001	01/28/2023	Recurring Cert	Active	Rear Outside Shed
MD115996V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001218629		Manchester	2001	01/28/2023	Recurring Cert	Active	Rear Outside Shed
Total Objects at this Location:				2							

Location: High's Convenience Store
Address: 15301 Hanover Pike - Upperco, MD 21155-9716
County: Baltimore **FIPS:** 24005
Location ID: 4032374
Phone: 410- 429-5250
NOB/SIC:
Primary Contact: High's Convenience Store
Billing Contact: Manager on Duty - 15301 Hanover Pike Upperco, MD 21155-9716 - Phone: 410-429-5250

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167259V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000329580	31934006	CHART	2019	07/21/2022	Recurring Cert	Active	Outside Rear of Building
Total Objects at this Location:				1							

Location: Hillen Tire
Address: 200 W Padonia Rd Ste A - Lutherville Timonium, MD 21093-6922
County: Baltimore **FIPS:** 24005
Location ID: 3757992
Phone:
NOB/SIC:
Primary Contact: Hillen Tire
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157188V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0000627337	621992	Morganton	2017	03/06/2023	Recurring Cert	Active	Shop Room
Total Objects at this Location:				1							

Location: Hilton Garden Inn White Marsh
Address: 5015 Campbell Blvd - Baltimore, MD 21236-4967
County: Baltimore **FIPS:** 24005
Location ID: 2651079
Phone: 410-427-0600
NOB/SIC: Miscellaneous services
Primary Contact: Maddie Zimmer - Phone: 410-427-0600 X 5001 - Cell: 410-372-5141 - Email: maddie.zimmer@hilton.com
Billing Contact: Madeline Zimmer - 5015 Campbell Blvd Baltimore, MD 21236-4967 - Phone: 410-427-0600

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104060H	Water heater #1	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100461		Lochinvar	1999	05/11/2022	Recurring Cert	Active	Mechanical Room
MD104061H	Heater #2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100460		Lochinvar	1999	05/11/2022	Recurring Cert	Active	Mechanical Room

Total Objects at this Location: 2

Location: Holy Comforter Episcopal Church
Address: 130 W Seminary Ave - Lutherville Timonium, MD 21093-5523
County: Baltimore **FIPS:** 24005
Location ID: 714016
Phone: 410-252-2711
NOB/SIC: Membership Organizations, NEC
Primary Contact: Tom Simpson - Phone: 410-252-2711 - Cell: 410-952-1316 - Email: secretary@holy-comforter.ang-md.org
Billing Contact: Tom Simpson - 130 W Seminary Ave Lutherville Timonium, MD 21093-5523 - Phone: 410-252-2711 - Cell: 410-952-1316 - Email: secretary@holy-comforter.ang-md.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130419H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000564862		Slant Fin	2007	11/03/2022	Recurring Cert	Active	Boiler Room
MD130420H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	0000564861		Slant Fin	2007	11/03/2022	Recurring Cert	Active	Boiler Room
MD130421H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	564867		Slant Fin	2007	11/03/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: Howard Johnson
Address: 407 Reisterstown Rd - Pikesville, MD 21208-5353
County: Baltimore **FIPS:** 24005
Location ID: 709656
Phone:
NOB/SIC: Hotels, rooming houses, camps, and other lodging places
Primary Contact: Hiren Shah - Phone: 4104841800 - Email: greenhospitality@gmail.com
Billing Contact: Hiren Shah - 407 Reisterstown Rd Pikesville, MD 21208-5353 - Phone: 4104841800 - Email: greenhospitality@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162317H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126654		Bradford White	2018	10/30/2020	Recurring Cert	Active	Basement Boiler Room

Total Objects at this Location: 1

Location: **Howell Funeral Home**
Address: 4600 Liberty Heights Ave - Woodlawn, MD 21207-7552
County: Baltimore **FIPS:** 24005
Primary Contact: Howell Funeral Home - Phone: 410-664-6800
Billing Contact: - 4600 Liberty Heights Ave Woodlawn, MD 21207-7552 - Phone: 410-664-6800

Location ID: 714233
Phone: 410-664-6800
NOB/SIC: Membership Organizations, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089067H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Slant Fin	1995	10/16/2020	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: **Hunt Valley Imported**
Address: 10722 York Rd - Cockeysville, MD 21030-2120
County: Baltimore **FIPS:** 24005
Primary Contact: Hunt Valley Imported - Phone: 4106663600
Billing Contact: - 10722 York Rd Cockeysville, MD 21030-2120 - Phone: 4106663600

Location ID: 714279
Phone:
NOB/SIC: Department Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001723834		Manchester	2017	02/04/2023	Recurring Cert	Active	Basement Shop

Total Objects at this Location: 1

Location: **Hyde Park Apartments**
Address: 1102 Tace Dr - Essex, MD 21221-5710
County: Baltimore **FIPS:** 24005
Primary Contact: Chris Reed - Phone: 410-458-8877 - Email: creed@hsales.com
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-458-8877 - Email: creed@hsales.com

Location ID: 714379
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120185H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000099243		Rheem/Ruud	2003	07/08/2022	Recurring Cert	Active	1100/1102 Laundry Room

Total Objects at this Location: 1

Location: Hyde Park Apartments
Address: 1104 Tace Dr - Essex, MD 21221-5715
County: Baltimore **FIPS:** 24005
Location ID: 714380
Phone: 410-391-1700
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chris Reed - Phone: 410-458-8877 - Email: creed@hsales.com
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-458-8877 - Email: creed@hsales.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110535H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000088936	88936	Rheem/Ruud	2001	07/08/2022	Recurring Cert	Active	1104/1106 Laundry Room
Total Objects at this Location:				1							

Location: Hyde Park Apartments
Address: 1105 Tace Dr - Essex, MD 21221-5717
County: Baltimore **FIPS:** 24005
Location ID: 714378
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chris Reed - Phone: 410-458-8877 - Email: creed@hsales.com
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-458-8877 - Email: creed@hsales.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167323H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000262572	262572	A O Smith	2019	07/08/2022	Recurring Cert	Active	1105/1107 Laundry Room
Total Objects at this Location:				1							

Location: Hyde Park Apartments
Address: 1108 Tace Dr - Essex, MD 21221-5726
County: Baltimore **FIPS:** 24005
Location ID: 3578202
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chris Reed - Phone: 410-458-8877 - Email: creed@hsales.com
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-458-8877 - Email: creed@hsales.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149057H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000156623	156623	A O Smith	2011	07/08/2022	Recurring Cert	Active	1108/1110 Laundry Room
Total Objects at this Location:				1							

Location: Hyde Park Apartments
Address: 1114 Tace Dr - Essex, MD 21221-5744
County: Baltimore **FIPS:** 24005
Location ID: 714383
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chris Reed - Phone: 410-458-8877 - Email: creed@hsales.com
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-458-8877 - Email: creed@hsales.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155205H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106191	106191	A O Smith	2006	07/08/2022	Recurring Cert	Active	1112/1114 Laundry Room
Total Objects at this Location:				1							

Location: Hyde Park Apartments
Address: 1115 Tace Dr - Essex, MD 21221-5883
County: Baltimore **FIPS:** 24005
Location ID: 1011932
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chris Reed - Phone: 410-458-8877 - Email: creed@hsales.com
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-458-8877 - Email: creed@hsales.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161328H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000194445	194445	A O Smith	2014	07/07/2022	Recurring Cert	Active	1113/1115 Laundry Room
Total Objects at this Location:				1							

Location: Hyde Park Apartments
Address: 1118 Tace Dr - Essex, MD 21221-5855
County: Baltimore **FIPS:** 24005
Location ID: 714384
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chris Reed - Phone: 410-458-8877 - Email: creed@hsales.com
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-458-8877 - Email: creed@hsales.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167324H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000259942	259942	A O Smith	2019	07/08/2022	Recurring Cert	Active	1116/1118 Laundry Room
Total Objects at this Location:				1							

Location: Hyde Park Apartments
Address: 1121 Tace Dr - Essex, MD 21221-5764
County: Baltimore **FIPS:** 24005
Location ID: 1011934
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chris Reed - Phone: 410-458-8877 - Email: creed@hsales.com
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-458-8877 - Email: creed@hsales.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149058H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000163986	163986	A O Smith	2011	07/08/2022	Recurring Cert	Active	1121/1123 Laundry Room
Total Objects at this Location:				1							

Location: HyperHeal Hyperbarics Inc
Address: 10540 York Rd - Cockeysville, MD 21030-2300
County: Baltimore **FIPS:** 24005
Location ID: 3868690
Phone:
NOB/SIC: Specialty Outpatient Facilities, NEC
Primary Contact: Larry Abramson - Phone: 301-910-0248 - Email: larry@hyperhealonline.com
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164201V	PV-1	Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment		42664	Perry	2000	06/06/2021	Recurring Cert	Active	Hyperbaric Room
MD164202V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000728		Perry	2012	06/19/2021	Recurring Cert	Active	HYPERBARIC ROOM
MD164203V		Other w/comment	V - Storage (NOT Cryogenic)	000000550		Perry	2008	06/19/2021	Recurring Cert	Active	HYPERBARIC ROOM
MD164204V	PV-4	Other w/comment	O - Other (PV Use) w/comment		4159	Perry	2000	06/06/2021	Recurring Cert	Active	Hyperbaric Room
Total Objects at this Location:				4							

Location: HyperHeal Hyperbarics Inc/Rosedale Center
Address: 9411 Philadelphia Rd Ste F - Rosedale, MD 21237-4168
County: Baltimore **FIPS:** 24005
Location ID: 3839978
Phone: 410-433-4300 x3
NOB/SIC: Specialty Outpatient Facilities, NEC
Primary Contact: Michael Gendreau - Phone: 207-956-1637 - Email: gendreau@hyperheal.com
Billing Contact: Mindy Paul - 1212 York Rd Lutherville, MD 21093-6240 - Phone: 443-761-6569 - Email: mpaul@hyperhealonline.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160131V	Model 4100HR	Other w/comment	O - Other (PV Use) w/comment	000003978	41HS0102	Sechrist Industries	2017	12/07/2021	Recurring Cert	Active	Treatment Room
MD160132V	Model 4100H	Other w/comment	O - Other (PV Use) w/comment	000003975	41HS0098	Sechrist Industries	2017	12/07/2021	Recurring Cert	Active	Treatment Room
MD160133V	Model 4100HR	Other w/comment	O - Other (PV Use) w/comment	000003976	41HS0100	Sechrist Industries	2017	12/07/2021	Recurring Cert	Active	Treatment Room
MD160134V		Other w/comment	O - Other (PV Use) w/comment	000003977		Sechrist Industries	2017	12/07/2021	Recurring Cert	Active	Suite F - First Floor

Total Objects at this Location: 4

Location: HyperHeal Hyperbarics, Inc. (Roberts Oxygen)
Address: 10540 York Rd - Cockeysville, MD 21030-2300
County: Baltimore **FIPS:** 24005
Location ID: 3840601
Phone:
NOB/SIC:
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161409V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000058834		CHART	2002	06/03/2022	Recurring Cert	Active	Outside/Caged Area

Total Objects at this Location: 1

Location: Illiano's Italian Restaurant
Address: 4821 Butler Rd - Glyndon, MD 21071
County: Baltimore **FIPS:** 24005
Location ID: 4029737
Phone: 410-833-7812
NOB/SIC:
Primary Contact: Illiano's Italian Restaurant - Phone: 410-833-7812
Billing Contact: - 4821 Butler Rd Glyndon, MD 21071 - Phone: 410-833-7812

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167239V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000028602		MVE Inc	1989	06/23/2022	Recurring Cert	Active	Outside Rear of building

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									

Total Objects at this Location: 1

Location:	Independent Can Co.	Location ID:	725720
Address:	1101 Todds Ln - Rosedale, MD 21237-2905	Phone:	
County:	Baltimore	FIPS:	24005
Primary Contact:	Peter Schrof - Phone: 410-272-0090 - Email: petes@independentcan.com		
Billing Contact:	Peter Schrof - 1300 Brass Mill Rd Belcamp, MD 21017-1211 - Phone: 410-272-0090 - Email: petes@independentcan.com		

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD085539V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013304		Curtis	1969	01/12/2023	Recurring Cert	Active	Slitter Area
MD085540V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000121685		Curtis	1967	01/12/2023	Recurring Cert	Active	Columbia
MD086987V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Separator	000062899		Silvan	1991	01/12/2023	Recurring Cert	Active	Compressor Room, Quincy 125
MD136737V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000275511		Steel Fab	2001	01/12/2023	Recurring Cert	Active	Assembly Department Compressor Room
MD152981V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Separator	000705214		Silvan	2012	01/12/2023	Recurring Cert	Active	Compressor Room
Total Objects at this Location:				5							

Location:	Innterim	Location ID:	714550
Address:	112 Sudbrook Ln - Pikesville, MD 21208-4148	Phone:	
County:	Baltimore	FIPS:	24005
Primary Contact:	Innterim - Phone: 410-486-8175		
Billing Contact:	- 112 Sudbrook Ln Pikesville, MD 21208-4148 - Phone: 410-486-8175		

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097942H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	NA	Weil-McLain	1997	09/15/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Iron Rooster (Arc3) **Location ID:** 3925614
Address: 50 Shawan Rd - Cockeysville, MD 21030-1302 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Iron Rooster (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163489V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000289006		CHART	2017	02/27/2023	Recurring Cert	Active	Loading Dock
Total Objects at this Location:				1							

Location: J & J Alterations & Cleaning **Location ID:** 714679
Address: 1516 York Rd - Lutherville Timonium, MD 21093-5625 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Apparel and other textile products
Primary Contact: Haralambos Sigambris - Phone: 410-823-0545 - Email: sigambris@aol.com
Billing Contact: - 1516 York Rd Lutherville Timonium, MD 21093-5609 - Phone: 410-823-0545

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078584V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000038488		Brunner	1992	07/20/2022	Recurring Cert	Active	BLRM 1516
MD129147V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000730634		Manchester	2006	07/20/2022	Recurring Cert	Active	BLRM
MD161772		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000123899		Fulton	2018	09/24/2021	Recurring Cert	Active	Blrm
Total Objects at this Location:				3							

Location: J D Byrider **Location ID:** 702946
Address: 9330 Liberty Road - Randallstown, MD 21133-3526 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: Lisa Hemp - Phone: 443-577-3913
Billing Contact: Lisa Hemp - 9330 Liberty Rd Randallstown, MD 21133-3526 - Phone: 443-577-3913

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151892V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000360655	M382402	Morganton	2014	05/14/2021	Recurring Cert	Active	Shed Outside

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	-------------------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

Total Objects at this Location: 1

Location:	J W Treuth & Sons	Location ID:	987236
Address:	328 Oella Ave - Baltimore, MD 21228-5416	Phone:	410-465-4650
County:	Baltimore	FIPS:	24005
Primary Contact:	Michael Treuth or Jason Trippett - Phone: 410-465-4650		
Billing Contact:	Michael Treuth or Jason Trippett - PO Box 3288 Baltimore, MD 21228-0288 - Phone: 410-465-4650		
		NOB/SIC:	General Livestock, Except Dairy and Poultry

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097927V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000074368		La Grange Products	1987	02/20/2023	External Cert, Recurring Cert	Active	BOILER ROOM
MD116653V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000040062		VILTER	1994	02/20/2023	External Cert, Recurring Cert	Active	NH3 CMP RM 2
MD116728V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000045935		VILTER	2003	02/20/2023	External Cert, Recurring Cert	Active	OUTSIDE
MD147071		Water Tube Coiled (NOT Flueless Hi Efficiency)	S - Power-Other w/comment (Stm > 15 psig)	000058950		Bryan	2013	02/20/2023	Recurring Cert	Active	BLRM
MD162732H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000040024		R B I	2018	03/14/2023	Recurring Cert	Active	O/S SHED
MD162733V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000872877		Steel Fab	2018	03/14/2023	Recurring Cert	Active	BLRM
Total Objects at this Location:				6							

Location: Jad's Caddy Shack (Arc3) **Location ID:** 3949969
Address: 137 Back River Neck Rd - Essex, MD 21221-3925 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Jad's Caddy Shack (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163579V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000151233		CHART	2003	04/16/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: James L. Kernan Hospital **Location ID:** 1930530
Address: 2200 Kernan Dr - Woodlawn, MD 21207-6665 **Phone:** (410) 448-2500
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Specialty Hospitals, Except Psychiatric
Primary Contact: James L. Kernan Hospital
Billing Contact: Stacey Zook - One Progress Dr Horsham, Pa 19044 - Phone: 215-315-9956 - Cell: 484-620-1304 - Email: stacey.zook@airgas.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105018V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047629		Minnesota Valley Eng	1992	03/16/2021	Recurring Cert	Active	O/S Blrm
Total Objects at this Location:				1							

Location: Jay's Auto Service **Location ID:** 702415
Address: 5506 Baltimore National Pike - Catonsville, MD 21228-1531 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Jay Shasti - Phone: 410-747-0044
Billing Contact: Jay Shasti - 5506 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-747-0044

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144597V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000397591		Steel Fab	2005	09/20/2022	Recurring Cert	Active	Shop, Rear Corner
Total Objects at this Location:				1							

Location: Jemicy School **Location ID:** 714960
Address: 11 Celadon Rd - Owings Mills, MD 21117-3009 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Steve Kolar - Phone: 410-753-8018
Billing Contact: Steve Kolar - 11 Celadon Rd Owings Mills, MD 21117-3009 - Phone: 410-753-8018

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD095751H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	16002948	Burnham	1996	07/07/2021	Recurring Cert	Active	Meyers Boiler Room
MD095752H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7704073	Burnham	1996	07/07/2021	Recurring Cert	Active	White Building Boiler Room
MD144638H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65104096	Burnham	2008	07/07/2021	Recurring Cert	Active	White Building Boiler Room
Total Objects at this Location:				3							

Location: Jerry's Chevrolet Inc **Location ID:** 714981
Address: 1940 E Joppa Rd - Parkville, MD 21234-2730 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: Grant Monks - Phone: 4106619100 - Cell: 4437173880 - Email: gmonks@jerryschevrolet.com
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD020247V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000442946		Kargard	1969	04/09/2022	Recurring Cert	Active	Rear Bldg Comp Room
MD159020V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000405128		Manchester	2018	04/09/2022	Recurring Cert	Active	Rear Bldg Comp Room
Total Objects at this Location:				2							

Location: Jerrys Auto Body
Address: 1800 S Caton Ave - Halethorpe, MD 21227-1601
County: Baltimore **FIPS:** 24005
Primary Contact: Jerry Jeffrey - Phone: 410-644-5505
Billing Contact:

Location ID: 714985
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151830V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00002891D		Brunner	1984	11/11/2020	Recurring Cert	Active	Small Bay
Total Objects at this Location:				1							

Location: Jiffy Lube
Address: 1704 Woodlawn Dr - Woodlawn, MD 21207-4005
County: Baltimore **FIPS:** 24005
Primary Contact: Jiffy Lube - Phone: 410-944-1526
Billing Contact: - 1704 Woodlawn Dr Woodlawn, MD 21207-4005 - Phone: 410-944-1526

Location ID: 715025
Phone: 410-944-1582
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD050180V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019893		Kargard	1985	10/29/2021	Recurring Cert	Active	BSMT
MD050181V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000741351		Wood	1979	10/29/2021	Recurring Cert	Active	BSMT
Total Objects at this Location:				2							

Location: Jiffy Lube
Address: 213 Eastern Blvd - Essex, MD 21221-6906
County: Baltimore **FIPS:** 24005
Primary Contact: Henry Miller - Phone: 410-464-0390/410-686-0511 - Email: jiffychip@verizon.net
Billing Contact: Henry Miller - 213 Eastern Blvd Essex, MD 21221-6906 - Phone: 410-464-0390/410-686-0511 - Email: jiffychip@verizon.net

Location ID: 715031
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121960V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000979		Manchester	2002	05/11/2022	Recurring Cert	Active	COMP RM

Total Objects at this Location: 1

Location: Jiffy Lube
Address: 513 Reisterstown Rd - Pikesville, MD 21208-5303
County: Baltimore **FIPS:** 24005
Location ID: 715040
Phone:
NOB/SIC: Automotive Services, Except Repair and Carwashes
Primary Contact: Leamon Mc Ginnis - Phone: 410-486-7917
Billing Contact: Matt Blauvelt - 510 Main St Reisterstown, MD 21136-1937 - Phone: 410-833-9063 - Email: blauvettgrape@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123107V	Pri Air Comp	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000087626		Brunner	2002	07/28/2021	Recurring Cert	Active	AIR COMP RM

Total Objects at this Location: 1

Location: Jiffy Lube
Address: 608 Frederick Rd - Catonsville, MD 21228-4625
County: Baltimore **FIPS:** 24005
Location ID: 715042
Phone:
NOB/SIC: Automotive repair, services, and parking
Primary Contact: William Albert - Phone: 410-646-0390 - Email: wlakjp@gmail.com
Billing Contact: Lisa Miller - 3617 Wilkens Ave Baltimore, MD 21229-5034 - Phone: 410-646-0390 - Email: jiffybills@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127323V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290585		Manchester	2004	10/23/2021	Recurring Cert	Active	COMP RM

Total Objects at this Location: 1

Location: Jiffy Lube
Address: 6116 Baltimore National Pike - Catonsville, MD 21228-2905
County: Baltimore **FIPS:** 24005
Location ID: 715043
Phone: 410-747-6494
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Joseph Cross - Phone: 410-747-6494 - Email: joseph9141@verizon.net
Billing Contact: Joseph Cross - 6116 Baltimore National Pike Catonsville, MD 21228-2905 - Phone: 410-747-6494 - Email: joseph9141@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161410V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000572183		Morganton	2016	04/19/2022	Recurring Cert	Active	STORAGE RM
MD168341V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	001964287		Manchester	2018	03/27/2022	Recurring Cert	Active	BLRM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
w/comment											
Total Objects at this Location:				2							

Location: Jiffy Lube
Address: 8114 Liberty Rd - Windsor Mill, MD 21244-3040
County: Baltimore **FIPS:** 24005
Primary Contact: Jiffy Lube - Phone: 4106556505
Billing Contact: - 8114 Liberty Rd Windsor Mill, MD 21244-3040 - Phone: 4106556505

Location ID: 715050
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110616V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000993307		Melben	2001	06/24/2021	Recurring Cert	Active	Store Rm
Total Objects at this Location:				1							

Location: Jiffy Lube #1061
Address: 10602 Reisterstown Rd - Owings Mills, MD 21117-2802
County: Baltimore **FIPS:** 24005
Primary Contact: Matt Blauvelt - Phone: 410-833-9063
Billing Contact: - 10602 Reisterstown Rd Owings Mills, MD 21117-2802 - Phone: 410-363-7950

Location ID: 715020
Phone: 410-363-7950
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139170V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000621007		Steel Fab	2010	10/13/2021	Recurring Cert	Active	BASMT
MD152534V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000500865		Morganton	2013	10/13/2021	Recurring Cert	Active	COMP RM
Total Objects at this Location:				2							

Location: Jiffy Lube - 115
Address: 2105 E Joppa Rd - Parkville, MD 21234-2839
County: Baltimore **FIPS:** 24005
Primary Contact: Jiffy Lube - 115 - Phone: 4106659700
Billing Contact: - 2105 E Joppa Rd Parkville, MD 21234-2839 - Phone: 4106659700

Location ID: 715030
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098054V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000616434		Manchester	1998	08/31/2021	Recurring Cert	Active	UTILITY RM
MD135843V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000913834		Manchester	2007	08/31/2021	Recurring Cert	Active	UTILITY RM

Total Objects at this Location: 2

Location: Jimmy John's
Address: 5209A Campbell Blvd - Nottingham, MD 21236-5047
County: Baltimore **FIPS:** 24005
Primary Contact: Jimmy John's - Phone: 410-931-9300
Billing Contact: - 5209A Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-9300

Location ID: 4018718
Phone: 410-931-9300
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166522V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000015276		Taylor-Wharton	1997	05/01/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Jimmy John's - 2285 (Arc3)
Address: 1819 York Rd - Lutherville Timonium, MD 21093-5144
County: Baltimore **FIPS:** 24005
Primary Contact: Jimmy John's - 2285 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3925604
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163509V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000159951		CHART	2005	02/27/2023	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: John L Stanskiak LLC
Address: 117 Church Ln - Cockeysville, MD 21030-4938
County: Baltimore **FIPS:** 24005
Location ID: 1729243
Phone:
NOB/SIC: Special Trade Contractors, NEC
Primary Contact: Jim Yates Jr. - Phone: 410 667 6300 x209
Billing Contact: Jim Yates Jr. - 117 Church Ln # C Cockeysville, MD 21030-4938 - Phone: 410 667 6300 x209

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167296H	B2	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000398281		Sermeta	2017	03/10/2022	Recurring Cert	Active	BLRM
MD167297H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000398277		Sermeta	2017	03/10/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 2

Location: Joppa Exxon Service Center
Address: 2320 E Joppa Rd - Parkville, MD 21234-2808
County: Baltimore **FIPS:** 24005
Location ID: 715288
Phone:
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Jannett Ferber - Cell: 410-303-9379
Billing Contact: Jannett Ferber - 2320 E Joppa Rd Parkville, MD 21234-2808 - Cell: 410-303-9379

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127319V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000418657		Steel Fab	2006	12/21/2020	Recurring Cert	Active	store

Total Objects at this Location: 1

Location: Joppa Fairmount Building Associates, LP.
Address: 555 Fairmount Ave - Towson, MD 21286-5417
County: Baltimore **FIPS:** 24005
Location ID: 713625
Phone: 410-769-6100
NOB/SIC: Offices of Bank Holding Companies
Primary Contact: Carl Reinke - Phone: 410 769 6116 - Cell: 443 465 6221 - Email: creinke@hpimd.com
Billing Contact: Carl Reinke - 501 Fairmount Ave Suite 101 Towson, MD 21286-5462 - Phone: 410 769 6116 - Cell: 443 465 6221 - Email: creinke@hpimd.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD060855V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000063629		Wood	1985	12/01/2022	Recurring Cert	Active	ROOF BLRM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD071621V		w/comment Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000142919		Manchester	1987	12/01/2022	Recurring Cert	Active	Equipment Room 515 10th Floor
MD118476H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000213558		Raypak	2003	12/01/2022	Recurring Cert	Active	ROOF BLRM
MD118477H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000213559		Raypak	2003	12/01/2022	Recurring Cert	Active	ROOF BLRM
MD146952V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer- Feedwater Heater	000013371		Carrier	2004	12/01/2022	Recurring Cert	Active	ROOF BLRM
MD146953V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer- Feedwater Heater	000014046		Carrier	2004	12/01/2022	Recurring Cert	Active	ROOF BLRM

Total Objects at this Location: 6

Location: Journey of Faith Church
Address: 7902 Liberty Rd - Baltimore, MD 21244-3618
County: Baltimore **FIPS:** 24005
Primary Contact: Jerrett Hansen or Laura Ingersol - Phone: 410-655-5250 - Email: journey7902@verizon.net
Billing Contact: - 7902 Liberty Rd Baltimore, MD 21244-3618 - Phone: 410-655-5250

Location ID: 724126
Phone: 410-655-5250
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139848H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2011	01/22/2022	Recurring Cert	Active	BSMT BLRM

Total Objects at this Location: 1

Location: Kabuto Restaurant
Address: 8813 Pulaski Hwy - Rosedale, MD 21237-3010
County: Baltimore **FIPS:** 24005
Primary Contact: Kabuto Restaurant
Billing Contact:

Location ID: 4061964
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168369V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021791		Taylor	1995	03/19/2023	Recurring Cert	Active	Outside Rear of Building

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
Total Objects at this Location:				1							

Location: KCL Auto Services
Address: 6852 German Hill Rd - Dundalk, MD 21222-1149
County: Baltimore **FIPS:** 24005
Primary Contact: KCL Auto Services
Billing Contact: - 807 Stiles Ct Joppa, MD 21085-1321 - Phone: 410 285 7240

Location ID: 3807059
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158324V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019378		ice	2012	09/01/2021	Recurring Cert	Active	Front Shop
Total Objects at this Location:				1							

Location: Kenwood Presbyterian Church
Address: 4601 Fullerton Ave - Baltimore, MD 21236-4623
County: Baltimore **FIPS:** 24005
Primary Contact: Kenwood Presbyterian Church - Phone: 410-668-4664 - Email: kenwoodpc@verizon.net
Billing Contact: - 4601 Fullerton Ave Attn: Yvetten Whitten Baltimore, MD 21236-4623 - Phone: 410-668-4664 - Email: kenwoodpc@verizon.net

Location ID: 715649
Phone: 410-6684664
NOB/SIC: Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD010034H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1959	09/14/2021	Recurring Cert	Active	SCHOOL BLRM
MD144999H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2010	09/14/2021	Recurring Cert	Active	CHURCH BLRM
Total Objects at this Location:				2							

Location: Keyway Apartments **Location ID:** 2785467
Address: 117 Kinship Rd - Dundalk, MD 21222-3860 **Phone:** 410-262-1990
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jeff Blum - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Billing Contact: Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145376H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000172188		A O Smith	2012	11/16/2021	Recurring Cert	Active	117 Kinship
Total Objects at this Location:				1							

Location: Keyway Apartments **Location ID:** 715698
Address: 129 Willow Spring Rd - Dundalk, MD 21222-3871 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Jeff Blum - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com
Billing Contact: Jeff Blum - 141 S Eaton St Baltimore, MD 21224-2453 - Phone: 443-869-3799 - Cell: 443-243-0543 - Email: blum@rpmofmaryland.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152726H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000184572	184572	A O Smith	2013	12/31/2021	Recurring Cert	Active	129 Boiler Room
Total Objects at this Location:				1							

Location: Kings Court Motel **Location ID:** 715762
Address: 12200 Belair Rd - Kingsville, MD 21087-1176 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Hotels, rooming houses, camps, and other lodging places
Primary Contact: Kings Court Motel - Phone: 410-592-8333
Billing Contact: Esther Hou - 12200 Belair Rd Kingsville, MD 21087-1176 - Phone: 410-592-2857/410-592-8333

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097922H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	3314732	Valiant	1994	06/16/2022	Recurring Cert	Active	Upper Boiler Room
MD097923H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7736225	Burnham	1997	06/16/2022	Recurring Cert	Active	Lower Boiler Room

Total Objects at this Location: 2

Location: Kleim's Service Center
Address: 153 Church Ln - Cockeysville, MD 21030-4970
County: Baltimore **FIPS:** 24005
Location ID: 1590840
Phone:
NOB/SIC: General Automotive Repair Shops
Primary Contact: Tim Kleim - Phone: 410-666-3818
Billing Contact: Tim Kleim - 153 Church Ln Cockeysville, MD 21030-4903 - Phone: 410-666-3818

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123126V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000925646		Buckeye	1989	06/16/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Koons Chevrolet
Address: 10207 Philadelphia Rd - White Marsh, MD 21162-3401
County: Baltimore **FIPS:** 24005
Location ID: 1082966
Phone: 410-931-8600
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Koons Chevrolet - Phone: 410-931-8600
Billing Contact: - 10207 Philadelphia Rd White Marsh, MD 21162-3401 - Phone: 410-931-8600

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118674V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000555060		Manchester	1999	06/20/2022	Recurring Cert	Active	comp rm

Total Objects at this Location: 1

Location: Kustom
Address: 3518 Ellen Rd - Windsor Mill, MD 21244-3038
County: Baltimore **FIPS:** 24005
Location ID: 1869099
Phone: 443-272-7960
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Kustom
Billing Contact: - 3518 Ellen Rd Windsor Mill, MD 21244-3038

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129040V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000286660		Manchester	1995	04/30/2020	Recurring Cert	Active	shop

Total Objects at this Location: 1

Location: L & J Auto, LLC.
Address: 103 Back River Neck Rd - Essex, MD 21221-3920
County: Baltimore **FIPS:** 24005
Primary Contact: L & J Auto, LLC.
Billing Contact:

Location ID: 708503
Phone: 443-590-6129/443-766-8707
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135809V	Air Tank	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001442943		CAMPBELL HAUSFELD	2007	08/21/2021	Recurring Cert	Active	Shop
MD158988V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000486780		Morganton	2015	11/27/2021	Recurring Cert	Active	Back Room
Total Objects at this Location:				2							

Location: La Tolteca (Arc3)
Address: 10010 York Rd - Cockeysville, MD 21030-3304
County: Baltimore **FIPS:** 24005
Primary Contact: La Tolteca (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3925617
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163510V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000109883		MVE	1999	02/27/2023	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: La Tolteca (Arc3)
Address: 11515 Reisterstown Rd - Owings Mills, MD 21117-1815
County: Baltimore **FIPS:** 24005
Primary Contact: La Tolteca (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3992519
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165836V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000302008		CHART	2017	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: LaQuinta Inn & Suites-2044
Address: 4 Philadelphia Ct - Rosedale, MD 21237-4600
County: Baltimore **FIPS:** 24005
Location ID: 710321
Phone: 410-574-8100
NOB/SIC: Hotels and Motels
Primary Contact: Frank Winner - Phone: 410-574-8100 - Email: lq2044gm@laquinta.com
Billing Contact: Frank Winner - 4 Philadelphia Ct Rosedale, MD 21237-4600 - Phone: 410-574-8100 - Email: lq2044gm@laquinta.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159019H	left	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000235916		A O Smith	2018	05/08/2022	Recurring Cert	Active	5th Floor Mechanical Room
Total Objects at this Location:				1							

Location: Law Office of Jane Frankel Sims
Address: 500 York Rd - Towson, MD 21204-5110
County: Baltimore **FIPS:** 24005
Location ID: 702755
Phone: 410-769-5800
NOB/SIC: Functions Related to Deposit Banking, NEC
Primary Contact: Law Office of Jane Frankel Sims
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134924H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Utica	2010	08/22/2020	Recurring Cert	Active	Basement Boiler Room
Total Objects at this Location:				1							

Location: Ledo Pizza (Arc3)
Address: 9706 Groffs Mill Dr - Owings Mills, MD 21117-6341
County: Baltimore **FIPS:** 24005
Location ID: 3992524
Phone:
NOB/SIC:
Primary Contact: Ledo Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165838V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000111899		MVE	1999	11/22/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Legg Mason Tech. Services/DFLA, LLC. **Location ID:** 2635954
Address: 11155 Red Run Blvd - Owings Mills, MD 21117-3256 **Phone:** 410-594-7080
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Investment Advice
Primary Contact: Jennifer Dunstone - Phone: 410-594-7080 - Email: jennifer.dunstone@cushwake.com
Billing Contact: Jennifer Dunstone - 1 E Pratt St Ste 700 Baltimore, MD 21202-1244 - Phone: 410-594-7080 - Email: jennifer.dunstone@cushwake.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137713H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000103097		PVI Industries	2001	03/02/2020	Recurring Cert	Active	1st Floor Closet
MD155015H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000141530	0216141530	PVI Industries	2016	05/09/2020	Recurring Cert	Active	First Floor Mech. Room

Total Objects at this Location: 2

Location: Len Stoler Ford **Location ID:** 716453
Address: 11275 Reisterstown Rd - Owings Mills, MD 21117-1906 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Al Scholz - Phone: 443-463-5660
Billing Contact: Al Scholz - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063850V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000715081		Wood	1978	11/02/2022	Recurring Cert	Active	Ford Service - Rear Room
MD063851V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000715076		Wood	1978	11/02/2022	Recurring Cert	Active	Ford Service
MD084206V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000408333		S M C	1993	11/02/2022	Recurring Cert	Active	Body Shop
MD135265V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001568999		Campbell Hausfield	2009	11/02/2022	Recurring Cert	Active	Body Shop outside shed
MD144148V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000965890		Manchester	2000	11/02/2022	Recurring Cert	Active	Hyundai rear comp shed
MD148467V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001313375		Manchester	2012	11/02/2022	Recurring Cert	Active	Body Shop outside shed
MD156185V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000379110		Morganton	2014	11/02/2022	Recurring Cert	Active	Hyundai Service

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD168343V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	002298699		Manchester	2020	01/19/2023	Recurring Cert	Active	Body Shop outside shed
		w/comment									

Total Objects at this Location: 8

Location: Len Stoler Lexus
Address: 11311 Reisterstown Rd - Owings Mills, MD 21117-1811
County: Baltimore **FIPS:** 24005
Primary Contact: Al Scholz - Phone: 443-463-5660
Billing Contact: Al Scholz - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660

Location ID: 716456
Phone:
NOB/SIC: Motor Vehicle Parts and Accessories

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168356V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000890630		Steel Fab	2018	02/09/2023	Recurring Cert	Active	Outside Shed
		w/comment									

Total Objects at this Location: 1

Location: Len Stoler Porsch & Audi
Address: 11309 Reisterstown Rd - Owings Mills, MD 21117-1811
County: Baltimore **FIPS:** 24005
Primary Contact: Al Scholz - Phone: 443-463-5660
Billing Contact: Al Scholz - 11275 Reisterstown Rd Owings Mills, MD 21117-1906 - Phone: 443-463-5660

Location ID: 2658709
Phone: 410-356-7000
NOB/SIC: Motor Vehicle Dealers (New and Used)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135266V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000350753		Manchester	2004	11/17/2022	Recurring Cert	Active	Outside Shed
		w/comment									
MD135267V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000350767		Manchester	2004	11/17/2022	Recurring Cert	Active	Outside Shed
		w/comment									

Total Objects at this Location: 2

Location: Lenny's Deli (Arc3) **Location ID:** 3992514
Address: 9107 Reisterstown Rd - Owings Mills, MD 21117-4503 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Lenny's Deli (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165830V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000148490		CHART	2003	11/22/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Lenox Laser **Location ID:** 1724827
Address: 12530 Manor Rd - Glen Arm, MD 21057-9503 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Optical Instruments and Lenses
Primary Contact: Lenox Laser - Phone: 410-592-3106 - Email: purchasing@lenoxlaser.com
Billing Contact: - 12530 Manor Rd Glen Arm, MD 21057-9503 - Phone: 410-592-3106 - Email: purchasing@lenoxlaser.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166525V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001068981		Manchester	2009	05/07/2022	Recurring Cert	Active	Outside Shed
MD166575V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015519		Morganton	2017	05/07/2022	Recurring Cert	Active	Outside Shed
Total Objects at this Location:				2							

Location: LGIT - Baltimore County / Parks & Rec Garage **Location ID:** 1592309
Address: 100 W Susquehanna Ave - Towson, MD 21204-4721 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** General Government, NEC
Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121906V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000021696		Manchester	2002	08/17/2021	Recurring Cert	Active	Compressor Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121907V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000049526		Manchester	2003	08/17/2021	Recurring Cert	Active	Compressor Room

Total Objects at this Location: 2

Location: LGIT - Baltimore County / VOM Shop #1
Address: 9420 Liberty Rd - Randallstown, MD 21133-2702
County: Baltimore **FIPS:** 24005
Location ID: 702945
Phone:
NOB/SIC: General Automotive Repair Shops
Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169192V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002133804		Manchester	2019	11/20/2022	Recurring Cert	Active	OUTSIDE
MD169193V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002129022		Manchester	2019	11/20/2022	Recurring Cert	Active	OUTSIDE

Total Objects at this Location: 2

Location: LGIT - Baltimore County Central Acceptance Facilit
Address: 10275 Beaver Dam Rd - Cockeysville, MD 21030-2203
County: Baltimore **FIPS:** 24005
Location ID: 2683616
Phone: 410-628-1130
NOB/SIC: Refuse Systems
Primary Contact: Willie Bruce - Phone: 443-894-1856 - Email: wbruce@baltimorecountymd.gov
Billing Contact: Willie Bruce - 10275 Beaver Dam Rd Cockeysville, MD 21030-2203 - Phone: 443-894-1856 - Email: wbruce@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067367V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000045019		Kargard	1981	12/30/2021	Recurring Cert	Active	Transportation Shop
MD148010V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000730342		Silvan	2012	12/30/2021	Recurring Cert	Active	Single Stream Recycle
MD163548V	1	Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000623806		Lagrange	2018	12/30/2021	Recurring Cert	Active	Single Stream Recycle Compressor Room
MD163549V		Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000623184		Lagrange	2018	12/30/2021	Recurring Cert	Active	Single Stream Recycle Compressor

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
Room											

Total Objects at this Location: 4

Location: LGIT - Baltimore County Utilities Shop
Address: 332 Riverside Dr - Essex, MD 21221-6828
County: Baltimore **FIPS:** 24005
Primary Contact: Rick Kelly - Phone: 410-887-0275 - Email: Rkelly@baltimorecountymd.gov
Billing Contact:

Location ID: 3850688
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160138V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000927619		Melben	2001	02/06/2022	Recurring Cert	Active	Garage

Total Objects at this Location: 1

Location: LGIT - Baltimore County, Highlands - Lansdowne Hea
Address: 3902 Annapolis Rd - Halethorpe, MD 21227-2249
County: Baltimore **FIPS:** 24005
Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Location ID: 720186
Phone:
NOB/SIC: Elementary and Secondary Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154560H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	1990	02/02/2022	Recurring Cert	Active	Rear Boiler Room

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Agricultural Center
Address: 1114 Shawan Rd - Cockeysville, MD 21030-1385
County: Baltimore **FIPS:** 24005

Location ID: 2660899
Phone: 410-887-8570
NOB/SIC: General Government, NEC

Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136748H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000128157	B10H10128157	Lochinvar	2010	05/02/2022	Recurring Cert	Active	Mechanical Room

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Animal Shelter
Address: 13800 Manor Rd - Baldwin, MD 21013-9605
County: Baltimore **FIPS:** 24005

Location ID: 703651
Phone:
NOB/SIC: Animal Specialty Services, Except Veterinary

Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152253H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000063248		AIC GDYNIA	2015	12/01/2021	Recurring Cert	Active	Rear Boiler Room
MD152254H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000062411		AIC GDYNIA	2015	11/02/2021	Recurring Cert	Active	Rear Boiler Room
MD152255H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Aluminum	118160	Weil-McLain	2015	11/02/2021	Recurring Cert	Active	Rear Boiler Room
MD152256H	#1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Aluminum		Weil-McLain	2015	11/02/2021	Recurring Cert	Active	Rear Boiler Room

Total Objects at this Location: 4

Location: LGIT - Baltimore County/Ateaze Senior Center

Address: 7401 Holabird Ave - Dundalk, MD 21222-1827

County: Baltimore **FIPS:** 24005

Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Location ID: 703652

Phone: 410-887-7266

NOB/SIC: Individual and Family Social Services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092933H	Boiler #1	Cast Iron	H - Steam Heat (Steam <= 15 psig)	Cast Iron		Weil-McLain	1996	08/31/2021	Recurring Cert	Active	Boiler Room
MD092934H	Boiler #2	Cast Iron	H - Steam Heat (Steam <= 15 psig)	Cast Iron		Weil-McLain	1996	08/31/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: LGIT - Baltimore County/Bengies Community Ctr

Address: 11601 Eastern Ave - Middle River, MD 21220-1604

County: Baltimore **FIPS:** 24005

Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Location ID: 704304

Phone:

NOB/SIC: Membership Sports and Recreation Clubs

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137472H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	ULF27209	Columbia	2009	09/14/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Courts Building

Address: 401 Bosley Ave - Towson, MD 21204-4420

County: Baltimore **FIPS:** 24005

Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Location ID: 703666

Phone: 410-887-2139

NOB/SIC: Courts

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147708V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000056565		McQuay	2013	10/04/2021	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147709V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000056556		McQuay	2013	10/04/2021	Recurring Cert	Active	Boiler Room
MD153257H	#1	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2015	10/04/2021	Recurring Cert	Active	Basement Boiler Room
MD153258H	#2	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	2015	10/02/2021	Recurring Cert	Active	Basement Boiler Room
MD153259H	#2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001938	15037	Easco	2015	10/02/2021	Recurring Cert	Active	Basement Boiler Room
MD153260H	#1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001942	15038	Easco	2015	10/04/2021	Recurring Cert	Active	Basement Boiler Room
MD158337H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000060512		PVI	2015	10/04/2021	Recurring Cert	Active	Boiler Room
MD158338H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000060521		PVI	2015	10/04/2021	Recurring Cert	Active	Boiler Room
MD158339H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000063247		PVI	2015	10/04/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 9

Location: LGIT - Baltimore County/Department of Corrections

Address: 720 Bosley Ave - Towson, MD 21204-4011

County: Baltimore

FIPS: 24005

Location ID: 703662

Phone: 410-512-3302

NOB/SIC: Correctional Institutions

Primary Contact: Captain Steven Tignor - Phone: 410-512-3302 - Email: stignor@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD055624V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000397		Reco Penn Inc	1980	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room
MD055625V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000394		Reco Penn Inc	1980	10/24/2020	Recurring Cert	Active	Kenilworth Boiler Room

Total Objects at this Location: 2

Location: LGIT - Baltimore County/Essex Senior Center
Address: 600 Dorsey Ave - Essex, MD 21221-4927
County: Baltimore

Location ID: 708835
Phone: 410-887-0267
NOB/SIC: Social Services, NEC

FIPS: 24005

Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166373H	#1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000450536		Sermeta	2018	01/17/2022	Recurring Cert	Active	Basement Boiler Room
MD166374H	#2	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000450535		Sermeta	2018	01/17/2022	Recurring Cert	Active	Basement Boiler Room

Total Objects at this Location: 2

Location: LGIT - Baltimore County/Fire Station #19
Address: 15 Kenmar Ave - Owings Mills, MD 21117-4131
County: Baltimore

Location ID: 703676
Phone:
NOB/SIC: Fire Protection

FIPS: 24005

Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147467H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	65353705	Burnham	2013	09/10/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Fire Station #6
Address: 2815 Sollers Point Rd - Dundalk, MD 21222-4648
County: Baltimore

Location ID: 703667
Phone:
NOB/SIC: Fire Protection

FIPS: 24005

Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158323H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000154082		Columbia	2017	08/22/2021	Recurring Cert	Active	Basement Boiler Room

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Halethorpe Community Center
Address: 1900 Northeast Ave - Halethorpe, MD 21227-4521
County: Baltimore **FIPS:** 24005
Location ID: 713063
Phone:
NOB/SIC: Social Services, NEC
Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106649H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	64044377	Burnham	1998	01/27/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Hannah Moore Shelter
Address: 12041 Reisterstown Rd - Reisterstown, MD 21136-3042
County: Baltimore **FIPS:** 24005
Location ID: 1866037
Phone:
NOB/SIC: Individual and Family Social Services
Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139847H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron		Weil-McLain	2010	09/10/2021	Recurring Cert	Active	Women's Shelter

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Hannah More Center
Address: 12035 Reisterstown Rd - Reisterstown, MD 21136-3042
County: Baltimore **FIPS:** 24005
Location ID: 713197
Phone:
NOB/SIC: Health and Allied Services, NEC
Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD056242H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	K82-47	H B Smith	1982	02/11/2022	Recurring Cert	Active	Boiler Room
MD056243H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	K82-46	H B Smith	1982	02/11/2022	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
160 psig, 250 F)											
Total Objects at this Location:				2							

Location: LGIT - Baltimore County/Heritage Society of Essex
Address: 516 Eastern Blvd - Essex, MD 21221-6701
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Museums and Art Galleries
Location ID: 710118
Phone:
Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD065522H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	E86-1986C	H B Smith	1986	08/01/2021	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: LGIT - Baltimore County/Highway Shop
Address: 1947 Brady Ave - Halethorpe, MD 21227-4109
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Finance, taxation, and monetary policy
Location ID: 713739
Phone:
Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114213V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001211298		Manchester	2001	03/11/2022	Recurring Cert	Active	Compressor Room
Total Objects at this Location:				1							

Location: LGIT - Baltimore County/Highway Shop #3
Address: 8 Clarks Ln - Reisterstown, MD 21136-5810
County: Baltimore

Location ID: 703657

Phone:

FIPS: 24005

NOB/SIC: Finance, taxation, and monetary policy

Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130404V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000491653		Steel Fab	2007	04/15/2022	Recurring Cert	Active	Main Building
MD148466V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000814869		Manchester	2007	04/15/2022	Recurring Cert	Active	Lower Building

Total Objects at this Location: 2

Location: LGIT - Baltimore County/Highway Shop 4-3
Address: 19128 Graystone Rd - White Hall, MD 21161-9127
County: Baltimore

Location ID: 703655

Phone:

FIPS: 24005

NOB/SIC: Finance, taxation, and monetary policy

Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD082807V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	093644B		Brunner	1981	02/02/2022	Recurring Cert	Active	Maintenance Shed
MD128559V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000045628		Cylsa	2002	02/02/2022	Recurring Cert	Active	Compressor Room

Total Objects at this Location: 2

Location: LGIT - Baltimore County/Mars Estates PAL Center
Address: 1498 E Homberg Ave - Essex, MD 21221-3759
County: Baltimore

Location ID: 730987

Phone:

FIPS: 24005

NOB/SIC: Social Services, NEC

Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113714H		Cast Iron	H - Hot Water	CI	CP4157735	Weil-McLain	2001	02/11/2023	Recurring Cert	Active	MECH RM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

Total Objects at this Location: 1

Location: LGIT - Baltimore County/North Point Branch Library **Location ID:** 719809
Address: 1716 Merritt Blvd - Dundalk, MD 21222-3212 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Libraries
Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117852H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2001	01/15/2022	Recurring Cert	Active	Boiler Room
MD117853H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2001	01/15/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: LGIT - Baltimore County/Pipeline Maintenance **Location ID:** 1930317
Address: 1943 Brady Ave - Halethorpe, MD 21227-4109 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** General Government, NEC
Primary Contact: Chris Croucher - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov
Billing Contact: Chris Croucher - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-5922 - Cell: 410-668-0879 - Email: ccroucher@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125181V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000610730		Melben	1996	03/10/2022	Recurring Cert	Active	Tool Cage

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Police Precinct #7
Address: 111 Wight Ave - Cockeysville, MD 21030-2016
County: Baltimore **FIPS:** 24005
Location ID: 707468
Phone:
NOB/SIC: Police Protection
Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007253H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1968	05/20/2021	Recurring Cert	Active	Basement Mechanical Rm

Total Objects at this Location: 1

Location: LGIT - Baltimore County/Police Precinct #9
Address: 8220 Perry Hall Blvd - Nottingham, MD 21236-4904
County: Baltimore **FIPS:** 24005
Location ID: 729014
Phone: 410-887-5000
NOB/SIC: Police Protection
Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166376H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CIB		Burnham	2019	01/30/2022	Recurring Cert	Active	Penthouse
MD166377H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CIB		Burnham	2019	01/30/2022	Recurring Cert	Active	Penthouse

Total Objects at this Location: 2

Location: LGIT - Baltimore County/Randallstown Library
Address: 8604 Liberty Rd - Randallstown, MD 21133-4707
County: Baltimore **FIPS:** 24005
Location ID: 1224882
Phone:
NOB/SIC: General Government, NEC
Primary Contact: John Schatz - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov
Billing Contact: John Schatz - 12200A Long Green Pike Glen Arm, MD 21057-9704 - Phone: 410-887-3861 - Cell: 410-292-8272 - Email: jschatz@baltimorecountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123973H	Boiler #3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP4284639	Weil-McLain	2005	02/02/2022	Recurring Cert	Active	Basement Mechanical Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123976H	Boiler #1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP5155467	Weil-McLain	2005	02/02/2022	Recurring Cert	Active	Basement Mechanical Rm
MD123977H	Boiler #2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP4722679	Weil-McLain	2005	02/02/2022	Recurring Cert	Active	Basement Mechanical Rm

Total Objects at this Location: 3

Location: Libertore's Restaurant (Arc3) **Location ID:** 3925622
Address: 9515 Deereco Rd - Lutherville Timonium, MD 21093-2116 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Libertore's Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163506V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000139740		CHART	2002	02/27/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Liberty Auto Body **Location ID:** 716557
Address: 5916 Liberty Rd - Woodlawn, MD 21207-6202 **Phone:** 410-298-6006
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Liberty Auto Body - Phone: 410-298-6006
Billing Contact: - 5916 Liberty Rd Woodlawn, MD 21207-6202 - Phone: 410-298-6006

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150212V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001404614		Manchester	2013	12/19/2020	Recurring Cert	Active	COMP ROOM

Total Objects at this Location: 1

Location: Liberty BP
Address: 6006 Liberty Rd - Woodlawn, MD 21207-6205
County: Baltimore **FIPS:** 24005
Location ID: 716556
Phone:
NOB/SIC: Automotive Dealers, NEC
Primary Contact: Emran Mian - Phone: 443-265-0059 - Cell: 443-829-3128
Billing Contact: Mohammed Mian - 6006 Liberty Rd Woodlawn, MD 21207-6205 - Phone: 443-250-5391 - Email: mianmohammad@hotmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137683V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060268		Sanborn	2010	05/10/2020	Recurring Cert	Active	Storage Room
Total Objects at this Location:				1							

Location: Liberty Car Wash & Details
Address: 8120 Liberty Rd - Windsor Mill, MD 21244-3040
County: Baltimore **FIPS:** 24005
Location ID: 729065
Phone:
NOB/SIC: Automotive Dealers, NEC
Primary Contact: Armin Vahora
Billing Contact: Armin Vahora - 8120 Liberty Rd Windsor Mill, MD 21244-3040

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD039790V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000370730		Buckeye	1982	01/12/2022	Recurring Cert	Active	Self Serv Mechanical Room
MD039791H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		URC	1983	01/12/2022	Recurring Cert	Active	Self Service Mechanical Rm
MD039792H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027391	058210451	Raypak	1983	01/12/2022	Recurring Cert	Active	Self Service Mechanical Rm
MD112081H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000061531	B 01 61531	A O Smith	2001	01/12/2022	Recurring Cert	Active	Self Serve Mechanical Room
Total Objects at this Location:				4							

Location: Liberty Place Apartments
Address: 10 Liberty PI - Windsor Mill, MD 21244-2791
County: Baltimore **FIPS:** 24005
Primary Contact: Liberty Place Apartments
Billing Contact: - 1 Liberty PI Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716587
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101207H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000076921		Rheem/Ruud	1997	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Liberty Place Apartments
Address: 17 Liberty PI - Windsor Mill, MD 21244-2545
County: Baltimore **FIPS:** 24005
Primary Contact: Liberty Place Apartments
Billing Contact: - 1 Liberty PI Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716589
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101210H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078814		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Liberty Place Apartments
Address: 18 Liberty PI - Windsor Mill, MD 21244-2550
County: Baltimore **FIPS:** 24005
Primary Contact: Liberty Place Apartments
Billing Contact: - 1 Liberty PI Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716590
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101208H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078763		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Laundry
MD163532H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023988		A O Smith	2018	02/26/2021	Recurring Cert	Active	Bldg 18

Total Objects at this Location: 2

Location: Liberty Place Apartments
Address: 4 Liberty PI - Windsor Mill, MD 21244-2770
County: Baltimore **FIPS:** 24005
Primary Contact: Liberty Place Apartments
Billing Contact: - 1 Liberty PI Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716591
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100254H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000076922		Rheem/Ruud	1997	03/13/2021	Recurring Cert	Active	Basement
MD100255H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077422		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: Liberty Place Apartments
Address: 7 Liberty PI - Windsor Mill, MD 21244-2742
County: Baltimore **FIPS:** 24005
Primary Contact: Liberty Place Apartments - Phone: 410 922 8400
Billing Contact: - 1 Liberty PI Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716592
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101202H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000076938		Rheem/Ruud	1997	03/13/2021	Recurring Cert	Active	Basement
MD101204H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077421		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement
MD101205H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077800		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 3

Location: Liberty Place Apartments
Address: 8342 Church Ln - Windsor Mill, MD 21244-3145
County: Baltimore **FIPS:** 24005
Primary Contact: Liberty Place Apartments
Billing Contact: - 1 Liberty PI Windsor Mill, MD 21244-2892 - Phone: 410-922-8400

Location ID: 716593
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163533H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000236107		A O Smith	2017	02/26/2021	Recurring Cert	Active	Bldg 8342
MD163534H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000236106		A O Smith	2017	02/26/2021	Recurring Cert	Active	Bldg 8342

Total Objects at this Location: 2

Location: Liberty Place Apartments
Address: 8343 Church Ln - Windsor Mill, MD 21244-3173
County: Baltimore **FIPS:** 24005
Primary Contact: Liberty Place Apartments - Phone: 410 922 8400
Billing Contact: - 1 Liberty PI Windsor Mill, MD 21244-2892 - Phone: 410 922 8400

Location ID: 716594
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101212H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078827		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement
MD101213H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078805		Rheem/Ruud	1998	03/13/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: Libs Restaurant (Arc3) **Location ID:** 3918184
Address: 5009 Honeygo center dr - Nottingham, MD 21218 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Libs Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161856V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000139921		CHART	2002	12/11/2022	Recurring Cert	Active	Outside Dumpster Area
Total Objects at this Location:				1							

Location: LifeBridge 23 Crossroads Dr. Medical Ofc Bldg, LLC **Location ID:** 717139
Address: 23 Crossroads Dr - Owings Mills, MD 21117-5420 **Phone:** 410-821-8585
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Holding and other investment offices
Primary Contact: Julio O. Purcell - Phone: 410-821-8585
Billing Contact: Julio O. Purcell - 2328 W Joppa Rd Ste 200 Lutherville, MD 21093-4674 - Phone: 410-821-8585

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099545H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000067153		Raypak	1988	12/11/2020	Recurring Cert	Active	Boiler Rm
MD157086H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000017664		R B I	2006	04/03/2021	Recurring Cert	Active	PENHOUSE
MD157087H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000017665		R B I	2006	04/03/2021	Recurring Cert	Active	PENHOUSE
Total Objects at this Location:				3							

Location: Liger-Lion
Address: 6301 Trade Point Avenue - Sparrows Point, MD 21219
County: Baltimore **FIPS:** 24005
Primary Contact: Chad Waskey - Phone: 410-709-1286 - Cell: 443-865-3722
Billing Contact: Chad Waskey - 1600 Sparrows Point Blvd Baltimore, MD 21219 - Phone: 410-709-1286 - Cell: 443-865-3722

Location ID: 3988280
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001875		ENRIC	2020	03/01/2023	Recurring Cert	Active	HYDROGEN PAD
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	1674		ENRIC	2020	03/22/2023	Recurring Cert	Active	HYDROGEN PAD
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	1876		ENRIC	2020	03/22/2023	Recurring Cert	Active	HYDROGEN PAD
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	1881		ENRIC	2020	03/22/2023	Recurring Cert	Active	HYDROGEN PAD
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	1376		ENRIC	2020	03/22/2023	Recurring Cert	Active	HYDROGEN PAD
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	56		TAYLOR-WHARTON AMERICA INC	2020	03/22/2023	Recurring Cert	Active	HYDROGEN PAD
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	1668		ENRIC	2020	03/22/2023	Recurring Cert	Active	HYDROGEN PAD

Total Objects at this Location: 7

Location: Lima's Chicken (Arc3)
Address: 6473 Baltimore National Pike - Catonsville, MD 21228-3904
County: Baltimore **FIPS:** 24005
Primary Contact: Lima's Chicken (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3931266
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163519V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000153160		CHART	2004	02/28/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8700 Loch Bend Dr - Parkville, MD 21234-3534
County: Baltimore **FIPS:** 24005
Location ID: 716758
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078267H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	154752	American Standard	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8701 Loch Bend Dr - Parkville, MD 21234-3533
County: Baltimore **FIPS:** 24005
Location ID: 716752
Phone:
NOB/SIC: Hotels and Motels
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078266H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8701 Raven Dr - Parkville, MD 21234-3537
County: Baltimore **FIPS:** 24005
Location ID: 716753
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092930H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8703 Loch Bend Dr - Parkville, MD 21234-3513
County: Baltimore **FIPS:** 24005
Location ID: 3719477
Phone:
NOB/SIC: Hotels and Motels
Primary Contact: Chris Reed - Phone: 410-337-9755 - Cell: 410-628-6000
Billing Contact: Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755 - Cell: 410-628-6000

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155916H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	331600417S	Dunkirk	2016	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8703 Raven Dr - Parkville, MD 21234-3538
County: Baltimore **FIPS:** 24005
Location ID: 716754
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092929H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8704 Loch Bend Dr - Parkville, MD 21234-3536
County: Baltimore **FIPS:** 24005
Location ID: 716755
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078269H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8705 Loch Bend Dr - Parkville, MD 21234-3514
County: Baltimore **FIPS:** 24005
Location ID: 716756
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078264H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1980	07/13/2022	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Loch Bend Apartments
Address: 8705 Raven Dr - Parkville, MD 21234-3539
County: Baltimore **FIPS:** 24005
Location ID: 2256582
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129110H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Crown	1998	07/13/2022	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Loch Bend Apartments
Address: 8706 Loch Bend Dr - Parkville, MD 21234-3519
County: Baltimore **FIPS:** 24005
Location ID: 716757
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078270H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1980	07/13/2022	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Loch Bend Apartments **Location ID:** 716763
Address: 8707 Loch Bend Dr - Parkville, MD 21234-3515 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116510H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CROWN000233876	Crown	2001	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments **Location ID:** 716764
Address: 8707 Raven Dr - Parkville, MD 21234-3540 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100881H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	200704	Crown	1998	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments **Location ID:** 716759
Address: 8709 Loch Bend Dr - Parkville, MD 21234-3516 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078262H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8711 Loch Bend Dr - Parkville, MD 21234-3517
County: Baltimore **FIPS:** 24005
Location ID: 716760
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078261H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8713 Loch Bend Dr - Parkville, MD 21234-3518
County: Baltimore **FIPS:** 24005
Location ID: 716761
Phone:
NOB/SIC: Hotels and Motels
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078260H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Loch Bend Apartments
Address: 8715 Loch Bend Dr - Parkville, MD 21234-3500
County: Baltimore **FIPS:** 24005
Location ID: 716762
Phone:
NOB/SIC: Rooming and Boarding Houses
Primary Contact: Ms. Chris Reed - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877
Billing Contact: Ms. Chris Reed - 216 Schilling Cir Ste 300 Hunt Valley, MD 21031-8632 - Phone: 410-337-9755, 410-628-6000 - Cell: 410-458-8877

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078259H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1980	07/13/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location ID: 716810
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Total Objects at this Location: 2

Location ID: 716811
Phone:
NOB/SIC: Membership organizations

Total Objects at this Location: 2

Location: Looney's Pub (Arc3) **Location ID:** 3950079
Address: 8706 Belair Rd - Nottingham, MD 21236-2420 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Drinking Places (Alcoholic Beverages)
Primary Contact: Looney's Pub (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163588V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021065		Taylor	1995	04/16/2023	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Lorraine Park Cemetery **Location ID:** 716953
Address: 5608 Dogwood Rd - Woodlawn, MD 21207-5906 **Phone:** 410-298-8118
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Cemetery Subdividers and Developers
Primary Contact: Corey Dunning - Phone: 410-298-8118
Billing Contact: - 5608 Dogwood Rd Woodlawn, MD 21207-5906 - Phone: 410-298-8118

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112796H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2002	01/30/2020	Recurring Cert	Active	Mausoleum
MD158997H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2530-654-000369-5178452	Buderus	2017	01/30/2020	Recurring Cert	Active	Gatehouse Basement

Total Objects at this Location: 2

Location: Lower Level Hangar 3 **Location ID:** 705550
Address: 701 Wilson Point Rd Box 29 - Baltimore, MD 21220-4238 **Phone:** 410-391-1738
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Laminated Plastics Plate, Sheet, and Profile Shapes
Primary Contact: Jared Keeny - Phone: 410-687-7463 - Email: jared@jadeair.org
Billing Contact: Deletta Scopel - 10706 Beaver Dam Rd Cockeysville, MD 21030-2207 - Phone: 410-568-1781

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135044V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000950569		Manchester	2008	07/12/2020	Recurring Cert	Active	Compressor Room Hanger 2

Total Objects at this Location: 1

Location: Lutherville Surgicenter
Address: 1400 Front Ave - Lutherville Timonium, MD 21093-5300
County: Baltimore **FIPS:** 24005
Primary Contact: Lutherville Surgicenter
Billing Contact:

Location ID: 4045661
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168328	#2	Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000062097	63936	Reimers	2005	10/26/2021	Recurring Cert	Active	Clean Utility
MD168329V	#2	Autoclave	V - Process-Sterilizing	26728		Amsco	1973	10/26/2022	Recurring Cert	Active	Clean Utility
MD168330		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000103590	GC-34272-P16	Getinge	2015	10/29/2021	Recurring Cert	Active	Clean Utility
MD168331V		Autoclave	V - Process-Sterilizing	000003621	2015-0532	Getinge	2015	10/29/2022	Recurring Cert	Active	Clean Utility

Total Objects at this Location: 4

Location: Maaco
Address: 2200 Greenspring Dr - Lutherville Timonium, MD 21093-3114
County: Baltimore **FIPS:** 24005
Primary Contact: Timonium Collision Center LLC
Billing Contact: - 2200 Greenspring Dr Lutherville Timonium, MD 21093-3114

Location ID: 3331457
Phone: 443-841-7292
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145845V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000008593	06364	AIR COM	2006	07/07/2021	Recurring Cert	Active	Shop
MD145846V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000008492	06193	AIR COM	2006	07/07/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 2

Location: Maaco Auto Painting & Body
Address: 4030 N Point Blvd - Dundalk, MD 21222-3636
County: Baltimore **FIPS:** 24005
Primary Contact: Ed Evans - Phone: 410 477 2800
Billing Contact:

Location ID: 717115
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110913V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000111138		Manchester	1983	02/28/2023	Recurring Cert	Active	SHOP
MD129750V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000016845	25481	Air Com	2007	02/28/2023	Recurring Cert	Active	SHOP
MD129751V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000016861	25497	Air Com	2007	02/28/2023	Recurring Cert	Active	SHOP

Total Objects at this Location: 3

Location: MABE Hampton Elementary School #0911
Address: 1115 Charmuth Rd - Lutherville Timonium, MD 21093-6402
County: Baltimore **FIPS:** 24005
Primary Contact: Rick Koch - Phone: 443-809-9027 - Cell: 410-530-2203 - Email: ekoch@bcps.org
Billing Contact: Eric Bethke - 9610 Pulaski Park Dr Ste 204 Middle River, MD 21220-1418 - Phone: 443 809 6300 - Cell: 410-852-9017 - Email: ebethke@bcps.org

Location ID: 713167
Phone:
NOB/SIC: Elementary and Secondary Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168413H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007055		Fulton	2020	12/09/2022	Recurring Cert	Active	Boiler Room
MD168414H	#2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007063		Fulton	2020	12/09/2022	Recurring Cert	Active	Boiler Room
MD168415H	#3	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007065		Fulton	2020	12/09/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: Mama Vida Inc
Address: 9631 Liberty Rd Ste N - Randallstown, MD 21133-2434
County: Baltimore **FIPS:** 24005
Location ID: 726761
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: Albert or Nila Mechali - Phone: 410-521-0742 - Email: toto@mamavida.com
Billing Contact: Albert or Nila Mechali - 9631 Liberty Rd Ste N Randallstown, MD 21133-2434 - Phone: 410-521-0742 - Email: toto@mamavida.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112903H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	SCT-010690-0396	Peerless	1996	01/12/2022	Recurring Cert	Active	Storage Room
MD129794V		Unfired Kettle	V - Process-Cooking	000003117	8793	J C Pardo	2007	01/12/2022	Recurring Cert	Active	Process Room
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000468589		Mat Industries	2018	01/15/2022	Recurring Cert	Active	Storage Room
NEW		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP7678558	Weil-McLain	2021	04/08/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 4

Location: ManorCare Health Services-Rossville #525 (MCHS)
Address: 6600 Ridge Rd - Rosedale, MD 21237-4209
County: Baltimore **FIPS:** 24005
Location ID: 717286
Phone: 410-574-4950
NOB/SIC: Offices and Clinics of Doctors of Medicine
Primary Contact: Bruce M. Helberg - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org
Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160895H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000144691		PVI Industries	2017	02/20/2022	Recurring Cert	Active	HEATER RM
MD166400H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000148569		PVI Industries	2019	02/20/2022	Recurring Cert	Active	HEATER RM

Total Objects at this Location: 2

Location: Marks Motors
Address: 12300 Owings Mill Blvd. Unit #6 - Reisterstown, MD 21136-1744
County: Baltimore **FIPS:** 24005
Primary Contact: Marks Motors - Phone: 410-526-2994
Billing Contact: - 12300 Owings Mills Blvd Ste 6 Reisterstown, MD 21136-1744 - Phone: 410-526-2994

Location ID: 717404
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116374V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000132320		Manchester	2002	10/23/2021	Recurring Cert	Active	Comp. Room

Total Objects at this Location: 1

Location: Marriottsville Exxon #0829-7285 (Sunoco)
Address: 9835 Liberty Rd - Randallstown, MD 21133-2005
County: Baltimore **FIPS:** 24005
Primary Contact: Malik Chan - Phone: 410-922-2711
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 717497
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151870V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001875347		CAMPBELL HAUSFELD	2014	10/15/2021	Recurring Cert	Active	Car Wash - left door

Total Objects at this Location: 1

Location: Martins Caterers-West
Address: 6817 Dogwood Rd - Windsor Mill, MD 21244-2608
County: Baltimore **FIPS:** 24005
Primary Contact: John Tores - Phone: 410-265-1300 - Email: jtores@martinscaterers.com
Billing Contact: John Tores - 6817 Dogwood Rd Windsor Mill, MD 21244-2608 - Phone: 410-265-1300 - Email: jtores@martinscaterers.com

Location ID: 717562
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147453H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018844		Noritz	2013	01/14/2023	Recurring Cert	Active	Blrm
MD147454H	2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018848		Noritz	2013	01/14/2023	Recurring Cert	Active	Blrm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147455H	3	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018749		Noritz	2013	01/14/2023	Recurring Cert	Active	Blrm
MD147456H	4	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018839		Noritz	2013	01/14/2023	Recurring Cert	Active	Blrm
MD169196V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000143892		CHART	2002	04/06/2023	Recurring Cert	Active	Outside Building
Total Objects at this Location:				5							

Location: Maryland Packing
Address: 3610 Commerce Dr - Baltimore, MD 21227-1640
County: Baltimore **FIPS:** 24005
Primary Contact: Mike Passarello - Phone: 410-598-1871 - Email: mpassarello@merrittproperties.com
Billing Contact: Bill Patrick - 3610 Commerce Dr Baltimore, MD 21227-1640

Location ID: 3771387
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158986		Horizontal Fire Tube	S - Power-Sterilizing (Steam > 15 psig)	000029676	977-871	York Shipley	2011	05/25/2021	Recurring Cert	Active	Mech Room
Total Objects at this Location:				1							

Location: Maryland Precision Spring Co.
Address: 8900 Kelso Dr - Essex, MD 21221-3120
County: Baltimore **FIPS:** 24005
Primary Contact: Kelle Dillard - Phone: 410-391-7400 x222 - Email: kdillard@mw-ind.com
Billing Contact: Kelle Dillard - 8900 Kelso Dr Essex, MD 21221-3120 - Phone: 410-391-7400 x222 - Email: kdillard@mw-ind.com

Location ID: 717776
Phone: 410-391-7400
NOB/SIC: Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107973V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000861715		Melben	1999	08/16/2022	Recurring Cert	Active	Coiling
MD107974V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000737051		Melben	1998	08/16/2022	Recurring Cert	Active	Tool Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115441V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000283541		Steel Fab	2002	08/16/2022	Recurring Cert	Active	Comp Room

Total Objects at this Location: 3

Location: McAvoy's (Arc3) **Location ID:** 4030692
Address: 2531 Putty Hill Ave - Parkville, MD 21234-4307 **Phone:** 410-882-0500
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 410-882-0500
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167243V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000299298		CHART	2017	07/06/2022	Recurring Cert	Active	Outside Rear of Bldg

Total Objects at this Location: 1

Location: McClung-Logan Equipment Co. **Location ID:** 718077
Address: 4601 Washington Blvd - Halethorpe, MD 21227-4460 **Phone:** 410-242-6500
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Miscellaneous manufacturing industries
Primary Contact: Chris Brophy - Phone: 410-242-6500 x4223 - Email: cbrophy@mcclung-logan.com
Billing Contact: Accounts Payable - 4601 Washington Blvd Halethorpe, MD 21227-4460 - Phone: 410-242-6500 - Email: accountspayable@mcclung-logan.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144599V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000220632		Steel Fab	1999	07/11/2022	Recurring Cert	Active	Old Shop
MD168301H	#1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000004358	M530-531	Energy Logic	2019	06/25/2022	Recurring Cert	Active	Shop Boiler Room B#1
MD168302H	#2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000004217	M496-498	Energy Logic	2019	06/25/2022	Recurring Cert	Active	Shop Boiler Room B#2
MD168303V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002204406		Manchester Tank	2020	06/25/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 4

Location: McFauls Iron Horse (Arc3) **Location ID:** 4068269
Address: 2260 Cromwell Bridge Rd - Parkville, MD 21234-1420 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: McFauls Iron Horse (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169198V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000011855		Taylor	1992	03/18/2023	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Meadows East Building **Location ID:** 718158
Address: 6300 Security Blvd - Woodlawn, MD 21207-5102 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Offices of Bank Holding Companies
Primary Contact: Colleen Hall - Phone: 410-576-8898 - Email: chall@rmrgroup.cpm.com
Billing Contact: Colleen Hall - C/o The RMR Group LLC 575 S Charles St Suite 203 Baltimore, MD 21201 - Phone: 410-576-8898 - Email: chall@rmrgroup.cpm.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123955H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	2005	11/09/2021	Recurring Cert	Active	BLRM
MD123956H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	2005	11/09/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				2							

Location: MedStar Surgery Center **Location ID:** 3844581
Address: 2118 Greenspring Dr Ste 300 - Lutherville Timonium, MD 21093- **Phone:** 410-252-5671
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: MedStar Surgery Center
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159563V		Autoclave	V - Process-Sterilizing	000047340	0384190	Amsco	1984	12/16/2021	Recurring Cert	Active	Clean Work Room
MD159564		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam)	000002665	42295	Pemberton	2017	12/16/2021	Recurring Cert	Active	Clean Work Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159565V		Autoclave	> 15 psig) V - Process-Sterilizing	000018489	1117013	Steris Corp	2017	12/16/2021	Recurring Cert	Active	Clean Work Room
MD159566		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000009178	49178	Chromalox	2017	12/16/2021	Recurring Cert	Active	Clean Work Room

Total Objects at this Location: 4

Location: Meineke
Address: 790 Merritt Blvd - Dundalk, MD 21222-1409
County: Baltimore **FIPS:** 24005
Primary Contact: Meineke - Phone: 410-288-1322
Billing Contact: Crista Campbell - 790 Merritt Blvd Dundalk, MD 21222-1409 - Phone: 410-288-1322

Location ID: 715733
Phone: 410-288-1322
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150701V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000327404		Manchester	2004	04/02/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Meineke Car Care Center
Address: 210 Reisterstown Rd - Pikesville, MD 21208-5309
County: Baltimore **FIPS:** 24005
Primary Contact: Goerge Pratt - Phone: 443-548-3745 - Email: shop.2735@meineke.net
Billing Contact: Goerge Pratt - 210 Reisterstown Rd Pikesville, MD 21208-5309 - Phone: 443-548-3745 - Email: shop.2735@meineke.net

Location ID: 704656
Phone: 410-486-0600
NOB/SIC: Auto and Home Supply Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159012V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000005334		Morganton	2017	04/04/2020	Recurring Cert	Active	Break Room

Total Objects at this Location: 1

Location: Meineke Car Care Center
Address: 5520 Baltimore National Pike - Catonsville, MD 21228-1531
County: Baltimore **FIPS:** 24005
Primary Contact: Betty Chan - Phone: 410-747-8000, ext. 233
Billing Contact: Teri Merrick - 5520 Baltimore National Pike Catonsville, MD 21228-1531 - Phone: 410-744-6450 - Email: terimerrick@msn.com

Location ID: 718200
Phone:
NOB/SIC: Automotive Exhaust System Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146997V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000063679		Brunner	2002	04/11/2023	Recurring Cert	Active	comp rm

Total Objects at this Location: 1

Location: Meineke Discount Mufflers
Address: 9918 York Rd - Cockeysville, MD 21030-3401
County: Baltimore **FIPS:** 24005
Primary Contact: Jun - Phone: 410-628-1411 - Email: junpak81@gmail.com
Billing Contact:

Location ID: 718199
Phone: 410-628-1411
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106197V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000883980		Buckeye	1988	10/12/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Mercedes Benz of Hunt Valley
Address: 9800 York Rd - Cockeysville, MD 21030-4914
County: Baltimore **FIPS:** 24005
Primary Contact: Ken Bromley - Phone: 410-666-4107 - Email: kbromley@valleymotors.com
Billing Contact: Ken Bromley - 9800 York Rd Cockeysville, MD 21030-4914 - Phone: 410-666-4107 - Email: kbromley@valleymotors.com

Location ID: 727820
Phone:
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD015883V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000147213	183462	Curtis	1971	07/27/2022	Recurring Cert	Active	Audi comp rm
MD128307V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000741266		Manchester	2006	07/27/2022	Recurring Cert	Active	Detail Shop

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154608V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000756871		Steel Fab	2014	07/27/2022	Recurring Cert	Active	Audi Comp rm
MD167307V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000525764	591669	Morganton	2015	07/29/2022	Recurring Cert	Active	Mercedes Compressor Room

Total Objects at this Location: 4

Location: Merritt Athletic Club
Address: 8757 Mylander Ln - Towson, MD 21286-2102
County: Baltimore **FIPS:** 24005
Primary Contact: Merritt Athletic Club - Phone: 410-821-0160
Billing Contact: - 8757 Mylander Ln Towson, MD 21286-2102 - Phone: 410-821-0160

Location ID: 718345
Phone: 410-821-0160
NOB/SIC: Membership Organizations, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137190H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000151075		A O Smith	2010	07/21/2022	Recurring Cert	Active	Mens locker room
MD137191H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000149677		A O Smith	2010	07/21/2022	Recurring Cert	Active	Mens locker room
MD146222H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000173134		A O Smith	2012	07/21/2022	Recurring Cert	Active	Mens Locker
MD155234H		Cast Aluminum	H - Hot Water Supply (Water <= 160 psig, 210 F)	000341843		Raypak	2009	07/21/2022	Recurring Cert	Active	Pump Rm
MD156671H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000379064		Raypak	2016	07/21/2022	Recurring Cert	Active	Pump Rm
MD161273H		Electric (NOT HLW)	H - Steam Heat (Steam <= 15 psig)	000005035		Amerec	2017	07/21/2022	Recurring Cert	Active	Mens Locker Room
MD167274V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000308197	31737453	CHART	2017	08/20/2022	Recurring Cert	Active	Pump Room

Total Objects at this Location: 7

Location: Mezcal Mexican (Arc3) **Location ID:** 3925605
Address: 6 W Ridgely Rd - Lutherville Timonium, MD 21093-5112 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Mezcal Mexican (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163504V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000165375		CHART	2005	02/27/2023	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Mezcal Mexican Restaurant (Arc3) **Location ID:** 3992516
Address: 9958 Reisterstown Rd - Owings Mills, MD 21117-3945 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Mezcal Mexican Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165829V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021091		Taylor	1995	11/22/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Michael Schroeder Engine (Model)/Leakin Park **Location ID:** 786553
Address: 1941 Sloman Dr - Baltimore, MD 21207-8034 **Phone:** 410-672-3351
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Membership Sports and Recreation Clubs
Primary Contact: Michael Schroeder - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com
Billing Contact: - 4078 Landis Rd Hanover, PA 17331-6898 - Phone: 410-672-3351 - Email: M5301schroeder@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017646		Horizontal Fire Tube	L - Locomotive NOT ANTIQUE	Model	7941	Hamilton Eng	1980	04/09/2022	Recurring Cert	Active	Portable
MD017900		Horizontal Fire Tube	P - Portable w/comment	Model		Jn Andrews	1985	04/09/2022	Recurring Cert	Active	Portable
Total Objects at this Location:				2							

Location: Michael's Cafe (Arc3) **Location ID:** 3925606
Address: 2119 York Rd - Lutherville Timonium, MD 21093-3110 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Michael's Cafe (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163508V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000010821		Taylor	1992	02/27/2023	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Michaels Automotive & Sound **Location ID:** 995057
Address: 8609 Liberty Rd - Randallstown, MD 21133-4713 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Michael Ayd - Phone: 410-922-8411
Billing Contact: Michael Ayd - 8609 Liberty Rd Randallstown, MD 21133-4713 - Phone: 410-922-8411

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD019329V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000451910		John Wood	1969	12/14/2020	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: Midas Auto Systems **Location ID:** 2252258
Address: 6555 Baltimore National Pike - Catonsville, MD 21228-3906 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Auto and Home Supply Stores
Primary Contact: Midas Auto Systems
Billing Contact: Ray Determan - 6555 Baltimore National Pike Catonsville, MD 21228-3906 - Phone: 410-744-7822

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128888V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000438001		J Wood	1969	03/16/2022	Recurring Cert	Active	shop
Total Objects at this Location:				1							

Location: Midas Muffler Pikesville the Bah **Location ID:** 787281
Address: 9710 Reisterstown Rd - Owings Mills, MD 21117-4120 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Stanley Shapiro - Phone: 410-356-0650 - Cell: 410-356-5401 - Email: midasofowingsmillsmd@gmail.com
Billing Contact: Stanley Shapiro - 9710 Reisterstown Rd Owings Mills, MD 21117-4120 - Phone: 410-356-0650 - Cell: 410-356-5401 - Email: midasofowingsmillsmd@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116768V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001069870		Manchester	1992	06/27/2020	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Middleborough Volunteer Fire Co **Location ID:** 718527
Address: 1913 Middleborough Rd - Essex, MD 21221-3019 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Justice, public order, and safety
Primary Contact: Wayne Daniel - Phone: (410) 952-9650 - Email: Wdanielak@verizon.net
Billing Contact: Wayne Daniel - 1913 Middleborough Rd Essex, MD 21221-3019 - Phone: (410) 952-9650 - Email: Wdanielak@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067055H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1988	08/02/2020	Recurring Cert	Active	Boiler room
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718649
Address: 1 Amleht Ct - Baltimore, MD 21215-1043 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hanna Green - Phone: 443-278-9315 - Email: HGreen@blueoceanrealty.net
Billing Contact: Hanna Green - 6615 Reisterstown Rd Baltimore, MD 21215-2686 - Phone: 443-278-9315 - Email: HGreen@blueoceanrealty.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144675H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000101279		Bradford	2012	11/16/2022	Recurring Cert	Active	1 Amleht Ct
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718676
Address: 1 Cobblestone Ct - Baltimore, MD 21215-1047 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Darryl Diffenbaugh - Phone: 410-484-5111 - Email: ddiffenbaugh@blueocean.com
Billing Contact: Darryl Diffenbaugh - 6808 Millbrook Park Dr Baltimore, MD 21215-1101 - Phone: 410-484-5111 - Email: ddiffenbaugh@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154636H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111938		Bradford White	2015	05/11/2022	Recurring Cert	Active	1 Cobblestone Ct
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718650
Address: 1 Russern Ct - Baltimore, MD 21215-1055 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155872H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000114613		Bradford White	2015	11/16/2022	Recurring Cert	Active	1 Russern Ct.
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718648
Address: 17 Cobblestone Ct - Baltimore, MD 21215-1054 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings
Primary Contact: Hanna Green - Phone: 443-278-9315 - Email: HGreen@blueoceanrealty.net
Billing Contact: Hanna Green - 6615 Reisterstown Rd Baltimore, MD 21215-2686 - Phone: 443-278-9315 - Email: HGreen@blueoceanrealty.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144676H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000095312		Bradford White	2011	11/16/2022	Recurring Cert	Active	17 Cobblestone
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718651
Address: 2 Amleht Ct - Baltimore, MD 21215-1044 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000112748		Bradford White	2019	10/09/2022	Recurring Cert	Active	2 Amleht Ct
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 3698498
Address: 4 Russern Ct - Baltimore, MD 21215-1058 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Real Estate Agents and Managers
Primary Contact: Hanna Green - Phone: 443-278-9315 - Email: HGreen@blueoceanrealty.net
Billing Contact: Hanna Green - 6615 Reisterstown Rd Baltimore, MD 21215-2686 - Phone: 443-278-9315 - Email: HGreen@blueoceanrealty.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154635H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000099206		Bradford White	2012	11/16/2022	Recurring Cert	Active	4 Russern Ct
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 3698466
Address: 6930 Brookmill Rd - Baltimore, MD 21215-1335 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Real Estate Agents and Managers
Primary Contact: Darryl Diffenbaugh - Phone: 410-484-5111 - Email: ddiffenbaugh@blueocean.com
Billing Contact: Darryl Diffenbaugh - 6808 Millbrook Park Dr Baltimore, MD 21215-1101 - Phone: 410-484-5111 - Email: ddiffenbaugh@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153472H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106127		Bradford White	2013	05/11/2022	External Cert	Active	30 Brookmill Road
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718659
Address: 6932 Millbrook Park Dr - Baltimore, MD 21215-1143 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144670H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0086986		Bradford White	2009	11/16/2022	Recurring Cert	Active	6932 Millbrook Park Dr
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718661
Address: 6942 Millbrook Park Dr - Baltimore, MD 21215-1145 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151869H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111930		Bradford White	2015	11/16/2022	Recurring Cert	Active	6942 Millbrook Park Dr
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 3698353
Address: 6948 Brookmill Rd - Baltimore, MD 21215-1338 **Phone:** 410 484 5111
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Real Estate Agents and Managers
Primary Contact: Darryl Diffenbaugh - Phone: 410-484-5111 - Email: ddiffenbaugh@blueocean.com
Billing Contact: Darryl Diffenbaugh - 6808 Millbrook Park Dr Baltimore, MD 21215-1101 - Phone: 410-484-5111 - Email: ddiffenbaugh@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153473H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105504		Bradford White	2013	05/11/2022	External Cert	Active	6948 Brookmill Road
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 3289089
Address: 6950 Brookmill Rd - Baltimore, MD 21215-1339 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Blue Ocean Realty - Phone: 410-484-5111
Billing Contact: Hanna Green - 6615 Reisterstown Rd Baltimore, MD 21215-2686 - Phone: 443-278-9315 - Email: HGreen@blueoceanrealty.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144673H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000095515		Bradford White	2011	11/16/2022	Recurring Cert	Active	6950 Brookmill Rd
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718665
Address: 6952 Millbrook Park Dr - Baltimore, MD 21215-1147 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151867H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106496		Bradford White	2014	11/16/2022	Recurring Cert	Active	6952 Millbrook Park
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718668
Address: 6960 Brookmill Rd - Baltimore, MD 21215-1341 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155874H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000116761		Bradford White	2016	11/16/2022	Recurring Cert	Active	6960 Brookmill Rd
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718666
Address: 6962 Millbrook Park Dr - Baltimore, MD 21215-1149 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000128462		Bradford White	2018	10/09/2022	Recurring Cert	Active	6962 Milbrook Park
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 3675189
Address: 6972 Millbrook Park Dr - Baltimore, MD 21215-1151 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151868H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000085958		A O Smith	2009	11/16/2022	Recurring Cert	Active	6972 Milbrook Park
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718669
Address: 6978 Marsue Dr - Baltimore, MD 21215-1263 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144672H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092124		Bradford White	2011	11/16/2022	Recurring Cert	Active	6978 Marsue Dr
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718672
Address: 6982 Millbrook Park Dr - Baltimore, MD 21215-1153 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145416H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086968		Bradford White	2009	11/16/2022	Recurring Cert	Active	6982 Millbrook Park
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 718671
Address: 6988 Marsue Dr - Baltimore, MD 21215-1265 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144674H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000094544		Bradford White	2011	11/16/2022	Recurring Cert	Active	6988 Marsue Dr
Total Objects at this Location:				1							

Location: Milbrook Park Apartments **Location ID:** 3675180
Address: 6992 Millbrook Park Dr - Baltimore, MD 21215-1155 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Darryl Diffenbaugh - Phone: 410-484-5111 - Email: ddiffenbaugh@blueocean.com
Billing Contact: Darryl Diffenbaugh - 6808 Millbrook Park Dr Baltimore, MD 21215-1101 - Phone: 410-484-5111 - Email: ddiffenbaugh@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154637H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111296		Bradford White	2015	05/11/2022	External Cert	Active	6992 Millbrook Park Place
Total Objects at this Location:				1							

Location: Milbrook Park Apartments
Address: 6998 Marsue Dr - Baltimore, MD 21215-1267
County: Baltimore **FIPS:** 24005
Location ID: 718678
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Hannah Green - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com
Billing Contact: Hannah Green - 100 Painters Mill Rd Ste 310 Owings Mills, MD 21117-7302 - Phone: 443-278-9315 - Cell: 443-925-6576 - Email: hgreen@blueocean.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163562H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000121096		Bradford White	2017	11/16/2022	Recurring Cert	Active	6998 Marsue Dr
Total Objects at this Location:				1							

Location: ML Cranes and Equipment
Address: 2002 Graves Ct - Dundalk, MD 21222-5509
County: Baltimore **FIPS:** 24005
Location ID: 727504
Phone: 410-285-6363
NOB/SIC: Miscellaneous manufacturing industries
Primary Contact: ML Cranes & Equipment - Phone: 7045092728
Billing Contact: ML Cranes & Equipment - 2002 Graves Ct Dundalk, MD 21222-5509 - Phone: 7045092728

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125190H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Columbia	2003	08/18/2022	Recurring Cert	Active	utility room
MD125191V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000082859		Brunner	2002	08/18/2022	Recurring Cert	Active	comp. room
Total Objects at this Location:				2							

Location: Mo's Seafood Bar & Grill Restaurant
Address: 7600 Eastern Ave - Baltimore, MD 21224-1921
County: Baltimore **FIPS:** 24005
Location ID: 719065
Phone:
NOB/SIC: Eating and drinking places
Primary Contact: Mark - Phone: 410-288-2424
Billing Contact: Mark - 7600 Eastern Ave Baltimore, MD 21224-1921 - Phone: 410-288-2424

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154265V		Other w/comment	V - Storage (NOT Cryogenic)	000020566		Taylor	1994	03/29/2020	Recurring Cert	Active	Soda Rm
Total Objects at this Location:				1							

Location: **Monro Muffler - 413**
Address: 1532 E Joppa Rd - Towson, MD 21286-5913
County: Baltimore **FIPS:** 24005
Primary Contact: Monro Muffler - 413
Billing Contact:

Location ID: 725461
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD055208V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040201		Brunner	1979	07/27/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: **Monro Muffler - 419**
Address: 11640 Reisterstown Rd - Reisterstown, MD 21136-3702
County: Baltimore **FIPS:** 24005
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 725459
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117789V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000099207		Brunner	2002	11/01/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: **Monro Muffler - 753**
Address: 1746 E Joppa Rd Bldg 2 - Parkville, MD 21234-3652
County: Baltimore **FIPS:** 24005
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 706229
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD022043V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000808510		Buckeye	1987	07/27/2022	Recurring Cert	Active	Utility Room
MD113654V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000934108		Manchester	1999	07/27/2022	Recurring Cert	Active	Utility Room

Total Objects at this Location: 2

Location: Morningside Heights Apartments **Location ID:** 719029
Address: 101 Willow Bend Dr - Owings Mills, MD 21117-2603 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Bryant Hannie - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Owings Mills, MD 21117-2608 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166572H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C50601		A O Smith	2018	03/02/2022	Recurring Cert	Active	101 Willow Bend
Total Objects at this Location:				1							

Location: Morningside Heights Apartments **Location ID:** 719025
Address: 105 Willow Bend Dr - Owings Mills, MD 21117-2607 **Phone:** 410-356-4800
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Tammy Solomon - Phone: 410-356-4800
Billing Contact: Tammy Solomon - 106 Pleasant Ridge Dr Owings Mills, MD 21117-2701 - Phone: 410-356-4800

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161355H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000059026		A O Smith	2016	11/20/2020	Recurring Cert	Active	105 WILLOW
Total Objects at this Location:				1							

Location: Morningside Heights Apartments **Location ID:** 719028
Address: 204 Mid Pines Ct - Owings Mills, MD 21117-2760 **Phone:** 410-356-4800
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Bryant Hannie - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Owings Mills, MD 21117-2608 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161354H		Water Tube Coiled (NOT Flueless Hi	H - Hot Water Heat (Water <= 160 psig, 250 F)	000C46733		A O Smith	2016	11/20/2020	Recurring Cert	Active	204 MID PINE

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		Efficiency)									
Total Objects at this Location:				1							

Location: Morningside Heights Apartments
Address: 23 Straw Hat Rd - Owings Mills, MD 21117-2819
County: Baltimore **FIPS:** 24005
Location ID: 719015
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Bryant Hannie - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Owings Mills, MD 21117-2835 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166571H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C52290		A O Smith	2019	03/02/2022	Recurring Cert	Active	23 Straw Hat Laundry
Total Objects at this Location:				1							

Location: Morningside Heights Apartments
Address: 43 Straw Hat Rd - Owings Mills, MD 21117-2835
County: Baltimore **FIPS:** 24005
Location ID: 719018
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Bryant Hannie - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com
Billing Contact: Bryant Hannie - 19 Straw Hat Rd Owings Mills, MD 21117-2835 - Phone: 410-356-4800/410-356-3388 - Cell: 443-607-7557 - Email: morningsideheightsme@elementmgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167273H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000052432		A O Smith	2019	08/19/2022	Recurring Cert	Active	Storage Room
Total Objects at this Location:				1							

Location: Mother's North (Arc3) **Location ID:** 3925621
Address: 2450 Broad Ave - Lutherville Timonium, MD 21093-2262 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Mother's North (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163507V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000282152		CHART	2016	02/27/2023	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Mr. Tire - 660 **Location ID:** 3018708
Address: 1536 York Rd - Lutherville Timonium, MD 21093-5609 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive Services, Except Repair and Carwashes
Primary Contact: Tom Giannone - Phone: 585-647-6400 x378 - Email: Tom.giannone@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141359V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000636748		Manchester	2006	08/20/2021	Recurring Cert	Active	Store Room
MD141361V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000517369		Manchester	2005	08/20/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				2							

Location: Mr. Tire - 691 **Location ID:** 718497
Address: 8656 Pulaski Hwy - Rosedale, MD 21237-3008 **Phone:** 410-574-1050
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive Exhaust System Repair Shops
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136690V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001051311		Manchester	2009	08/30/2022	Recurring Cert	Active	Rear Shop

Total Objects at this Location: 1

Location: Mr. Tire - 724 **Location ID:** 715725
Address: 10501 York Rd - Cockeysville, MD 21030-2301 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121346V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000142433		Manchester	2004	01/04/2022	Recurring Cert	Active	comp. room
MD121347V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000142468		Manchester	2004	01/04/2022	Recurring Cert	Active	comp. room

Total Objects at this Location: 2

Location: Mr. Tire - 727 **Location ID:** 715728
Address: 5545 Baltimore National Pike - Catonsville, MD 21228-1532 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Garry Seward - Phone: 410-744-3500
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150087V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000244631		Morganton	2012	08/18/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Mr. Tire - 728 **Location ID:** 715732
Address: 7700 Harford Rd - Parkville, MD 21234-6404 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112045H		Cast Iron	H - Hot Water Heat (Water <=	Cast Iron		Weil-McLain	2001	12/03/2021	Recurring Cert	Active	Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126465V		Vertical Unfired Pressure Vessel w/comment	160 psig, 250 F) V - Storage (NOT Cryogenic)	0550821		Manchester	2005	12/03/2021	Recurring Cert	Active	shop
MD141329V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0617712		Steel Fab	2010	12/03/2021	Recurring Cert	Active	Shop
Total Objects at this Location:				3							

Location: Mr. Tire - 729
Address: 208 Reisterstown Rd - Pikesville, MD 21208-5309
County: Baltimore **FIPS:** 24005
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 715727
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123512V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000499182		Manchester	2005	11/07/2022	Recurring Cert	Active	shop
Total Objects at this Location:				1							

Location: Mr. Tire - 732
Address: 10320 Reisterstown Rd - Owings Mills, MD 21117-3609
County: Baltimore **FIPS:** 24005
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 715724
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102242V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000793468		Manchester	1999	07/07/2022	Recurring Cert	Active	Comp Shed
MD102243V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000736137		Manchester	1998	07/07/2022	Recurring Cert	Active	Comp Shed
Total Objects at this Location:				2							

Location: Mr. Tire - 733 **Location ID:** 715722
Address: 7923 Belair Rd - Baltimore, MD 21236-3705 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135780V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000849322		Manchester	2007	09/18/2021	Recurring Cert	Active	Shop
MD135781V	2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000849320		Manchester	2007	09/18/2021	Recurring Cert	Active	Shop
Total Objects at this Location:				2							

Location: Mr. Tire - 750 **Location ID:** 719164
Address: 5910 Liberty Rd - Woodlawn, MD 21207-6202 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD047109V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290506		Buckeye	1980	06/03/2022	Recurring Cert	Active	Basement
MD126798V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000710709		Manchester	2006	06/03/2022	Recurring Cert	Active	basement
Total Objects at this Location:				2							

Location: Mr. Tire - 752
Address: 200 W Padonia Rd - Lutherville Timonium, MD 21093-6922
County: Baltimore **FIPS:** 24005
Primary Contact: Alan Heyman - Phone: 410-252-8577
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 713777
Phone: 410-252-8577
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144129V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000649696		Steel Fab	2011	08/18/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Mr. Tire - 756
Address: 1105 Old North Point Rd - Dundalk, MD 21222-1413
County: Baltimore **FIPS:** 24005
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 719154
Phone: 410-282-2500
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125183V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000363264		Manchester	2004	11/01/2022	Recurring Cert	Active	store

Total Objects at this Location: 1

Location: Mr. Tire - 758
Address: 118 Back River Neck Rd - Essex, MD 21221-3922
County: Baltimore **FIPS:** 24005
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 719155
Phone: 410-650-8778
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125239V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000691415		Manchester	2006	08/18/2022	Recurring Cert	Active	Storage Room
MD125240V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000691416		Manchester	2006	08/18/2022	Recurring Cert	Active	Storage room

Total Objects at this Location: 2

Location: Mr. Tire - 759
Address: 8704 Liberty Rd - Randallstown, MD 21133-4706
County: Baltimore **FIPS:** 24005
Primary Contact: Frank Deens - Phone: 410 655 4977
Billing Contact:

Location ID: 718284
Phone: 410-655-4977
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128001V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000499207		Manchester	2005	10/14/2021	Recurring Cert	Active	storage

Total Objects at this Location: 1

Location: Mr. Tire - 760
Address: 720A Main St - Reisterstown, MD 21136-2502
County: Baltimore **FIPS:** 24005
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 719169
Phone: 410-833-9377
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128303V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000667574		Manchester	2006	07/07/2022	Recurring Cert	Active	Compressor shed
MD128304V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000667605		Manchester	2006	07/07/2022	Recurring Cert	Active	compressor shed

Total Objects at this Location: 2

Location: Mr. Tire - 767
Address: 6332 Baltimore National Pike - Catonsville, MD 21228-3901
County: Baltimore **FIPS:** 24005
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 719165
Phone: 410-455-0077
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143956V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	001086769		Manchester	2009	04/28/2023	Recurring Cert	Active	Comp Room

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	-------------------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

Total Objects at this Location: 1

Location: Murray Corporation
Address: 260 Schilling Cir - Hunt Valley, MD 21031-1435
County: Baltimore **FIPS:** 24005
Location ID: 719343
Phone:
NOB/SIC: Manufacturing Industries, NEC
Primary Contact: Thomas C. Branch - Phone: 410-771-0380x218 - Email: tbranch@murraycorp.com
Billing Contact: Thomas C. Branch - 260 Schilling Cir Hunt Valley, MD 21031-1435 - Phone: 410-771-0380x218 - Email: tbranch@murraycorp.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD007591H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1968	11/02/2020	Recurring Cert	Active	Boiler Room
MD135840V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000503043		Steel Fab	2007	11/02/2020	Recurring Cert	Active	QC Area
MD161916V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000731388		Morganton	2018	11/18/2020	Recurring Cert	Active	Plant

Total Objects at this Location: 3

Location: My Mechanic Zanti
Address: 9617 Liberty Rd - Randallstown, MD 21133-2405
County: Baltimore **FIPS:** 24005
Location ID: 2679707
Phone: 410-922-2700
NOB/SIC: General Automotive Repair Shops
Primary Contact: Victor Zanti - Phone: 410-922-2700 - Email: mymechanic9617@aol.com
Billing Contact: Victor Zanti - 9617 Liberty Rd Randallstown, MD 21133-2405 - Phone: 410-922-2700 - Email: mymechanic9617@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129983V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000217686		Buckeye	1979	10/12/2022	Recurring Cert	Active	Outside Shed

Total Objects at this Location: 1

Location: Nalley Fresh
Address: 10120 Reisterstown Rd Ste 30 - Owings Mills, MD 21117-4137
County: Baltimore **FIPS:** 24005
Primary Contact: Nalley Fresh
Billing Contact: Manager on Duty - 10120 Reisterstown Rd Ste 30 Owings Mills, MD 21117-4137 - Phone: 410-356-1900

Location ID: 4042771
Phone: 410-356-1900
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167311V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000010425		Taylor-Wharton	1992	09/30/2022	Recurring Cert	Active	Outside Rear
Total Objects at this Location:				1							

Location: Nalley Fresh
Address: 5201B Campbell Blvd - Nottingham, MD 21236-5047
County: Baltimore **FIPS:** 24005
Primary Contact: Nalley Fresh - Phone: 410-931-1500
Billing Contact: - 5201B Campbell Blvd Nottingham, MD 21236-5047 - Phone: 410-931-1500

Location ID: 4018715
Phone: 410-931-1500
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166520V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000034971		MVE Inc	1990	05/01/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Nationwide Infiniti
Address: 22 W Timonium Rd - Lutherville Timonium, MD 21093-3198
County: Baltimore **FIPS:** 24005
Primary Contact: Dave Reidt - Phone: 410-561-1000 - Email: dreidt@nationwidemotors.net
Billing Contact: Dave Reidt - 22 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-561-1000 - Email: dreidt@nationwidemotors.net

Location ID: 719484
Phone: 410-561-1000
NOB/SIC: Motor Vehicle Dealers (New and Used)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086727V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000162062		Manchester	1989	05/27/2022	Recurring Cert	Active	2nd floor of Parts Room
MD112308V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000662729		Manchester	1998	05/27/2022	Recurring Cert	Active	Rear of parts Storage room

Total Objects at this Location: 2

Location: Nationwide Service Center
Address: 20 W Timonium Rd - Lutherville Timonium, MD 21093-3198
County: Baltimore **FIPS:** 24005
Location ID: 719488
Phone: 410-252-7420
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Carol Lester - Phone: 410-252-7420 - Email: clester@nationwidemotors.net
Billing Contact: Carol Lester - 20 W Timonium Rd Lutherville Timonium, MD 21093-3198 - Phone: 410-252-7420 - Email: clester@nationwidemotors.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127891V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000393575		Manchester	2004	05/17/2022	Recurring Cert	Active	Compressor Room
MD127892V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000369866		Manchester	2004	05/17/2022	Recurring Cert	Active	Compressor Room

Total Objects at this Location: 2

Location: New Total Laundry Center LLC
Address: 4733 Westland Blvd - Halethorpe, MD 21227-1351
County: Baltimore **FIPS:** 24005
Location ID: 726758
Phone:
NOB/SIC: Nonclassifiable Establishments
Primary Contact: Xiu Duan Chen - Phone: 410-247-9951
Billing Contact: Xiu Duan Chen - 4733 Westland Blvd Halethorpe, MD 21227-1351 - Phone: 410-247-9951

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151906H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000035061	041467524	R B I	2014	08/13/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Norris Ford
Address: 901 Merritt Blvd - Dundalk, MD 21222-1435
County: Baltimore **FIPS:** 24005
Location ID: 1700436
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Dwayne Cotton - Phone: 410-285-0206
Billing Contact: Dwayne Cotton - 901 Merritt Blvd Dundalk, MD 21222-1435 - Phone: 410-285-0206

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143133V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000632455		Steel Fab	2010	02/23/2022	Recurring Cert	Active	Outside Shed

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD148039V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000705400		Steel Fab	2012	02/23/2022	Recurring Cert	Active	Outside Shed
		w/comment									

Total Objects at this Location: 2

Location: Norris Honda
Address: 925 Merritt Blvd - Dundalk, MD 21222-1435
County: Baltimore **FIPS:** 24005
Primary Contact: Fred Hassell - Phone: 410-285-0600 - Cell: 443-549-3425 - Email: fhassell@norrisautogroup.com
Billing Contact: Fred Hassell - 925 Merritt Blvd Dundalk, MD 21222-1435 - Phone: 410-285-0600 - Cell: 443-549-3425 - Email: fhassell@norrisautogroup.com

Location ID: 1867823

Phone:

NOB/SIC: Motor Vehicle Dealers (New and Used)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124237H	Boiler #1	Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000146090		Columbia	2005	02/23/2022	Recurring Cert	Active	Upstairs Boiler Room
MD124239H	Boiler #2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000146086		Columbia	2005	02/23/2022	Recurring Cert	Active	Upstairs Boiler Room
MD148037V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000710293		Steel Fab	2012	02/23/2022	Recurring Cert	Active	Upstairs Boiler Room
		w/comment									
MD148038V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000034399		AIR COM	2012	02/23/2022	Recurring Cert	Active	Upstairs Boiler Room
		w/comment									

Total Objects at this Location: 4

Location: North American Trade School
Address: 6901 Security Blvd Ste 16 - Windsor Mill, MD 21244-8419
County: Baltimore **FIPS:** 24005
Primary Contact: Matt Daly - Phone: 410-298-4844 - Email: mdaly@natradeschools.edu
Billing Contact: Matt Daly - 6901 Security Blvd Ste 16 Baltimore, MD 21244-8419 - Phone: 410-298-4844 - Email: mdaly@natradeschools.edu

Location ID: 1335411

Phone: 410-298-4844

NOB/SIC: Vocational Schools, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147002V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000031485		Morgan	2009	11/15/2020	Recurring Cert	Active	Penthouse
		w/comment									

Total Objects at this Location: 1

Location: North County Unlimited, Inc. **Location ID:** 2507432
Address: 16910 York Rd - Monkton, MD 21111-1025 **Phone:** 410-357-9061
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Repair Shops and Related Services, NEC
Primary Contact: Steven Galasso - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net
Billing Contact: Steven Galasso - 16917 York Rd Monkton, MD 21111-1023 - Phone: 410-357-9061 - Email: herefordvalleyZ@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158775V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000456892		Buckeye	1983	10/16/2021	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: NTS Technical Systems **Location ID:** 3576936
Address: 5 North Park Dr - Hunt Valley, MD 21030 **Phone:** 410-229-4375
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Testing Laboratories
Primary Contact: Sarah Brammer - Phone: 410-229-4368 - Cell: 443-604-1319 - Email: sarah.brammer@nts.com
Billing Contact: Sarah Brammer - 5 N Park Dr Hunt Valley, MD 21030-1813 - Phone: 410-229-4368 - Cell: 443-604-1319 - Email: sarah.brammer@nts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153549V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000349122	379571	Manchester	2014	01/23/2023	Recurring Cert	Active	CHAMBER RM
Total Objects at this Location:				1							

Location: O'Donnell Honda Service Center **Location ID:** 719970
Address: 5530 Baltimore National Pike - Catonsville, MD 21228-1500 **Phone:** 410-869-1300
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: Roy Fordyce - Phone: 410-869-1205 - Cell: 410-598-5238 - Email: rfordyce@odonnellhonda.com
Billing Contact: Ernie Pepe - 5530 Baltimore National Pike Baltimore, MD 21228-1500 - Phone: 410-869-1500 - Email: epepe@odonnell.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD042024V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000412962		Kargard	1969	07/09/2021	Recurring Cert	Active	Body Shop Loft
MD042025V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000412966		Kargard	1969	07/09/2021	Recurring Cert	Active	Body Shop Loft

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD059528V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000604966		Buckeye	1985	07/09/2021	Recurring Cert	Active	Service Center Outside
MD122512V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000282278		Manchester	2004	07/09/2021	Recurring Cert	Active	Body Shop Rear Outside
MD127341V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000635767		Manchester	2006	07/09/2021	Recurring Cert	Active	Service Center Outside

Total Objects at this Location: 5

Location: Ocean Pride (Arc3) **Location ID:** 3925603
Address: 1534 York Rd - Lutherville Timonium, MD 21093-5609 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Ocean Pride (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163505V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000119170		MVE	2000	02/27/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Olive Branch Italian Grill **Location ID:** 3992520
Address: 11706 Reisterstown Rd - Reisterstown, MD 21136-3302 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Olive Branch Italian Grill
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166330V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000000031504		Taylor	1996	11/22/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: One Hunt Valley
Address: 11311 McCormick Rd - Hunt Valley, MD 21031-1004
County: Baltimore **FIPS:** 24005
Primary Contact: Don Bauer - Cell: 443-721-0752 - Email: dbauer@stoltzusa.com
Billing Contact: Thea Hines - 11311 McCormick Rd Hunt Valley, MD 21031-1004 - Phone: 215 567 5311 - Email: thines@stolzusa.com

Location ID: 723429
Phone: 610-667-5800
NOB/SIC: Operators of Nonresidential Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153578H	1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	383600013	Weil-McLain	2015	04/11/2023	Recurring Cert	Active	Penthouse
MD153579H	4	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	SV595187	Weil-McLain	2015	04/11/2023	Recurring Cert	Active	Penthouse
MD163547V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000650847		Morganton	2017	03/29/2023	Recurring Cert	Active	B Mechanical Room
MD166506H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	CP7815017	Weil-McLain	2020	02/24/2022	Recurring Cert	Active	Penthouse
MD166507H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	CP7828001	Weil-McLain	2020	02/24/2022	Recurring Cert	Active	Penthouse
Total Objects at this Location:				5							

Location: Open Bible Christian Ministries, Inc.
Address: 13 Open Bible Way - Kingsville, MD 21087-1116
County: Baltimore **FIPS:** 24005
Primary Contact: Mindy Miles - Phone: 410-593-9940
Billing Contact: Mindy Miles - 13 Open Bible Way Kingsville, MD 21087-1116 - Phone: 410-593-9940

Location ID: 1729029
Phone: 410-953-9940
NOB/SIC: Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123965H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000664		Viessman	2003	10/28/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Our Savior Evangelical Lutheran Church
Address: 141 Lavern Ave - Baltimore, MD 21227-3023
County: Baltimore **FIPS:** 24005
Primary Contact: Diane Gill - Phone: 443-304-2271
Billing Contact: Diane Gill - 141 Lavern Ave Halethorpe, MD 21227-3023 - Phone: 443-304-2271

Location ID: 710155
Phone: 410-242-2317
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD006745H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1965	05/12/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Outback Steakhouse
Address: 10904 Boulevard Cir - Owings Mills, MD 21117-7813
County: Baltimore **FIPS:** 24005
Primary Contact: Manager on Duty - Phone: 410-205-6100
Billing Contact: Manager on Duty - 10904 Boulevard Cir Owings Mills, MD 21117-7813 - Phone: 410-205-6100

Location ID: 4023165
Phone: 410-205-6100
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167227V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000044042		Taylor-Wharton	1999	05/28/2022	Recurring Cert	Active	Outside Dumpster Area

Total Objects at this Location: 1

Location: Outback Steakhouse
Address: 4215 Ebenezer Rd - Nottingham, MD 21236-2141
County: Baltimore **FIPS:** 24005
Primary Contact: Manager on Duty - Phone: 410-529-7200
Billing Contact:

Location ID: 4019056
Phone: 410-529-7200
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166524V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000006382		Taylor-Wharton	1989	05/07/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Owings Mills Mall #0907-2907 (Sunoco)
Address: 10375 Red Run Blvd - Owings Mills, MD 21117-3520
County: Baltimore **FIPS:** 24005
Primary Contact: Owings Mills Mall #0907-2907 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 3656556
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152019V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020556		Taylor	1994	09/29/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Panda Express
Address: 3611 Washington Blvd - Halethorpe, MD 21227-1667
County: Baltimore **FIPS:** 24005
Primary Contact: Panda Express
Billing Contact:

Location ID: 3816466
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160199V	A987430	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000029248	ECE89616	MVE Inc	1989	02/09/2022	External Cert	Active	Beverage Carbonation

Total Objects at this Location: 1

Location: Panda Express
Address: 5301 Campbell Blvd - Rosedale, MD 21237
County: Baltimore **FIPS:** 24005
Primary Contact: Panda Express
Billing Contact:

Location ID: 3787830
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158099V	A967759	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000157433		CHART	2004	07/13/2021	Recurring Cert	Active	Rear Storage

Total Objects at this Location: 1

Location: Panda Express
Address: 5860 Baltimore National Pike - Catonsville, MD 21228-1301
County: Baltimore **FIPS:** 24005
Primary Contact: Panda Express
Billing Contact:

Location ID: 3632759
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157768V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000063229		MVE Inc	1997	06/01/2021	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Panda Express
Address: 6419 Petrie Way - Rosedale, MD 21237-3035
County: Baltimore **FIPS:** 24005
Primary Contact: Panda Express
Billing Contact:

Location ID: 3632756
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	86998	CCJA98F140	MVE	1998	09/11/2022	External Cert	Active	store room

Total Objects at this Location: 1

Location: Pappas Restaurant, Sports Bar and Liquor Store
Address: 1725 Taylor Ave - Parkville, MD 21234-6109
County: Baltimore **FIPS:** 24005
Primary Contact: Lando Orsino - Phone: 443-955-4671
Billing Contact: Steve Pappas - 1723 Taylor Ave Parkville, MD 21234-6109 - Phone: 410-661-4357

Location ID: 717402
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167261H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2317005475	ECR International	2019	03/18/2022	Recurring Cert	Active	Liquor Store/Basement
MD167262H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C50996	184211229429 9	A O Smith	2018	03/18/2022	Recurring Cert	Active	Liquor Store/Basement

Total Objects at this Location: 2

Location: Pappas' (Arc3) **Location ID:** 3925608
Address: 550 Cranbrook Rd - Cockeysville, MD 21030-3702 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Pappas' (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163495V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000050523		Taylor	2000	02/27/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Paradise Assisted Living **Location ID:** 720651
Address: 6348 Frederick Rd - Baltimore, MD 21228-2303 **Phone:** 410-744-8433
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Skilled Nursing Care Facilities
Primary Contact: Chris McIntosh - Phone: 410-744-8433
Billing Contact: Chris McIntosh - 6348 Frederick Rd Baltimore, MD 21228-2303 - Phone: 410-744-8433

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131725H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000123003		A O Smith	2008	04/28/2020	Recurring Cert	Active	Basement Mechanical Rm

Total Objects at this Location: 1

Location: Parkville Church Of The Nazarene **Location ID:** 720833
Address: 8510 Fowler Ave - Parkville, MD 21234-4227 **Phone:** 410-661-0221
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Religious Organizations
Primary Contact: Charles R. Fisher - Phone: 410-661-0221 - Email: charles@parkvilledaycare.org
Billing Contact: Neal Gray - 8510 Fowler Ave Parkville, MD 21234-4227 - Phone: 410-661-0221 - Email: pastorgrey@parkvilledaycare.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080486H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		National Radiator	1975	12/08/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Parsonizing
Address: 11299 Owings Mills Blvd - Owings Mills, MD 21117-2902
County: Baltimore **FIPS:** 24005
Primary Contact: Mitchell Parson - Phone: 410-356-9600
Billing Contact: - 11299 Owings Mills Blvd Owings Mills, MD 21117-2902 - Phone: 4103569600

Location ID: 720885
Phone:
NOB/SIC: Fabricated Textile Products, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103139V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000721682		Manchester	1998	09/01/2022	Recurring Cert	Active	Boiler Room
MD144609		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000113922	PV310KK	Fulton	2012	12/09/2020	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				2							

Location: Pat's Select Pizza (Arc3)
Address: 10150 York Rd - Cockeysville, MD 21030-3340
County: Baltimore **FIPS:** 24005
Primary Contact: Pat's Select Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3925609
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163496V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000181959		CHART	2007	02/27/2023	Recurring Cert	Active	Outside/Storage
Total Objects at this Location:				1							

Location: PepsiCo, Inc.
Address: 6210 Days Cove Rd - White Marsh, MD 21162-1203
County: Baltimore **FIPS:** 24005
Primary Contact: PepsiCo, Inc.
Billing Contact:

Location ID: 3885424
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161741V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047305	56324	AIR COM	2016	07/16/2022	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Perry Hall Shell
Address: 9005 Belair Rd - Baltimore, MD 21236-2102
County: Baltimore **FIPS:** 24005
Primary Contact: Junaid Ranjha - Phone: 443-538-2425
Billing Contact: Baldev Singh - 9005 Belair Rd Baltimore, MD 21236-2102 - Phone: 410-256-2580

Location ID: 721212
Phone:
NOB/SIC: Department Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150461V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000260000		Morganton	2012	01/19/2023	Recurring Cert	Active	Car Wash

Total Objects at this Location: 1

Location: Perry Hall Sunoco
Address: 8644 Belair Rd - Baltimore, MD 21236-2705
County: Baltimore **FIPS:** 24005
Primary Contact: Perry Hall Sunoco - Phone: 410-688-7885
Billing Contact: - 8644 Belair Rd Baltimore, MD 21236-2705 - Phone: 410-688-7885

Location ID: 2897970
Phone: 410-529-2811
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161852V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002016479		Twin Lakes	2017	11/27/2022	Recurring Cert	Active	Car Wash Mechanical Room

Total Objects at this Location: 1

Location: Peters Body Shop
Address: 5629 Deer Park Rd - Reisterstown, MD 21136-6021
County: Baltimore **FIPS:** 24005
Primary Contact: Ron Peters - Phone: 410-526-4346
Billing Contact: Ron Peters - 5629 Deer Park Rd Reisterstown, MD 21136-6021 - Phone: 410-526-4346

Location ID: 721246
Phone: 410-526-4346
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140119V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000590256		Steel Fab	2009	09/27/2021	Recurring Cert	Active	Shed

Total Objects at this Location: 1

Location: Pilgrim Shoes
Address: 6744 Whitestone Rd - Gwynn Oak, MD 21207-4102
County: Baltimore **FIPS:** 24005
Location ID: 2985031
Phone: 410-277-8855
NOB/SIC: Fabricated Textile Products, NEC
Primary Contact: Arkady Altskan - Phone: 410-277-8855 - Email: aaltskan@pilgrimshoe.com
Billing Contact: Arkady Altskan - 6744 Whitestone Rd Gwynn Oak, MD 21207-4102 - Phone: 410-277-8855 - Email: aaltskan@pilgrimshoe.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144561V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000074167		Morganton	2010	08/13/2021	Recurring Cert	Active	Rear Plant
MD156395V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000902189		Manchester	1999	07/18/2021	Recurring Cert	Active	Loft
MD156396V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000117551		Manchester	2001	07/18/2021	Recurring Cert	Active	Loft
Total Objects at this Location:				3							

Location: Pizza Hut
Address: 8641 Belair Rd - Nottingham, MD 21236-2703
County: Baltimore **FIPS:** 24005
Location ID: 4031444
Phone: 410-256-4388
NOB/SIC:
Primary Contact: Manager on Duty - Phone: 410-256-4388
Billing Contact: Manager on Duty - 8641 Belair Rd Nottingham, MD 21236-2703 - Phone: 410-256-4388

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167248V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000061947	CCHA97A250	MVE Inc	1997	07/10/2022	Recurring Cert	Active	Outside Rear of building
Total Objects at this Location:				1							

Location: Pleasant Hill / Stone Chapel UMC
Address: 18 Stone Chapel Ln - Pikesville, MD 21208-1200
County: Baltimore **FIPS:** 24005
Location ID: 725808
Phone:
NOB/SIC: Religious Organizations
Primary Contact: Edward D. Scott
Billing Contact: Edward D. Scott - 117 W Patrick St Frederick, MD 21701-5798

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD024299H		Cast Iron	H - Hot Water	CI	25-250	H B Smith	1968	03/30/2018	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

Total Objects at this Location: 1

Location: Pollard's Towing
Address: 3 Ensor Ave - Towson, MD 21204-2543
County: Baltimore **FIPS:** 24005
Location ID: 721616
Phone: 410-823-1808
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Cooper Pollard - Phone: 410-823-1808 - Email: pollards_towing@earthlink.net
Billing Contact: Cooper Pollard - 3 Ensor Ave Towson, MD 21204-2543 - Phone: 410-823-1808 - Email: pollards_towing@earthlink.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127880V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001411779		Campbell Hausfield	2006	12/11/2021	Recurring Cert	Active	Outside Shed

Total Objects at this Location: 1

Location: Pooles Island Brewing Company
Address: 11695 Crossroads Cir - Middle River, MD 21220-2863
County: Baltimore **FIPS:** 24005
Location ID: 3918243
Phone:
NOB/SIC:
Primary Contact: Pooles Island Brewing Company
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159975V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000284007	31605700	CHART	2016	02/01/2021	Recurring Cert	Active	Brewing Floor

Total Objects at this Location: 1

Location: Portas Total Car Care
Address: 3916 N Point Rd - Dundalk, MD 21222-2808
County: Baltimore **FIPS:** 24005
Primary Contact: David Portas - Phone: 410 388 2576
Billing Contact: David Portas - 3916 N Point Rd Dundalk, MD 21222-2808 - Phone: 410 388 2576

Location ID: 721678
Phone:
NOB/SIC: Automotive Repair Shops, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145178V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000639956		Steel Fab	2010	11/17/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Practical Technologies Inc.
Address: 9600 Pulaski Park Dr #124 - Middle River, MD 21220-1472
County: Baltimore **FIPS:** 24005
Primary Contact: Ken Starck - Phone: 410-682-4013
Billing Contact: Ken Starck - 9600 Pulaski Park Dr Ste 124 Middle River, MD 21220-1472 - Phone: 410-682-4013

Location ID: 701818
Phone:
NOB/SIC: Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088747V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001073758		Manchester	1992	10/20/2020	Recurring Cert	Active	Trailer

Total Objects at this Location: 1

Location: Preserve @ Owings Crossing
Address: 16 Brookebury Dr - Reisterstown, MD 21136-2810
County: Baltimore **FIPS:** 24005
Primary Contact: Kevin Johnson - Phone: 410-833-8040 - Email: kevin.Johnson@watertonresidential.com
Billing Contact: Corinne DeVincentis - 160 Clubhouse Rd King Of Prussia, PA 19406-3300 - Phone: 610-945-1507 - Email: cdevincentis@morgan-properties.com

Location ID: 720469
Phone: 410-833-8040
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161332H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108100		Bradford White	1996	04/26/2020	Recurring Cert	Active	16 Brookebu

Total Objects at this Location: 1

Location: Pulaski Tire Service Inc
Address: 7804 Pulaski Hwy - Rosedale, MD 21237-2608
County: Baltimore **FIPS:** 24005
Primary Contact: Pulaski Tire Service Inc
Billing Contact: - 7804 Pulaski Hwy Rosedale, MD 21237-2608

Location ID: 722087
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159242V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000202294		Brunner	1987	01/09/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Putty Hill Body Shop
Address: 8225 Belair Rd - Baltimore, MD 21236-3400
County: Baltimore **FIPS:** 24005
Primary Contact: Charles F. Schluter - Phone: 410-668-0660
Billing Contact: - 8225 Belair Rd Baltimore, MD 21236-3423 - Phone: 4106680660

Location ID: 722111
Phone: 410-668-0660
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146244V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000067825		Steel Fab	2005	10/13/2022	Recurring Cert	Active	Comp Shed
MD168322V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000396836		Steel Fab	2005	11/19/2022	Recurring Cert	Active	Inside last shop past paint booth

Total Objects at this Location: 2

Location: Putty Hill Exxon
Address: 8101 Belair Rd - Baltimore, MD 21236-3402
County: Baltimore **FIPS:** 24005
Primary Contact: Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Billing Contact: Kathleen McCaney - 3801 W Chester Pike Newtown Square, PA 19073-2320 - Phone: 610-833-3761 - Email: kathleen.mccaney@sunoco.com

Location ID: 722112
Phone:
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121997V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000317825		Manchester	2004	02/17/2023	Recurring Cert	Active	Car Wash

Total Objects at this Location: 1

Location: Qdoba (NuCo2) #694366 **Location ID:** 4003443
Address: 1470 Martin Blvd - Middle River, MD 21220-4105 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166399V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000330142	31935743	CHART	2019	01/17/2022	Recurring Cert	Active	Beverage Carbonation

Total Objects at this Location: 1

Location: Quest Diagnostics **Location ID:** 722206
Address: 1901 Sulphur Spring Rd - Halethorpe, MD 21227-2949 **Phone:** 410-536-1541
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Health services
Primary Contact: Dave Peters - Phone: 410-536-1541
Billing Contact: - PO Box 24120 Halethorpe, MD 21227-0620 - Phone: 410-536-1541

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099355V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000158080		Manchester	1994	02/25/2021	Recurring Cert	Active	1901 E WING
MD122415H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000061827		A O Smith	2001	02/25/2021	Recurring Cert	Active	1901 W WING
MD162610H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	CP7667024	Weil-McLain	2019	02/14/2021	Recurring Cert	Active	Equipment Room

Total Objects at this Location: 3

Location: Radebaugh North Greenhouses
Address: 1108 Bentley Rd - Freeland, MD 21053-9513
County: Baltimore **FIPS:** 24005
Primary Contact: Radebaugh North Greenhouses - Phone: 4103575405
Billing Contact: - 120 E Burke Ave Towson, MD 21286-1119 - Phone: 410-825-4300

Location ID: 722332
Phone: Doug 4435062497
NOB/SIC: Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD060812H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000020335		Bryan	1985	01/04/2022	Recurring Cert	Active	BLR RM
MD060813H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000020412		Bryan	1985	01/04/2022	Recurring Cert	Active	BLR RM
MD098481H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000039946		Bryan	1997	01/04/2022	Recurring Cert	Active	BLR RM
MD122544V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000023190		Steel Fab	1988	01/10/2022	Recurring Cert	Active	BLR RM
MD158996H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000331132		Raypak	2013	01/10/2022	Recurring Cert	Active	BLRM
Total Objects at this Location:				5							

Location: Ramada Inn
Address: 10100 York Rd - Cockeysville, MD 21030-3306
County: Baltimore **FIPS:** 24005
Primary Contact: Hiren Shah - Phone: 410-667-4900 - Email: greenhospitality@gmail.com
Billing Contact: Hiren Shah - 10100 York Rd Cockeysville, MD 21030-3306 - Phone: 410-667-4900 - Email: greenhospitality@gmail.com

Location ID: 709654
Phone:
NOB/SIC: Hotels, rooming houses, camps, and other lodging places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153028H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000103433	118433	Bradford White	2013	12/30/2021	Recurring Cert	Active	Boiler Room, Room 140
MD153029H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000104438	119438	Bradford White	2013	12/30/2021	Recurring Cert	Active	Laundry, Room 140
Total Objects at this Location:				2							

Location: Ramada Inn
Address: 1721 Reisterstown Rd - Pikesville, MD 21208-2915
County: Baltimore **FIPS:** 24005
Location ID: 722371
Phone: 410-486-5600
NOB/SIC: Hotels, rooming houses, camps, and other lodging places
Primary Contact: Yolande A. M. Lacan - Phone: 410-486-5600/410-484-9377 - Email: ra@ramadabaltimorewest.com
Billing Contact: - 1721 Reisterstown Rd Pikesville, MD 21208-2906 - Phone: 4104865600

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135416H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000197117		Lochinvar	2007	05/31/2022	Recurring Cert	Active	BLRM
MD161427H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000287995		Laars	2017	05/24/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 2

Location: Randallstown Self Service Car Repair & Bay Rental
Address: 8527 Liberty Rd Ste B - Randallstown, MD 21133-4836
County: Baltimore **FIPS:** 24005
Location ID: 3002217
Phone: 410-665-6605
NOB/SIC: General Automotive Repair Shops
Primary Contact: Randallstown Self Service Car Repair & Bay Rental
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125175V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001214781		CAMPBELL	2004	10/28/2022	Recurring Cert	Active	shop

Total Objects at this Location: 1

Location: Red Brick Station (Arc3)
Address: 8149 Honeygo Blvd - Nottingham, MD 21236-8209
County: Baltimore **FIPS:** 24005
Location ID: 3918188
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: Red Brick Station (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161854V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000149247		CHART	2003	12/11/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Red Lion Hotel North Baltimore
Address: 2004 Greenspring Drive - Lutherville/Timonium, MD 21093-4114
County: Baltimore **FIPS:** 24005
Location ID: 713896
Phone: 410-252-7373
NOB/SIC: Hotels and Motels
Primary Contact: Robert White - Phone: 410-252-7373 ext 768 - Email: rwhite@innercirclehotels.com
Billing Contact: Dana Boros - 1275 W Granada Blvd Ste 3B Ormond Beach, FL 32174-8105 - Phone: 386-947-7720 - Email: dboros@innercircleus.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119173H	HWH-1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109621	0203109621	PVI	2003	07/07/2021	Recurring Cert	Active	Penthouse
MD119174H	HWH-2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109620	0203109620	PVI	2003	07/07/2021	Recurring Cert	Active	Penthouse
MD158009V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000096243	102045-02	Niles Steel Tank Co.	2011	05/31/2021	Recurring Cert	Active	Penthouse
MD158010V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010417	95-6-G08901	A O Smith	1995	05/31/2021	Recurring Cert	Active	Penthouse

Total Objects at this Location: 4

Location: Red Lobster (NuCo2) # 117145
Address: 3 Restaurant Park Dr - Owings Mills, MD 21117-3578
County: Baltimore **FIPS:** 24005
Location ID: 3633557
Phone:
NOB/SIC: Industrial Gases
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161875V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000052742		Taylor-Wharton	2001	01/24/2021	Recurring Cert	Active	Water Heater Rm
MD161881H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000052742		A O Smith	2017	01/24/2021	Recurring Cert	Active	Water Heater Rm

Total Objects at this Location: 2

Location: Reisterstown Lumber & Glen Morris Rental
Address: 13040 Old Hanover Rd - Reisterstown, MD 21136-4717
County: Baltimore **FIPS:** 24005
Location ID: 722565
Phone:
NOB/SIC: Wood Products, NEC
Primary Contact: Duncan Forbes - Phone: 410-833-1300
Billing Contact: Lisa Schuster - 13040 Old Hanover Rd Reisterstown, MD 21136-4717 - Phone: 410-833-1300 - Email: Ischuster@reisterstownlumber.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090608V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000068106		Manchester	1994	06/21/2021	Recurring Cert	Active	Paint Shop
Total Objects at this Location:				1							

Location: Reisterstown Physical Therapy
Address: 461 Main St - Reisterstown, MD 21136-1930
County: Baltimore **FIPS:** 24005
Location ID: 1934510
Phone: 410-526-5300
NOB/SIC: Offices and Clinics of Doctors of Medicine
Primary Contact: Herb Weiss - Phone: 410-526-5300
Billing Contact: Herb Weiss - 461 Main St Reisterstown, MD 21136-1930 - Phone: 410-526-5300

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158991H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	351400170	Utica	2016	12/11/2021	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Reisterstown Shell
Address: 11903 Reisterstown Rd - Reisterstown, MD 21136-3030
County: Baltimore **FIPS:** 24005
Location ID: 722588
Phone:
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Mohammad Ahmad - Phone: 410-833-1878
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101905V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000079582		Manchester	1995	07/25/2022	External Cert, Recurring Cert	Active	Parts Room
Total Objects at this Location:				1							

Location: Republic Services Honeygo Run Reclamation Ctr.
Address: 10710 Philadelphia Rd - Perry Hall, MD 21128-9624
County: Baltimore **FIPS:** 24005
Primary Contact: Shannon Hunter - Phone: 410-335-9500
Billing Contact: Shannon Hunter - 10710 Philadelphia Rd Perry Hall, MD 21128-9624 - Phone: 410-335-9500

Location ID: 2704162
Phone: 410-335-9500
NOB/SIC: Business Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135096V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000430125		Manchester	2005	03/02/2022	Recurring Cert	Active	Maint Truck
MD153317V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001930927		CAMPBELL HAUSFELD	2015	03/02/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 2

Location: Research Park Assoc., LLC.
Address: 5525 Research Park Dr - Catonsville, MD 21228-4873
County: Baltimore **FIPS:** 24005
Primary Contact: Wayne Keener - Phone: 410-579-3423 - Email: wkeener@allegisgroup.com
Billing Contact: Wayne Keener - 7301 Parkway Dr Hanover, MD 21076-1159 - Phone: 410-579-3423 - Email: wkeener@allegisgroup.com

Location ID: 3487582
Phone:
NOB/SIC: Operators of Nonresidential Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148485H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000209272	EO8H0020927 2	Lochinvar	2008	02/25/2022	Recurring Cert	Active	Penthouse on the roof
MD148486H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000209273	EO8H0020927 3	Lochinvar	2008	02/25/2022	Recurring Cert	Active	Penthouse on the roof
MD148487H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000080418	EB10177902	Lochinvar	2008	02/25/2022	Recurring Cert	Active	Penthouse on the roof
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000245925		A O Smith	2018	02/25/2022	Recurring Cert	Active	PENTHOUSE

Total Objects at this Location: 4

Location: Residence Inn by Marriott White Marsh
Address: 4980 Mercantile Road - White Marsh, MD 21236-4909
County: Baltimore **FIPS:** 24005
Location ID: 1082812
Phone: 410-933-9554
NOB/SIC: Hotels and Motels
Primary Contact: Leslie Atkinson - Phone: 410-933-9554 - Email: leslie.atkinson@marriott.com
Billing Contact: MCR Development, LLC. - 4980 Mercantile Rd Nottingham, MD 21236-4909 - Phone: 410-933-9554

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120044H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000149996		Lochinvar	2002	05/26/2022	Recurring Cert	Active	Mechanical Room
MD120045H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000149998		Lochinvar	2002	05/26/2022	Recurring Cert	Active	Mechanical Room
MD120046H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077570		State Industries	2003	05/26/2022	Recurring Cert	Active	First Floor Storage Rm
Total Objects at this Location:				3							

Location: Reters Crab House
Address: 509 Main St - Reisterstown, MD 21136-1907
County: Baltimore **FIPS:** 24005
Location ID: 722670
Phone: 410-526-3300
NOB/SIC: Miscellaneous Food Stores
Primary Contact: Brad Reter - Phone: 410-526-3300 - Cell: 410-935-1963 - Email: reter@verizon.net
Billing Contact: - 509 Main St Reisterstown, MD 21136-1907 - Phone: 410-526-3300

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103973		Vertical Fire Tube	S - Power-Cooking (Steam > 15 psig)	000138220	148240	Columbia Boiler Co	1998	01/13/2020	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Ridgeway Automotive
Address: 585 Frederick Rd - Catonsville, MD 21228-4624
County: Baltimore **FIPS:** 24005
Primary Contact: Jeff Holden - Phone: 410-144-4644 - Email: ridgewayjeff@verizon.net
Billing Contact: Jeff Holden - 585 Frederick Rd Catonsville, MD 21228-4624 - Phone: 410-144-4644 - Email: ridgewayjeff@verizon.net

Location ID: 722771
Phone: 410-744-4664
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110626V	Comp #2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00035592K		Brunner	1996	01/11/2022	Recurring Cert	Active	Compressor Rm, Comp #2
MD118151V	Comp #1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000109812		Manchester	2002	01/11/2022	Recurring Cert	Active	Compressor Rm, Comp #1

Total Objects at this Location: 2

Location: Rijen Automotive/Uhaul
Address: 8618 Loch Raven Blvd - Towson, MD 21286-2304
County: Baltimore **FIPS:** 24005
Primary Contact: Rijen Automotive - Phone: 410-296-2270
Billing Contact: - 8618 Loch Raven Blvd Towson, MD 21286-2304 - Phone: 410-296-2270

Location ID: 702421
Phone: 410-296-2270
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080997V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000034726		Brunner	1979	10/21/2021	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Roberts Oyxgen (Hyperheal Hyperbarics Inc)
Address: 9411 Philadelphia Rd - Rosedale, MD 21237-4168
County: Baltimore **FIPS:** 24005
Primary Contact: Roberts Oyxgen (Hyperheal Hyperbarics Inc)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Location ID: 3868689
Phone:
NOB/SIC: Specialty Outpatient Facilities, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161405V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000077583		CHART	2017	06/03/2022	Recurring Cert	Active	Outside/Caged Area

Total Objects at this Location: 1

Location: Rock Oak Properties LLC
Address: 6600 Moravia Park Dr - Baltimore, MD 21237-1020
County: Baltimore **FIPS:** 24005
Primary Contact: James Evans
Billing Contact: James Evans - PO Box 72007 Baltimore, MD 21237-8007

Location ID: 728351
Phone: 410-686-1101
NOB/SIC: Women's, Misses' and Juniors' Suits, Skirts, and Coats

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092581V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000249032		Manchester	1994	06/24/2021	External Cert, Recurring Cert	Active	Loading Dock Old Boiler Room
MD146178V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000427537		Manchester	2005	06/24/2021	Recurring Cert	Active	2nd FI Stoor Rm

Total Objects at this Location: 2

Location: Rosedale Federal Savings and Loans
Address: 6810 York Rd - Baltimore, MD 21212-1808
County: Baltimore **FIPS:** 24005
Primary Contact: Danette Moss - Phone: 410-668-4400 x337 - Email: dmoss@rosedalefederal.com
Billing Contact:

Location ID: 3882586
Phone: 410-377-4330
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161103H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CGM-6 353844	Weil-McLain	1979	06/19/2020	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Royal Farms
Address: 7300 Bethlehem Blvd - Sparrows Point, MD 21219
County: Baltimore **FIPS:** 24005
Primary Contact: Royal Farms
Billing Contact:

Location ID: 4046412
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168313V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000013246		Minnesota Valley Engineering	1987	11/10/2022	Recurring Cert	Active	Outside Cabinet

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	-------------------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

Total Objects at this Location: 1

Location: Royal Motors
Address: 1766 E Joppa Rd - Parkville, MD 21234-3621
County: Baltimore **FIPS:** 24005
Primary Contact: Hassan Najafali
Billing Contact: Hassan Najafali - 1766 E Joppa Rd Parkville, MD 21234-3621

Location ID: 720883
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101993V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072595		Steel Products	1993	10/25/2020	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Rtown Ford
Address: 9311 Liberty Rd - Randallstown, MD 21133-3525
County: Baltimore **FIPS:** 24005
Primary Contact: Mike Bullis - Phone: 410-673-1746 - Email: mbullis@pestonmotor.com
Billing Contact: Mike Bullis - PO Box 399 Preston, MD 21655-0399 - Phone: 410-673-1746 - Email: mbullis@pestonmotor.com

Location ID: 727537
Phone: 410-655-2000
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD065022V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000027780		Brunner	1987	05/06/2022	Recurring Cert	Active	Outside Shed
MD123975V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000230097		Manchester	2003	05/06/2022	Recurring Cert	Active	Outside Shed

Total Objects at this Location: 2

Location: Ruby Tuesday - 5029 **Location ID:** 3646033
Address: 8731 Liberty Rd - Randallstown, MD 21133-4708 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Ruby Tuesday, Inc. - Phone: 316.685.1622 x 3733 - Email: riskmanagement@rubytuesday.com
Billing Contact: - PO Box 781199 Wichita, KS 67278-1199 - Phone: 316.685.1622 x 3733 - Email: riskmanagement@rubytuesday.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152010H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000191738		A O Smith	2014	09/29/2021	Recurring Cert	Active	Rear Mech Rm
Total Objects at this Location:				1							

Location: Ryleigh's Oyster (Arc3) **Location ID:** 3925620
Address: 22 W Padonia Rd - Lutherville Timonium, MD 21093-2226 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Ryleigh's Oyster (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163497V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	00080839		MVE	1998	02/27/2023	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Safeway Store #1880 **Location ID:** 1931497
Address: 8858 Waltham Woods Rd - Baltimore, MD 21234-2402 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Grocery Stores
Primary Contact: Jerry Hargett - Phone: 410-882-8822 - Email: s1880c90@safeway.com
Billing Contact: NASC - Tax and Licensing - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125202V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000025933		Standard Refrigeration	1999	07/12/2022	Recurring Cert	Active	Outside Compressor Room
MD125203V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000025934		Standard Refrigeration	1999	07/12/2022	Recurring Cert	Active	Outside Compressor Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150115H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000190026	190026	A O Smith	2014	07/12/2022	Recurring Cert	Active	Dairy Area

Total Objects at this Location: 3

Location: Safeway Store #2979
Address: 1017 York Rd - Towson, MD 21204-2516
County: Baltimore **FIPS:** 24005
Primary Contact: Patricia Hutchinson - Phone: 410-296-2267 - Email: s2979c90@safeway.com
Billing Contact: NASC - Tax and Licensing - PO Box 29096 MS #6531 Phoenix, AZ 85038-9096 - Phone: 623-869-4443 - Email: nasc.tax@safeway.com

Location ID: 2865539
Phone:
NOB/SIC: Grocery Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157187H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000203351		A O Smith	2015	03/03/2023	Recurring Cert	Active	Above Dairy

Total Objects at this Location: 1

Location: Saft America
Address: 109 Beaver Ct - Cockeysville, MD 21030-2104
County: Baltimore **FIPS:** 24005
Primary Contact: Saft America
Billing Contact: - 109 Beaver Ct Cockeysville, MD 21030-2104

Location ID: 3692997
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153539V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000011931	T13449	Air Com	2011	04/19/2022	Recurring Cert	Active	Battery Test Area
MD161897V	left	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000821105		Steel Fab	2016	01/29/2023	Recurring Cert	Active	Mezzanine
MD161898V	right	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854256		Steel Fab	2017	01/29/2023	Recurring Cert	Active	Mezzanine

Total Objects at this Location: 3

Location: Saft America Inc
Address: 107 Beaver Ct - Cockeysville, MD 21030-2106
County: Baltimore **FIPS:** 24005
Primary Contact: Henry Netro - Phone: (410) 771-3200
Billing Contact: - 107 Beaver Ct Cockeysville, MD 21030-2106 - Phone: 4107713200

Location ID: 723689
Phone:
NOB/SIC: Electrical and electronic equipment

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128002V	#1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000415067	00000	Steel Fab	2005	04/19/2022	Recurring Cert	Active	Drier Rm 1 mezzanine
MD128003V	#2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000415066		Steel Fab	2005	04/19/2022	Recurring Cert	Active	Drier Rm & Mezzanine
MD153540	Boiler 2	Miniature Boiler (NOT Fired Kettle)	S - Power-Electric Generation (Steam > 15 psig)	000022966	28462	Chromalox	2014	06/19/2021	Recurring Cert	Active	Formation shop
MD153541	Boiler 1	Miniature Boiler (NOT Fired Kettle)	S - Power-Electric Generation (Steam > 15 psig)	000022965	28461	Chromalox	2014	06/19/2021	Recurring Cert	Active	Formation shop
MD153542	Boiler 3	Miniature Boiler (NOT Fired Kettle)	S - Power-Electric Generation (Steam > 15 psig)	000022967	28460	Chromalox	2014	06/19/2021	Recurring Cert	Active	Formation Shop
MD153543	Boiler 4	Miniature Boiler (NOT Fired Kettle)	S - Power-Electric Generation (Steam > 15 psig)	000022968	28463	Chromalox	2014	06/19/2021	Recurring Cert	Active	Formation shop
NEW		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000070811	102512	B W B D-89331 Burgau	2019	10/27/2022	Recurring Cert	Active	Battery Test Area

Total Objects at this Location: 7

Location: Saint Charles House
Address: 11 Church Ln - Pikesville, MD 21208-6607
County: Baltimore **FIPS:** 24005
Primary Contact: Ed Organ - Cell: 443 527 0235 - Email: eorgan@cc-md.org
Billing Contact: Ed Organ - 11 Church Ln Pikesville, MD 21208-6607 - Cell: 443 527 0235 - Email: eorgan@cc-md.org

Location ID: 723759
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163526H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	756535	Peerless	2018	01/23/2023	Recurring Cert	Active	Equipment Room
MD163527H	2	Cast Iron	H - Hot Water Heat (Water <=	CI	756536	Peerless	2018	01/23/2023	Recurring Cert	Active	Equipment Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
160 psig, 250 F)											
Total Objects at this Location:				2							

Location: Saint Johns Lutheran Church Of Blenhiem
Address: 13300 Manor Rd - Glen Arm, MD 21057-9612
County: Baltimore **FIPS:** 24005
Location ID: 723891
Phone:
NOB/SIC: Religious Organizations
Primary Contact: Kenneth Otto - Phone: 410-592-8018 - Chruch - Cell: 410-592-6030 - Home - Email: jkotto1@comcast.net
Billing Contact: - 13300 Manor Rd Glen Arm, MD 21057-9612 - Phone: 410-592-8018

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121035H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64581421	Burnham	2003	10/06/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Saint Johns United Church of Christ
Address: 1000 S Rolling Rd - Catonsville, MD 21228-5470
County: Baltimore **FIPS:** 24005
Location ID: 989015
Phone:
NOB/SIC: Religious Organizations
Primary Contact: Saint Johns United Church of Christ
Billing Contact: - 1000 S Rolling Rd Catonsville, MD 21228-5320

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114521H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Slant Fin	1989	01/11/2022	Recurring Cert	Active	MANSION HSE
MD114522H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Slant Fin	1989	01/11/2022	Recurring Cert	Active	MANSION HSE
MD153325H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		Slant Fin	2013	01/11/2022	Recurring Cert	Active	CHURCH BSMT
Total Objects at this Location:				3							

Location: Saint Matthews United Methodist Church
Address: 101 Avon Beach Rd - Dundalk, MD 21222-6105
County: Baltimore **FIPS:** 24005
Location ID: 724061
Phone:
NOB/SIC: Membership organizations
Primary Contact: Dorothy Taylor - Phone: 410-285-4466 - Cell: 443-956-8071 - Email: dorotaylor1@live.com
Billing Contact: Dorothy Taylor - 101 Avon Beach Rd Dundalk, MD 21222-6105 - Phone: 410-285-4466 - Cell: 443-956-8071 - Email: dorotaylor1@live.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD045719H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	FD19646	Columbia	1986	10/11/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Saint Pauls Evangelical Lutheran Church
Address: 15773 Dover Rd - Upperco, MD 21155-9516
County: Baltimore **FIPS:** 24005
Location ID: 724112
Phone: 410-239-3456
NOB/SIC: Membership organizations
Primary Contact: Leon Fleming - Phone: 443-277-5104 - Email: leomf1207@yahoo.com
Billing Contact: - 15773 Dover Rd Upperco, MD 21155-9516 - Phone: 410-239-3456

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD077322H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2501679	Weil-McLain	1993	07/27/2021	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Salem United Methodist Church of Hebbville
Address: 7509 Windsor Mill Rd - Baltimore, MD 21244-2034
County: Baltimore **FIPS:** 24005
Location ID: 1867610
Phone: 410-655-4063
NOB/SIC: Religious Organizations
Primary Contact: David M Koontz - Phone: 410-608-2360 - Cell: 410-549-1578 - Email: dmkoontz45@comcast.net
Billing Contact: David M Koontz - 7509 Windsor Mill Rd Baltimore, MD 21244-2034 - Phone: 410-608-2360 - Cell: 410-549-1578 - Email: dmkoontz45@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124233H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2004	01/22/2022	Recurring Cert	Active	BLRM
MD124234H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1998	01/22/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 2

Location: Salvo Auto Parts & Parts City
Address: 14 Back River Neck Rd - Essex, MD 21221-3701
County: Baltimore **FIPS:** 24005
Primary Contact: Carol Brown - Phone: 410-686-8200
Billing Contact:

Location ID: 724282
Phone: 410-686-8200
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161499H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2017	08/01/2022	Recurring Cert	Active	STOREROOM
Total Objects at this Location:				1							

Location: Sam's Club - 6239
Address: 15 Texas Station Ct - Timonium, MD 21093-8263
County: Baltimore **FIPS:** 24005
Primary Contact: Sam's Club - 6239
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Location ID: 2654790
Phone: 479-204-2073
NOB/SIC: Miscellaneous services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141632V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000815216		Manchester	2007	04/07/2023	Recurring Cert	Active	Tire Shop
MD141633V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000023792		Standard	1999	04/07/2023	Recurring Cert	Active	Equip Room
MD141634V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000023777		Standard	1999	04/07/2023	Recurring Cert	Active	Equip Room
Total Objects at this Location:				3							

Location: Sam's Club - 6650

Address: 6410 Petrie Way Rd - Rosedale, MD 21237-3034

County: Baltimore

FIPS: 24005

Location ID: 953417

Phone:

NOB/SIC: Manufacturing Industries, NEC

Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118052V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000578909		Manchester	2001	07/15/2023	Recurring Cert	Active	Shop Compressor Room
MD140474V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000042791		Standard	2002	07/15/2023	Recurring Cert	Active	Rack A Outside
MD140475V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000042791		Standard	2002	07/15/2023	Recurring Cert	Active	Rack B Outside

Total Objects at this Location: 3

Location: Sam's Club - 6651

Address: 5702 Baltimore National Pike - Catonsville, MD 21228-1306

County: Baltimore

FIPS: 24005

Location ID: 724301

Phone:

NOB/SIC: Automotive Dealers, NEC

Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113625V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000571705		Manchester	2001	06/14/2022	Recurring Cert	Active	Tire Shop
MD154885V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000045965		Westermeyer	2015	06/14/2022	Recurring Cert	Active	New Moter Room
MD154886V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000048076		Westermeyer	2015	06/14/2022	Recurring Cert	Active	New Moter Room

Total Objects at this Location: 3

Location: Sams Club
Address: 15 Texas Station Ct - Lutherville Timonium, MD 21093-8263
County: Baltimore **FIPS:** 24005
Primary Contact: Sams Club
Billing Contact:

Location ID: 3316728
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161849V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000177606		CHART	2002	02/27/2023	Recurring Cert	Active	Outside Caged Area

Total Objects at this Location: 1

Location: Sams Club
Address: 5702 Baltimore National Pike - Catonsville, MD 21228-1306
County: Baltimore **FIPS:** 24005
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3316734
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149096V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000247182		CHART	2013	05/17/2023	Recurring Cert	Active	Outside rear enclosure

Total Objects at this Location: 1

Location: Sams Club
Address: 6410 Petrie Way Rd. - Baltimore, MD 21237-3034
County: Baltimore **FIPS:** 24005
Primary Contact: Sams Club
Billing Contact: Ian Harper - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 ext 30667 - Email: regulatoryportal@nuco2.com

Location ID: 3316732
Phone:
NOB/SIC: Miscellaneous General Merchandise Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147087V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000244578		CHART	2013	07/15/2023	Recurring Cert	Active	Deli

Total Objects at this Location: 1

Location: Schafer Building
Address: 1703-1705 E Joppa Rd - Towson, MD 21286
County: Baltimore **FIPS:** 24005
Location ID: 720969
Phone:
NOB/SIC: Holding and other investment offices
Primary Contact: Tim & Gretchen McGrath - Phone: 410-299-8841
Billing Contact: Tim & Gretchen McGrath - 2009 Dumont Rd Timonium, MD 21093-4409 - Phone: 410-299-8841

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD082221H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	19073398	Bryant	1975	12/10/2022	Recurring Cert	Active	Basement
MD082222H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	3877v00251	Bryant	1975	12/10/2022	Recurring Cert	Active	Basement
MD082223H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1677v00230	Bryant	1975	12/10/2022	Recurring Cert	Active	Basement
MD082224H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	4377v00215	Bryant	1975	12/10/2022	Recurring Cert	Active	Basement
Total Objects at this Location:				4							

Location: Season's Pizza (Arc3)
Address: 20 Church Ln - Cockeysville, MD 21030-4902
County: Baltimore **FIPS:** 24005
Location ID: 3925618
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: Season's Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163498V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000121443		MVE	2000	02/27/2023	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Security Equipment Co
Address: 3828 Washington Blvd - Baltimore, MD 21227-1629
County: Baltimore **FIPS:** 24005
Location ID: 1848249
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Thomas Drescher - Phone: 410-247-9600
Billing Contact: Thomas Drescher - 3828 Washington Blvd Baltimore, MD 21227-1629 - Phone: 410-247-9600

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123996V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000627741		Buckeye	1985	04/10/2023	Recurring Cert	Active	#1 Shop(Main) Loft
MD157715V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000472672	530891	Morganton	2015	04/28/2023	Recurring Cert	Active	Rental(Shop 2)
Total Objects at this Location:				2							

Location: Seton Park Apartments
Address: 3612 Bowers Ave - Woodlawn, MD 21207-6961
County: Baltimore **FIPS:** 24005
Location ID: 724646
Phone: 410-488-0900
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Felicia Gross - Phone: 410-448-0900 - Email: feliciag@marylandmgmt.com
Billing Contact: Nickia Fulton - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153065H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000186782		A O Smith	2013	10/21/2021	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Seton Park Apartments
Address: 5600 Burtis Ave - Woodlawn, MD 21207-6968
County: Baltimore **FIPS:** 24005
Location ID: 724651
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Felicia Gross - Phone: 410-448-0900 - Email: feliciag@marylandmgmt.com
Billing Contact: Nickia Fulton - 3601 Parkview Ave Ste B Woodlawn, MD 21207-6922 - Phone: 410-448-0900 - Email: seaton_manager@maylandmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153066H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000178100		A O Smith	2013	10/21/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Seven Mile Lane Apartments
Address: 3907 Seven Mile Lane - Pikesville, MD 21208-6109
County: Baltimore **FIPS:** 24005
Location ID: 724658
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jon Fink - Phone: 410-764-1000
Billing Contact: Jon Fink - 6999 Reisterstown Rd Ste 6 Baltimore, MD 21215-1492 - Phone: 410-764-1000

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160205H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000229347	229347	A.O. Smith	2017	01/25/2022	Recurring Cert	Active	Laundry Room
Total Objects at this Location:				1							

Location: Sheehy Nissan
Address: 5361 Nottingridge Rd - White Marsh, MD 21162
County: Baltimore **FIPS:** 24005
Location ID: 3919004
Phone:
NOB/SIC:
Primary Contact: Shawn Fenwick - Phone: 4432709000 - Email: shawnfenwick@sheehy.com
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152728V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000798924		Steel Fab	2015	01/15/2022	Recurring Cert	Active	Rear Shed
Total Objects at this Location:				1							

Location: Shultz's Crabhouse & Restaurant
Address: 1732 Old Eastern Ave - Essex, MD 21221-2203
County: Baltimore **FIPS:** 24005
Location ID: 724945
Phone:
NOB/SIC: Eating and drinking places
Primary Contact: Shultz's Crabhouse & Restaurant - Phone: 4106871020
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110528H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI		Weil-McLain	1997	07/25/2021	Recurring Cert	Active	Outside Rear Boiler Room
MD110530H		Cast Iron	H - Heating-Cooking (Steam	CI	10008621	Burnham	1996	07/25/2021	Recurring Cert	Active	Outside Rear Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
<= 15 psig)											

Total Objects at this Location: 2

Location: Silver Spring Mining Co (Arc3) **Location ID:** 3949964
Address: 8634 Belair Rd - Nottingham, MD 21236-2704 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Silver Spring Mining Co (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163593V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000124908		MVE	2000	04/16/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Sizzle Eat Drink (Arc3) **Location ID:** 4039048
Address: 11455 Pulaski Hwy - White Marsh, MD 21162-1511 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Sizzle Eat Drink (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000271776		CHART	2018	08/27/2022	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Skipjack's Restaurant
Address: 7703 Belair Rd - Baltimore, MD 21236-4005
County: Baltimore
Primary Contact: Skipjack's Restaurant
Billing Contact:

FIPS: 24005

Location ID: 724425
Phone: 410-668-5053
NOB/SIC: Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128010H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105049		A O Smith	2006	12/12/2022	Recurring Cert	Active	Boiler Room
MD161879H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI	CROWNB0006 31222	Crown	2016	01/24/2023	Recurring Cert	Active	Boiler Rm

Total Objects at this Location: 2

Location: Skipjack's Restaurant (Arc3)
Address: 7703 Belair Rd - Nottingham, MD 21236-4005
County: Baltimore
Primary Contact: Skipjack's Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

FIPS: 24005

Location ID: 3949961
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158310V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004987		Taylor-Wharton	1988	09/05/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: SOM-DNR/Gunpowder Falls State Park
Address: 7200 Graces Quarter Rd - Chase, MD 21027
County: Baltimore
Primary Contact: John McInerney - Phone: 410-592-8760 - Cell: 443-854-2803 - Email: jmcinerney@dnr.state.md.us
Billing Contact: John McInerney - PO Box 480 Kingsville, MD 21087-0480 - Phone: 410-592-8760 - Cell: 443-854-2803 - Email: jmcinerney@dnr.state.md.us

FIPS: 24005

Location ID: 712908
Phone: 410-335-3461
NOB/SIC: Land, Mineral, Wildlife, and Forest Conservation

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128310H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2006	08/03/2021	Recurring Cert	Active	Maintenance Shop
MD151020H		Cast Iron	H - Hot Water	CI		Weil-McLain	2009	08/03/2021	Recurring Cert	Active	Beach House

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								
MD153318V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000348259		Morganton	2014	08/03/2021	Recurring Cert	Active	Maintenance Ship
Total Objects at this Location:				3							

Location: SOM-MDOT/SHA/State Hwy/Lutherville
Address: 10615 Falls Rd - Lutherville, MD 21093
County: Baltimore
FIPS: 24005
Location ID: 988650
Phone:
NOB/SIC: Public Finance, Taxation, and Monetary Policy
Primary Contact: Justin Schmidt - Phone: 410-329-6752 - Cell: 443-829-1878 - Email: jschmidt2@sha.state.md.us
Billing Contact: Greg Keenan - 7491 Connelley Dr Bldg 1 Hanover, MD 21076-1701 - Phone: 410-582-5585 - Email: gkeenan@mdot.maryland.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD038917V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000255450		Buckeye	1980	01/15/2022	Recurring Cert	Active	Truck Shed
Total Objects at this Location:				1							

Location: SOM-MDOT/SHA/State Hwy/Owings Mill
Address: 9130 Dolfield Rd - Owings Mills, MD 21117-3516
County: Baltimore
FIPS: 24005
Location ID: 717815
Phone: 410-363-1315
NOB/SIC: General Automotive Repair Shops
Primary Contact: Greg Keenan - Phone: 410-582-5585 - Email: gkeenan@mdot.maryland.gov
Billing Contact: Greg Keenan - 7491 Connelley Dr Bldg 1 Hanover, MD 21076-1701 - Phone: 410-582-5585 - Email: gkeenan@mdot.maryland.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD057467V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000A82154		Kargard	1983	10/20/2022	Recurring Cert	Active	Shop Loft
MD057468V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000A82182		Kargard	1983	10/20/2022	Recurring Cert	Active	Shop Loft
MD057469V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000A82179		Kargard	1983	10/20/2022	Recurring Cert	Active	Mower Shop
MD131439V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001050399		Manchester	2000	10/20/2022	Recurring Cert	Active	Vacuum Truck Storage
Total Objects at this Location:				4							

Location: SOM-MSP/State Police/Aviation Command **Location ID:** 717806
Address: 3023 Strawberry Point Rd - Middle River, MD 21220-5513 **Phone:** 410-238-5800
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Airports, Flying Fields, and Airport Terminal Services
Primary Contact: Walt Kuchta - Phone: 410-238-5800/410-238-5806 - Cell: 410-977-1299 - Email: walter.kuchta@maryland.gov
Billing Contact: Walt Kuchta - 3023 Strawberry Point Rd Middle River, MD 21220-5513 - Phone: 410-238-5800/410-238-5806 - Cell: 410-977-1299 - Email: walter.kuchta@maryland.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD049304V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000189659		Wessels	1981	03/26/2023	Recurring Cert	Active	Old Hanger Compressor Room
MD074615H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000028109	68616	Bryan	1990	03/26/2023	Recurring Cert	Active	Fire Pump Room
MD074616V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000896738		Buckeye	1989	03/26/2023	Recurring Cert	Active	Fire Pump Room

Total Objects at this Location: 3

Location: SOM-MSP/State Police/Forensic Science Laboratory **Location ID:** 1645676
Address: 221 Milford Mill Rd - Baltimore, MD 21208-5918 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Police Protection
Primary Contact: Heath Wilkins - Phone: 443-357-1300 ext. 1523 - Cell: 240-398-9720 - Email: hwilkins@lbbassociates.com
Billing Contact: Facilities Director - 221 Milford Mill Rd Baltimore, MD 21208-5918 - Phone: 443-357-1300

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123128H	Water Heater	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000115276		PVI Industries	2005	09/17/2021	Recurring Cert	Active	Boiler Room
MD123129H	Water Heater	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000115277		PVI Industries	2005	09/17/2021	Recurring Cert	Active	Boiler Room
MD123131H	Boiler #2	Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000010399	103072B	Sellers Engineering	2005	09/17/2021	Recurring Cert	Active	Boiler Room
MD123132V	Air Conditioning Chiller	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000044546		McQuay	2004	09/17/2021	Recurring Cert	Active	Boiler Room
MD123133V	Air Conditioning Chiller	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000044574		McQuay	2004	09/17/2021	Recurring Cert	Active	Boiler Room
MD123134V	Air Conditioning Chiller	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other	000044557		McQuay	2004	09/17/2021	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			w/comment								
MD123135V	Air Tank	Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000083187		Manchester	2004	09/17/2021	Recurring Cert	Active	Boiler Room
		w/comment									
MD141056H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2010	09/17/2021	Recurring Cert	Active	Boiler Room
MD141057H	Boiler #3	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		Weil-McLain	2010	09/17/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				9							

Location: SOM-NG/ARNG/National Guard Armory/Putty Hill **Location ID:** 717737
Address: 3727 Putty Hill Ave - Baltimore, MD 21236-3509 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** National Security
Primary Contact: Francis Scott Gostomski - Phone: 410-576-1441 - Cell: 410-446-2736
Billing Contact: Francis Scott Gostomski - 219 W 29th Division St Ofc Baltimore, MD 21201-2288 - Phone: 410-576-1441 - Cell: 410-446-2736

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104069H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	MB99-93	H B Smith	1999	02/25/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: SOM/Catonsville District Court **Location ID:** 4003108
Address: 1 Rolling Crossroad - Catonsville, MD 21228 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Delbert Stallings - Phone: 410-455-7820 - Cell: 443-610-8590 - Email: delbert.stallings@maryland.gov
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166556H	1	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000081549		Aerco	2019	02/28/2022	Recurring Cert	Active	Boiler Room
MD166557H	2	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000081547		Aerco	2019	01/29/2022	Recurring Cert	Active	Boiler Room
MD166558H	3	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000081550		Aerco	2019	01/29/2022	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166559H	GWH-1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000431410		Shield	2018	01/29/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 4

Location: Sorrento's (Arc3) **Location ID:** 3931265
Address: 6220 Baltimore National Pike - Catonsville, MD 21228-2920 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Sorrento's (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163524V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142315		CHART	2002	02/28/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Sparrows Point Terminal **Location ID:** 3290552
Address: 1600 Sparrows Point Blvd - Sparrows Point, MD 21219 **Phone:** 443-386-3619
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Steel Works, Blast Furnaces (Including Coke Ovens), and Rolling Mills
Primary Contact: Mike Vogler - Phone: 443-386-3619
Billing Contact: Mike Vogler - 1600 Sparrows Point Blvd Sparrows Point, MD 21219 - Phone: 443-386-3619

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD014502V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022646		Patterson Kelley	1962	08/14/2021	Recurring Cert	Active	Loco Repair outside sand house
MD057946V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000008923	N/A	Steel Products	1983	08/14/2021	Recurring Cert	Active	SPT Bldg
MD083878V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000638	1764	Bixby	1991	08/14/2021	Recurring Cert	Active	145 Fuel Truck - Locomotive Shop
MD118680V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000311550	N/A	Steel Fab	2002	08/14/2021	Recurring Cert	Active	HCWWTP New Bldg
MD138770V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001005850	N/A	Manchester	2008	08/14/2021	Recurring Cert	Active	Locomotive Repair Shop

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159363V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000334202	274596	Morganton	2013	07/21/2021	Recurring Cert	Active	East Rcvr Water Hightead

Total Objects at this Location: 6

Location: Springhouse of Pikesville #519
Address: 8911 Reisterstown Rd - Pikesville, MD 21208-1072
County: Baltimore **FIPS:** 24005
Location ID: 725584
Phone: 410-486-5500
NOB/SIC: Offices and Clinics of Doctors of Medicine
Primary Contact: Bruce M. Helberg - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org
Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155888H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000297422		Lochinvar	2016	10/06/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Stiffers Service Center
Address: 606 Eastern Blvd - Essex, MD 21221-4907
County: Baltimore **FIPS:** 24005
Location ID: 725795
Phone:
NOB/SIC: General Automotive Repair Shops
Primary Contact: Paul Stiffler - Phone: 410-391-5113
Billing Contact: Paul Stiffler - 606 Eastern Blvd Essex, MD 21221-4907 - Phone: 410-391-5113

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD027962V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000499806		Buckeye	1984	11/20/2021	Recurring Cert	Active	BASEMENT
MD027963V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000044358		Melben	1982	11/20/2021	Recurring Cert	Active	BASEMENT

Total Objects at this Location: 2

Location: Subway
Address: 1725 Chesaco Ave - Rosedale, MD 21237-1518
County: Baltimore **FIPS:** 24005
Primary Contact: Subway
Billing Contact:

Location ID: 3634840
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156884V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000074222	SN750-015- W45	Taylor-Wharton	2004	12/23/2022	External Cert	Active	Inside Store Room

Total Objects at this Location: 1

Location: Subway
Address: 19 Shipping PI - Baltimore, MD 21222-4318
County: Baltimore **FIPS:** 24005
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3634781
Phone: 410-282-2796
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156474V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000168369	SNCJCP05M1 60	CHART	2005	02/04/2021	Recurring Cert	Active	Inside

Total Objects at this Location: 1

Location: Subway (Arc3)
Address: 8767L Philadelphia Rd - Rosedale, MD 21237-4700
County: Baltimore **FIPS:** 24005
Primary Contact: Subway (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3989650
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165394V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000132631		CHART	2001	10/30/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Subway - 26880 (Arc3) **Location ID:** 3949971
Address: 1227 Eastern Blvd - Essex, MD 21221-3422 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Subway - 26880 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163581V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000124462		MVE	2000	04/16/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Subway - Walmart (Arc3) **Location ID:** 3992512
Address: 1 Frankel Way - Cockeysville, MD 21030-3220 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Subway - Walmart (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167298V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142625		CHART	2002	11/22/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Sudsville Laundry **Location ID:** 725964
Address: 8533 Liberty Rd - Randallstown, MD 21133-4832 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Miscellaneous Personal Services, NEC
Primary Contact: Sudsville Laundry
Billing Contact: John Quartner - 1933 Greenspring Dr Timonium, MD 21093-4113 - Phone: 410-252-4877 - Cell: 410-241-1414

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137681H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000113458		A O Smith	2007	07/15/2021	Recurring Cert	Active	blrm
MD137682H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000115340		A O Smith	2007	07/15/2021	Recurring Cert	Active	blrm

Total Objects at this Location: 2

Location: Sunbelt Rentals
Address: 8510 Old Harford Rd - Parkville, MD 21234-3920
County: Baltimore **FIPS:** 24005
Primary Contact: Joshua Miller - Phone: 410-661-2500 - Email: pc180@sunbeltrentals.com
Billing Contact: - 8510 Old Harford Rd Parkville, MD 21234-3920 - Phone: 4106610500

Location ID: 701911
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121990V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000372248		Manchester	2003	07/15/2021	Recurring Cert	Active	shop

Total Objects at this Location: 1

Location: Sunbelt Rentals - 157
Address: 7605 Pulaski Hwy - Rosedale, MD 21237-2605
County: Baltimore **FIPS:** 24005
Primary Contact: Kim Cook - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com
Billing Contact: Kim Cook - PO Box 410928 Charlotte, NC 28241-0928 - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com

Location ID: 2910452
Phone: 410-866-9302
NOB/SIC: Construction Machinery and Equipment

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137503V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000236341		Steel Fab	2000	05/28/2023	Recurring Cert	Active	shop

Total Objects at this Location: 1

Location: Sunoco #0158-2949 (Sunoco)
Address: 9330 Lakeside Blvd - Owings Mills, MD 21117-4953
County: Baltimore **FIPS:** 24005
Primary Contact: Sunoco #0158-2949 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 3993008
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165826V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000483430		Manchester	1997	11/21/2021	Recurring Cert	Active	Car Wash

Total Objects at this Location: 1

Location: Superior Shine
Address: 6625 Grove Ave - Windsor Mill, MD 21244-2573
County: Baltimore **FIPS:** 24005
Primary Contact: Jarrod Rudo - Phone: 443-956-0299 - Email: jarrodrudo@yahoo.com
Billing Contact: Jarrod Rudo - 3302 Redspire Ln Pikesville, MD 21208-1961 - Phone: 443-956-0299 - Email: jarrodrudo@yahoo.com

Location ID: 718556
Phone: 410-298-9524
NOB/SIC: Carwashes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103923H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000139622		Ray	1997	10/07/2021	Recurring Cert	Active	Mech Rm
MD103924H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000143155		Ray	1997	10/07/2021	Recurring Cert	Active	Mech Rm
MD103925V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000535828		Manchester	1997	10/07/2021	Recurring Cert	Active	Mech Rm

Total Objects at this Location: 3

Location: Surg Center of Towson
Address: 1609 E Joppa Rd - Towson, MD 21286-2122
County: Baltimore **FIPS:** 24005
Primary Contact: Surg Center of Towson
Billing Contact: - 1609 E Joppa Rd Towson, MD 21286-2122 - Phone: 410-834-5600

Location ID: 3899355
Phone: 410-834-5600
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161782V	2	Autoclave	V - Process-Sterilizing	000070610	0394037	Amsco	1994	09/04/2022	Recurring Cert	Active	Clean Work Room
MD161783	2	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000002897	42511	Pemberton	2017	09/12/2021	Recurring Cert	Active	Clean Work Room
MD161784V	1	Autoclave	V - Process-Sterilizing	000061429	0390198	Amsco	1990	09/04/2022	Recurring Cert	Active	Clean Work Room
MD161785	1	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000002898	42512	Pemberton	2017	09/12/2021	Recurring Cert	Active	Clean Work Room
MD161786V	3	Autoclave	V - Process-Sterilizing	000064112	0591070	Amsco	1991	09/04/2022	Recurring Cert	Active	Clean Work Room
MD161787	3	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000002899	42513	Pemberton	2017	09/12/2021	Recurring Cert	Active	Clean Work Room

Total Objects at this Location: 6

Location: Surgicenter of Baltimore
Address: 23 Crossroads Dr - Owings Mills, MD 21117-5420
County: Baltimore **FIPS:** 24005
Location ID: 3775524
Phone:
NOB/SIC:
Primary Contact: Jennifer Grue - Phone: 410-356-8656 x101 - Cell: 443-789-3456
Billing Contact: Jennifer Grue - 23 Crossroads Dr Owings Mills, MD 21117-5420 - Phone: 410-356-8656 x101 - Cell: 443-789-3456

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157088H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000041855		R B I	2016	04/26/2023	Recurring Cert	Active	Penthouse
MD157089H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000041854		R B I	2016	04/26/2023	Recurring Cert	Active	Penthouse

Total Objects at this Location: 2

Location: Susquehanna Building
Address: 29 W Susquehanna Ave - Towson, MD 21204-5201
County: Baltimore **FIPS:** 24005
Location ID: 726143
Phone:
NOB/SIC: Offices of Holding Companies, NEC
Primary Contact: Cindy Mulligan - Phone: 410-484-8400 - Email: cmulligan@greenebaumenterprises.com
Billing Contact: Cindy Mulligan - 1829 Reisterstown Rd Ste 300 Baltimore, MD 21208-7106 - Phone: 410-484-8400 - Email: cmulligan@greenebaumenterprises.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112923H	Boiler #1	Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000076100	BL02-02-23000	Patterson Kelley	2002	06/22/2020	Recurring Cert	Active	Penthouse, Boiler #1
MD112924H	Boiler #2	Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000076102	BL02-02-23002	Patterson Kelley	2002	06/22/2020	Recurring Cert	Active	Penthouse, Boiler #2

Total Objects at this Location: 2

Location: Synagro Tech
Address: 7014 E Baltimore St - Baltimore, MD 21224-1828
County: Baltimore **FIPS:** 24005
Location ID: 3018709
Phone: (410) 284-4120
NOB/SIC: Farm Management Services
Primary Contact: William Vollmerhausen - Phone: 410-284-4120 x106 - Cell: 443-829-5530 - Email: wvollmerhausen@synagro.com
Billing Contact: William Vollmerhausen - 7014 E Baltimore St Baltimore, MD 21224-1828 - Phone: 410-284-4120 x106 - Cell: 443-829-5530 - Email: wvollmerhausen@synagro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145417V	Air Compr #1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000243595		Iamco	1990	04/06/2021	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Taco Bell
Address: 10245 Reisterstown Rd - Owings Mills, MD 21117-3605
County: Baltimore **FIPS:** 24005
Location ID: 3635117
Phone:
NOB/SIC: Industrial Gases
Primary Contact: Barbara Seward - Phone: 410-771-1880
Billing Contact: Barbara Seward - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156636V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000031026	SNIFC94G245	Cryogenic	1994	12/13/2020	Recurring Cert	Active	Inside Store Room
Total Objects at this Location:				1							

Location: Taco Bell
Address: 6200 Baltimore National Pike - Baltimore, MD 21228-2907
County: Baltimore **FIPS:** 24005
Location ID: 3635114
Phone:
NOB/SIC:
Primary Contact: Taco Bell
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164209V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000041389		Cryogenic	1995	06/12/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Taco Bell
Address: 6664 Security Blvd - Baltimore, MD 21207-4010
County: Baltimore **FIPS:** 24005
Primary Contact: Barbara Seward - Phone: 410-771-1880
Billing Contact: Barbara Seward - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

Location ID: 3635167
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153336V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000263694		CHART	2014	02/11/2020	Recurring Cert	Active	pantry
Total Objects at this Location:				1							

Location: Taco Bell #1748
Address: 700 Eastern Blvd - Essex, MD 21221-4909
County: Baltimore **FIPS:** 24005
Primary Contact: Barbara Seward - Phone: 410-771-1880
Billing Contact: Barbara Seward - 11019 McCormick Rd Ste 320 Hunt Valley, MD 21031-8670 - Phone: 410-771-1880

Location ID: 3635116
Phone:
NOB/SIC: Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156431V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000158360	SNCCAP04M145	CHART	2004	12/06/2020	Recurring Cert	Active	Inside Store Room
Total Objects at this Location:				1							

Location: Taco Bell (NuCo2) # 316955
Address: 28 Middle River Rd - Middle River, MD 21220-4114
County: Baltimore **FIPS:** 24005
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Location ID: 3635127
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158962V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290021		Chart	2016	07/19/2023	Recurring Cert	Active	Storage area
Total Objects at this Location:				1							

Location: Taco Bell - 032671 (Roberts) **Location ID:** 3635126
Address: 2301 E Joppa Rd - Baltimore, MD 21234 **Phone:** 410-668-5882
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Taco Bell - Phone: 410-668-5882
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158078V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290486		Chart Inc	2016	11/12/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Taco Bell - 032675 (Roberts) **Location ID:** 3635130
Address: 9928 York Rd - Cockeysville, MD 21030-3401 **Phone:** 410-683-1715
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Industrial Gases
Primary Contact: Taco Bell - 032675 (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156446V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290493	SN316213358	CHART	2016	03/04/2022	Recurring Cert	Active	Inside Store Room
Total Objects at this Location:				1							

Location: Taco Bell - 032676 (Roberts) **Location ID:** 3635131
Address: 7933 Belair Rd - Baltimore, MD 21236-3705 **Phone:** 410-665-5784
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Taco Bell - 032676 (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158086V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290479		Chart	2016	07/18/2023	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Taco Bell - 032676 (Roberts) **Location ID:** 3635132
Address: 8475 Cordon Way - White Marsh, MD 21162 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Taco Bell - 032676 (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159441V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290492		Chart Inc	2016	12/11/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Taco Bell - 32679 (Roberts) **Location ID:** 3975087
Address: 8311 Harford Rd - Parkville, MD 21234-5709 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156643V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290012	SN31620169	CHART	2016	10/16/2021	Recurring Cert	Active	Inside Store room
Total Objects at this Location:				1							

Location: Taco Bravo **Location ID:** 4023163
Address: 31 E Padonia Rd Ste E - Lutherville Timonium, MD 21093-2306 **Phone:** 443-689-7979
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 443-689-7979
Billing Contact: Manager on Duty - 31 E Padonia Rd Ste E Lutherville Timonium, MD 21093-2306 - Phone: 443-689-7979

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167229V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000031585		Taylor-Wharton	1996	06/01/2022	Recurring Cert	Active	Outside Rear of Bldg
Total Objects at this Location:				1							

Location: Taco Love Grill (Arc3) **Location ID:** 3918189
Address: 11550 Philadelphia Rd - White Marsh, MD 21162-1305 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Taco Love Grill (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161859V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000159986		CHART	2005	12/11/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Taco Toleca (Arc3) **Location ID:** 4045958
Address: 901 N Point Blvd - Baltimore, MD 21224-3422 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Taco Toleca (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000111906		MVE	1999	10/30/2022	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Target **Location ID:** 3635222
Address: 1330 Martin Blvd - Middle River, MD 21220-4104 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Target
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164206V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000161254		CHART	2005	06/11/2021	Recurring Cert	Active	Kitchen - Food Avenue

Total Objects at this Location: 1

Location: **Target**
Address: 1737 Reisterstown Rd - Pikesville, MD 21208-2907
County: Baltimore **FIPS:** 24005
Primary Contact: Target
Billing Contact:

Location ID: 3635216
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164208V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000144549		CHART	2007	06/12/2021	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: **Target**
Address: 5230 Campbell Blvd - Nottingham, MD 21236-4983
County: Baltimore **FIPS:** 24005
Primary Contact: Target
Billing Contact:

Location ID: 3635192
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164205V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000180995		CHART	2007	06/11/2021	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: **Tate Engineering**
Address: 1560 Caton Center Dr - Baltimore, MD 21227-1556
County: Baltimore **FIPS:** 24005
Primary Contact: Mike Sterner - Phone: 410-242-8800 - Email: mike.sterner@tate.com
Billing Contact: Mike Sterner - 3921 Vero Rd Baltimore, MD 21227-1564 - Phone: 410-242-8800 ext 150 - Email: Mike.Sterner@tate.com

Location ID: 726357
Phone:
NOB/SIC: Facilities Support Management Services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111300V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000392957		Buckeye	1983	04/02/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Taylor Garden Apartments
Address: 7605 Hillendale Rd - Baltimore, MD 21234-6007
County: Baltimore **FIPS:** 24005
Primary Contact: Sol RossKamm - Phone: 443 415 4916 - Email: sol@questmgtgroup.com
Billing Contact: Sol RossKamm - 1925 Old Valley Rd Stevenson, MD 21153-0670 - Phone: 443 415 4916 - Email: sol@questmgtgroup.com

Location ID: 730029
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141336H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000144069		A O Smith	2010	10/27/2021	Recurring Cert	Active	Store Room- 7605
Total Objects at this Location:				1							

Location: Taylor Garden Apartments
Address: 7621 Hillendale Rd - Baltimore, MD 21234-6059
County: Baltimore **FIPS:** 24005
Primary Contact: Sol RossKamm - Phone: 443 415 4916 - Email: sol@questmgtgroup.com
Billing Contact: Sol RossKamm - 1925 Old Valley Rd Stevenson, MD 21153-0670 - Phone: 443 415 4916 - Email: sol@questmgtgroup.com

Location ID: 730031
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147472H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000153658		A O Smith	2010	11/20/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: Ted Lansing Corporation
Address: 1720 Whitehead Rd - Baltimore, MD 21207-4003
County: Baltimore **FIPS:** 24005
Primary Contact: Wayne Hartman - Phone: 410-277-4400 - Email: baltimore@lansingbp.com
Billing Contact: J Christophe - 8501 Sanford Dr Richmond, VA 23228-2812 - Phone: 804-266-8893

Location ID: 953744
Phone:
NOB/SIC: Plastics Materials and Basic Forms and Shapes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118104H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	61-88293-0897	Peerless	1997	10/15/2021	Recurring Cert	Active	Warehouse
Total Objects at this Location:				1							

Location: Tempo Lounge
Address: 402 Back River Neck Rd - Essex, MD 21221-4602
County: Baltimore **FIPS:** 24005
Location ID: 995681
Phone: 410-391-4441
NOB/SIC: Nonclassifiable Establishments
Primary Contact: Alina Kellar - Phone: 410-391-4441
Billing Contact: Alina Kellar - 402 Back River Neck Rd Essex, MD 21221-4602 - Phone: 410-391-4441

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137459H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP6593342	Weil-McLain	2002	06/15/2021	External Cert, Recurring Cert	Active	Rear Bldg Basement

Total Objects at this Location: 1

Location: Tesla Motors
Address: 9428 Reisterstown Rd - Owings Mills, MD 21117-4405
County: Baltimore **FIPS:** 24005
Location ID: 3884224
Phone:
NOB/SIC:
Primary Contact: Service department - Phone: 410-415-1411
Billing Contact: Service department - 9428 Reisterstown Rd Owings Mills, MD 21117-4405 - Phone: 410-415-1411

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161110V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000596196		Morganton	2016	06/26/2022	Recurring Cert	Active	Shop Compressor Room
MD167318V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000841776		Morganton	2019	10/07/2022	Recurring Cert	Active	Paint Supply Storage

Total Objects at this Location: 2

Location: Tessemae's All Natural
Address: 8805 Kelso Dr - Essex, MD 21221-3112
County: Baltimore **FIPS:** 24005
Location ID: 1867807
Phone: 443-233-6414
NOB/SIC: Meat and Fish (Seafood) Markets, Including Freezer Provisioners
Primary Contact: Matthew Vetter - Cell: 443-223-6414 - Email: youngest@tessemaes.com
Billing Contact: Matthew Vetter - 8805 Kelso Dr Baltimore, MD 21221-3112 - Cell: 443-223-6414 - Email: youngest@tessemaes.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145117V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000675602		Steel Fab	2011	04/17/2021	Recurring Cert	Active	Back of plant

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000227433		A O Smith	2017	02/17/2022	Recurring Cert	Active	WAREHOUSE

Total Objects at this Location: 2

Location: TESST College of Technology
Address: 1520 S Caton Ave - Baltimore, MD 21227-1013
County: Baltimore **FIPS:** 24005
Primary Contact: Parker Joint Venture, LLC./Caton Research Ctr. - Phone: 410-788-0100
Billing Contact: - 2560 Lord Baltimore Dr Baltimore, MD 21244-2677 - Phone: 410-788-0100

Location ID: 1959578
Phone: 410-644-6400
NOB/SIC: Colleges, Universities, and Professional Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129367H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000203331		Lochinvar	2007	10/06/2021	Recurring Cert	Active	Boiler Room
MD129368H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000203067		Lochinvar	2007	10/06/2021	Recurring Cert	Active	Boiler Room
MD144556H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000138245		A O Smith	2009	10/06/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: Tetra Tech, Inc.
Address: 99 Lynbrook Rd - Middle River, MD 21220-2809
County: Baltimore **FIPS:** 24005
Primary Contact: Russell Murphy - Phone: 410-274-0350 - Email: jeff.campbell@tetrattech.com
Billing Contact: Russell Murphy - 99 Lynbrook Rd Middle River, MD 21220-2809 - Phone: 410-274-0350 - Email: jeff.campbell@tetrattech.com

Location ID: 3974870
Phone: 410-274-0350
NOB/SIC: Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165382V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000825462		Steel Fab	2016	10/10/2021	Recurring Cert	Active	Water Plant

Total Objects at this Location: 1

Location: THB Bagelry and Deli
Address: 1810 York Rd Ste A - Lutherville Timonium, MD 21093-5165
County: Baltimore **FIPS:** 24005
Primary Contact: Manager in Duty - Phone: 443-841-7063
Billing Contact: Manager in Duty - 1810 York Rd Ste A Lutherville Timonium, MD 21093-5165 - Phone: 443-841-7063

Location ID: 4023449
Phone: 443-841-7063
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167231V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000067652		MVE Inc	1997	06/03/2022	Recurring Cert	Active	Outside Rear

Total Objects at this Location: 1

Location: The Brass Tap
Address: 825 Dulaney Valley Rd - Towson, MD 21204-1010
County: Baltimore **FIPS:** 24005
Primary Contact: The Brass Tap - Phone: 410-842-6041
Billing Contact: - 825 Dulaney Valley Rd Towson, MD 21204-1010 - Phone: 410-842-6041

Location ID: 3867588
Phone: 410-842-6041
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158984H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000235330		A O Smith	2017	05/21/2020	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: The Nelson Company
Address: 4517 North Point Blvd - Sparrows Point, MD 21219-1005
County: Baltimore **FIPS:** 24005
Primary Contact: Don Jones - Phone: 410-477-3000 x120 - Email: don.jones@nelsoncompany.com
Billing Contact: Jack Williams - 4517 North Point Blvd Sparrows Point, MD 21219-1005 - Phone: 410-218-1291 - Email: Jack.Williams@nelsoncompany.com

Location ID: 3967630
Phone: 410-477-3000
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164253V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000067841		Brunner	1994	08/06/2022	Recurring Cert	Active	SHOP REAR

Total Objects at this Location: 1

Location: The Pointe at Whitemarsh
Address: 1 High Haven Pl - Baltimore, MD 21236-3268
County: Baltimore **FIPS:** 24005
Primary Contact: Jason Kettermann - Phone: 410-661-4701
Billing Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Location ID: 711128
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137107H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023932		Paget Equipment	2008	09/27/2022	Recurring Cert	Active	1 High Haven
MD148943H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65252595	Burnham	2011	09/27/2022	Recurring Cert	Active	1 High Haven
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 1 Thurmont Ct - Baltimore, MD 21236-3101
County: Baltimore **FIPS:** 24005
Primary Contact: Jason Kettermann - Phone: 410-661-4701
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 709335
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129264H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64806320	Burnham	2007	09/27/2022	Recurring Cert	Active	1 Thurmont Ct
MD145191H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000288		TTI	2010	09/27/2022	Recurring Cert	Active	1 Thurmont Ct
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 1 Whitelaw Pl - Baltimore, MD 21236-7527
County: Baltimore **FIPS:** 24005
Primary Contact: Jason Kettermann - Phone: 410-661-4701
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 711177
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123970H		Cast Iron	H - Hot Water	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	1 Whitelaw

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144994H		Water Heater (HLW)	Heat (Water <= 160 psig, 250 F) H - Hot Water Supply (Water <= 160 psig, 210 F)	000000567		TTI	2011	09/27/2022	Recurring Cert	Active	1 Whitelaw Pl

Total Objects at this Location: 2

Location: The Pointe at Whitemarsh
Address: 2 Duncroft Place - Baltimore, MD 21236-3154
County: Baltimore **FIPS:** 24005
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 709336
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148945H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2013	09/26/2022	Recurring Cert	Active	2 Duncroft Place
MD156176H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000215679		A O Smith	2016	09/26/2022	Recurring Cert	Active	Blr Rm

Total Objects at this Location: 2

Location: The Pointe at Whitemarsh
Address: 2 Dunhaven Pl - Baltimore, MD 21236-3185
County: Baltimore **FIPS:** 24005
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 711179
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108743H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	2000	09/27/2022	Recurring Cert	Active	2 Dunhaven
MD148944H	HWH	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096693		Bradford White	2011	09/27/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: The Pointe at Whitemarsh
Address: 2 High Haven Pl - Baltimore, MD 21236-3271
County: Baltimore **FIPS:** 24005
Primary Contact: Property Mgr.
Billing Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Location ID: 711180
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129260H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2007	09/27/2022	Recurring Cert	Active	2 High Haven
MD137108H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023256		Paget Equipment	2009	09/27/2022	Recurring Cert	Active	2 High Haven
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 2 Thurmont Ct - Baltimore, MD 21236-3137
County: Baltimore **FIPS:** 24005
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 711130
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129255H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64806316	Burnham	2005	09/27/2022	Recurring Cert	Active	2 Thurmont Ct
MD145194H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000335		TTI	2011	09/27/2022	Recurring Cert	Active	2 Thurmont Ct
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 2 Whitelaw Pl - Baltimore, MD 21236-3140
County: Baltimore **FIPS:** 24005
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 709337
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110458H	CI	Cast Iron	H - Hot Water	CI	6434-9119	Burnham	2001	09/27/2022	Recurring Cert	Active	2 Whitelaw

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148942H		Water Heater (HLW)	Heat (Water <= 160 psig, 250 F) H - Hot Water Supply (Water <= 160 psig, 250 F)	000000576		TTI	2011	09/27/2022	Recurring Cert	Active	2 whitelaw

Total Objects at this Location: 2

Location: The Pointe at Whitemarsh
Address: 3 Canoga Pl - Baltimore, MD 21236-3242
County: Baltimore
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 711174
Phone:
NOB/SIC: Operators of Apartment Buildings

FIPS: 24005

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110457H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64241577	Burnham	2001	09/27/2022	Recurring Cert	Active	3 Canoga Place
MD161839H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000224618		A O Smith	2017	10/19/2022	Recurring Cert	Active	3 canoga

Total Objects at this Location: 2

Location: The Pointe at Whitemarsh
Address: 3 Duncroft Ct - Baltimore, MD 21236-3181
County: Baltimore
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 711132
Phone:
NOB/SIC: Operators of Apartment Buildings

FIPS: 24005

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145195H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023990		TTI	2008	09/27/2022	Recurring Cert	Active	3 Duncroft Ct

Total Objects at this Location: 1

Location: The Pointe at Whitemarsh
Address: 3 Dunhaven PI - Baltimore, MD 21236-3160
County: Baltimore **FIPS:** 24005
Location ID: 711175
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129262H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64934855	Burnham	2006	09/27/2022	Recurring Cert	Active	3 Dunhaven
MD150469H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111909		Bradford White	2015	09/27/2022	Recurring Cert	Active	3 Dunhaven
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 3 Pinewall PI - Baltimore, MD 21236-3286
County: Baltimore **FIPS:** 24005
Location ID: 711133
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108712H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	Fa-2000-317	H B Smith	2000	09/27/2022	Recurring Cert	Active	3 Pinewall Place
Total Objects at this Location:				1							

Location: The Pointe at Whitemarsh
Address: 4 Canoga PI - Baltimore, MD 21236-3254
County: Baltimore **FIPS:** 24005
Location ID: 711134
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108713H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	FA-2000-546	H B Smith	2000	09/27/2022	Recurring Cert	Active	4 Canoga
MD145188H		Vertical Fire Tube	H - Hot Water	000022097		TTI	2007	09/27/2022	Recurring Cert	Active	4 Canoga PI

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Supply (Water <= 160 psig, 210 F)								

Total Objects at this Location: 2

Location: The Pointe at Whitemarsh
Address: 4 Pinemont PI - Baltimore, MD 21236-3351
County: Baltimore **FIPS:** 24005
Location ID: 711182
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123573H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	4 Pinemont Place
MD161840H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000208920		A O Smith	2015	10/19/2022	Recurring Cert	Active	4 Pinemount

Total Objects at this Location: 2

Location: The Pointe at Whitemarsh
Address: 4 Thurmont Ct - Baltimore, MD 21236-3177
County: Baltimore **FIPS:** 24005
Location ID: 711183
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145192H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000290		TTI	2010	09/27/2022	Recurring Cert	Active	4 Thurmont Ct
MD145193H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	4 Thurmont Ct

Total Objects at this Location: 2

Location: The Pointe at Whitemarsh
Address: 5 Dunhaven PI - Baltimore, MD 21236-3188
County: Baltimore **FIPS:** 24005
Location ID: 711135
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108745H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	FA2000-641	H B Smith	2000	09/27/2022	Recurring Cert	Active	5 Dunhaven
MD161838H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000226809		A O Smith	2017	10/16/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 6 Dunhaven PI - Baltimore, MD 21236-3189
County: Baltimore **FIPS:** 24005
Location ID: 711184
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145190H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000132		TTI	2009	09/27/2022	Recurring Cert	Active	6 Dunhaven
MD150470H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2015	09/27/2022	Recurring Cert	Active	6 Dunhaven
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 6 Pinewall PI - Baltimore, MD 21236-3227
County: Baltimore **FIPS:** 24005
Location ID: 711176
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123576H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	6 Pinewall Boiler Room
MD148941H	HWH	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096696		Bradford White	2011	09/27/2022	Recurring Cert	Active	6 Pinewall Boiler Room
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 7 Thurmont Ct - Baltimore, MD 21236-3193
County: Baltimore **FIPS:** 24005
Location ID: 711185
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129257H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64806319	Burnham	2006	09/27/2022	Recurring Cert	Active	7 Thurmont Ct
MD150467H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108325		Bradford White	2014	09/27/2022	Recurring Cert	Active	7 Thurmont Ct
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 7 Whitelaw PI - Baltimore, MD 21236-3145
County: Baltimore **FIPS:** 24005
Primary Contact: Jason Ketterman - Phone: 410-661-4701
Billing Contact: Property Mgr. - 8501 Walther Blvd Baltimore, MD 21236-3040

Location ID: 711186
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137109H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2008	09/27/2022	Recurring Cert	Active	#7 Whitelaw Place
MD137110H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023997		TTI	2008	09/27/2022	Recurring Cert	Active	#7 Whitelaw
Total Objects at this Location:				2							

Location: The Pointe at Whitemarsh
Address: 9 Thurmont Ct - Baltimore, MD 21236-3194
County: Baltimore **FIPS:** 24005
Primary Contact: Zach Sanfield - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com
Billing Contact: Zach Sanfield - 366 Madison Ave New York, NY 10017-3122 - Phone: 212-868-2333 ext 119 - Cell: 310-344-3274 - Email: zsanfield@L3CCP.com

Location ID: 711127
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129258H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	09/27/2022	Recurring Cert	Active	9 Thurmont Ct
MD150468H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111911		Bradford White	2015	09/27/2022	Recurring Cert	Active	9 Thurmont Ct
Total Objects at this Location:				2							

Location: The River Watch (Arc3) **Location ID:** 3949965
Address: 207 Nanticoke Rd - Essex, MD 21221-1532 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: The River Watch (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163584V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000186946		CHART	2007	04/16/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: The Soul & Krab House **Location ID:** 3464487
Address: 5820 Johnnycake Rd - Gwynn Oak, MD 21207-4781 **Phone:** 410-455-6411
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Chelsea Davis - Phone: 410-455-6411 - Email: cdavis0925@hotmail.com
Billing Contact: Chelsea Davis - 5820 Johnnycake Rd Gwynn Oak, MD 21207-4781 - Phone: 410-455-6411 - Email: cdavis0925@hotmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147515H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI	471400189	ECR International	2001	02/23/2022	Recurring Cert	Active	Boiler Room
MD147516H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI	471400184	ECR International	2013	02/23/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				2							

Location: The Supreme Ballroom Corp **Location ID:** 716599
Address: 7830 Philadelphia Rd - Rosedale, MD 21237-2618 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Labor Unions and Similar Labor Organizations
Primary Contact: The Supreme Ballroom Corp - Phone: 410-866-8014 - Email: info@supremeballroom.com
Billing Contact: - 7830 Philadelphia Rd Rosedale, MD 21237-2618 - Phone: 410-866-8014 - Email: info@supremeballroom.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD085300H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	HE25304	Utica	1989	12/07/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Thompson Automotive **Location ID:** 726544
Address: 2508 Plainfield Rd - Dundalk, MD 21222-2225 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: Mark A. Leisher - Phone: 410-282-6300 - Cell: 443-205-8606 - Email: markleisher@thompsonautomotive.com
Billing Contact: Mark A. Leisher - 1000 Merritt Blvd Dundalk, MD 21222-1436 - Phone: 410-282-6300 - Cell: 443-205-8606 - Email: markleisher@thompsonautomotive.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111237V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000578790		Manchester	1997	11/28/2022	Recurring Cert	Active	Rear Outside Shed

Total Objects at this Location: 1

Location: Tilley Chemical Co. **Location ID:** 726637
Address: 501 Chesapeake Park Plz - Middle River, MD 21220-4203 **Phone:** 410-574-4500
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Oil and gas extraction
Primary Contact: Bob Lawson - Phone: 410-574-4500 ext114
Billing Contact: - 501 Chesapeake Park Plz Middle River, MD 21220-4203 - Phone: 410-574-4500

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154271V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000783250	M3330.5C	Steel Fab	2015	05/02/2023	Recurring Cert	Active	Warehouse D
MD154272H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000058756		Bryan	2012	05/04/2022	Recurring Cert	Active	D Bldg.
MD168362H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Bryan	2020	03/17/2023	Recurring Cert	Active	Hot Room
MD168398V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000426957		Manchester	2017	04/22/2023	Recurring Cert	Active	Tank Farm Compressor Room
MD168399V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000426951		Manchester	2017	04/22/2023	Recurring Cert	Active	Tank Farm Compressor Rm
MD168400V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000943637	R21750	Samuel PV Group	2020	03/17/2023	Recurring Cert	Active	Equipment Room
MD169181V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000855774		Steel Fab	2017	03/24/2023	Recurring Cert	Active	Tank Farm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169182V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	999999999		UNKNOWN MANUFACTURER	1900	03/24/2023	Recurring Cert	Active	Tank Farm
MD169183V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000919918		Samuel	2019	03/24/2023	Recurring Cert	Active	Tank Farm
MD169184V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000904531		Samuel	2019	03/24/2023	Recurring Cert	Active	Tank Farm
MD169185V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000904748		Samuel	2019	03/24/2023	Recurring Cert	Active	Tank Farm
MD169186V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002108020		Manchester	2019	03/24/2023	Recurring Cert	Active	Tank Farm Compressor Rm
MD169187V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000210802 2		Manchester	2019	03/24/2023	Recurring Cert	Active	Tank Farm Compressor Rm

Total Objects at this Location: 13

Location: Timonium Two/Timonium Surgery Ctr
Address: 1954 Greenspring Dr Ste LL18 - Lutherville Timonium, MD 21093-
County: Baltimore **FIPS:** 24005
Location ID: 3184588
Phone: 410-560-3301
NOB/SIC: Offices and Clinics of Doctors of Medicine
Primary Contact: Misty Smith - Phone: 410-560-3301
Billing Contact: - 1954 Greenspring Dr Ste LL18 Lutherville Timonium, MD 21093-4116 - Phone: 410-560-3301

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141362V		Autoclave	V - Process-Sterilizing	000038713	1280031-SAW	Amsco	2009	06/12/2021	Recurring Cert	Active	Clean Work Room
MD141363		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000029370	39370	Electro-Steam	2009	06/04/2021	Recurring Cert	Active	Clean Work Room
MD141364V		Autoclave	V - Process-Sterilizing	000039421	0381056-SAW	Amsco	2009	06/09/2021	Recurring Cert	Active	Clean Work Room
MD141365		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000029369	39369	Electro-Steam	2009	06/04/2021	Recurring Cert	Active	Clean Work Room

Total Objects at this Location: 4

Location: Top Hat Sports Bar and Grill
Address: 8809 Satyr Hill Rd - Parkville, MD 21234-2301
County: Baltimore **FIPS:** 24005
Primary Contact: Top Hat Sports Bar and Grill
Billing Contact:

Location ID: 4038223
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145503V		Other w/comment	V - Storage (NOT Cryogenic)	000162402		Chart Inc	2005	08/21/2022	Recurring Cert	Active	Store room
Total Objects at this Location:				1							

Location: Town Automatic Transmission
Address: 3415 Berwyn Ave - Woodlawn, MD 21207-7402
County: Baltimore **FIPS:** 24005
Primary Contact: Town Automatic Transmission - Phone: 4103677789
Billing Contact:

Location ID: 726873
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD049754V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000058295		Buckeye	1974	11/18/2021	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Towson East Motel
Address: 1507 E Joppa Rd - Towson, MD 21286-5912
County: Baltimore **FIPS:** 24005
Primary Contact: Towson East Motel - Phone: 410-825-5800
Billing Contact: - 1507 E Joppa Rd Towson, MD 21286-5912 - Phone: 410-825-5800

Location ID: 726954
Phone: 410-825-5800
NOB/SIC: Hotels, rooming houses, camps, and other lodging places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113264H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000088535		Rheem/Ruud	2000	09/28/2022	Recurring Cert	Active	Boiler Rm
MD151541H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000134817		RHEEM	2013	09/28/2022	Recurring Cert	Active	Boiler Rm
Total Objects at this Location:				2							

Location: TowsonTown Place Apartments **Location ID:** 712188
Address: 1137 Glendale Rd - Baltimore, MD 21239-1229 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Joe Alley - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Billing Contact: Jessica Delucca - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125868H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000059317	LB011012788	A O Smith	2001	07/20/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: TowsonTown Place Apartments **Location ID:** 712190
Address: 1142 Glendale Rd - Baltimore, MD 21239-1231 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Joe Alley - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Billing Contact: Jessica Delucca - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125870H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078899	LFO3- 2557057-110	A O Smith	2003	07/07/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: TowsonTown Place Apartments **Location ID:** 712191
Address: 1301 Airlie Way - Baltimore, MD 21239-1045 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Courtney - Phone: 410-821-8819 Ext 2 - Email: info@rosemonttowson.com
Billing Contact: Melissa Brown - 6906 Donachie Rd Baltimore, MD 21239-1101 - Phone: 410-821-8819 - Email: mbrown@thedonaldsongroup.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167301H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000130854		Bradford	2019	09/18/2022	Recurring Cert	Active	Blrm

Total Objects at this Location: 1

Location: TowsonTown Place Apartments **Location ID:** 712192
Address: 1301 Colbury Rd - Baltimore, MD 21239-1204 **Phone:** 443-279-0592
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Joe Alley - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Billing Contact: Jessica Delucca - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135877H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000094285		A O Smith	2005	07/20/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: TowsonTown Place Apartments **Location ID:** 712194
Address: 1303 Colbury Rd - Baltimore, MD 21239-1206 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Joe Alley - Phone: 443-279-0592 - Cell: 443-945-6200 - Email: joe.alley@rosemonttowson.com
Billing Contact: Jessica Delucca - 6920 Donachie Rd Baltimore, MD 21239-1159 - Phone: 410-821-8819 - Email: jessica.delucca@rosemonttowson.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148903H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000091938	106938	Bradford White	2010	07/20/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Towsontowne Garage **Location ID:** 726994
Address: 106 E Pennsylvania Ave - Towson, MD 21286-5118 **Phone:** 410-828-0215
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: James T. Fallon - Phone: 410-828-0215 - Email: TJGTO@aol.com
Billing Contact: James T. Fallon - 106 E Pennsylvania Ave Towson, MD 21286-5118 - Phone: 410-828-0215 - Email: TJGTO@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017871V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000400801		Kargard	1969	07/25/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Trico Lift
Address: 7667 Pulaski Hwy - Rosedale, MD 21237-2605
County: Baltimore **FIPS:** 24005
Primary Contact: Trico Lift
Billing Contact: - 7667 Pulaski Hwy Rosedale, MD 21237-2605

Location ID: 718784
Phone: 410-918-9770
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145184V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001956		Leiss Mfg	2010	03/06/2023	Recurring Cert	Active	Mezzene

Total Objects at this Location: 1

Location: Trinity House #634
Address: 409 Virginia Ave - Towson, MD 21286-5372
County: Baltimore **FIPS:** 24005
Primary Contact: Kalenda Wakalenda - Phone: 410-825-5288 - Cell: 443-831-5803
Billing Contact: Rhonda Reaves - 409 Virginia Ave Towson, MD 21286-5372 - Phone: 667-600-3733

Location ID: 727138
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096611V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000064369	SH966436945	A O Smith	1996	05/11/2022	Recurring Cert	Active	Boiler Room
MD096612V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000064368	SH966436845	A O Smith	1996	05/11/2022	Recurring Cert	Active	Boiler Room
MD156192H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000014250		Thermal Solutions	2016	11/23/2022	Recurring Cert	Active	Boiler Room
MD168304H	Boiler 1	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000015903		Thermal Solutions	2019	10/26/2022	Recurring Cert	Active	Boiler Room
MD168305H	Boiler 3	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000015481		Thermal Solutions	2019	10/26/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 5

Location: Tyres Auto Repair
Address: 1955 Greenspring Dr - Lutherville Timonium, MD 21093-4113
County: Baltimore **FIPS:** 24005
Location ID: 727276
Phone: 410-252-8001
NOB/SIC: General Automotive Repair Shops
Primary Contact: 1955 Automotive Grp. d/b/a Tyres Auto Repair - Phone: 410-252-8001 - Email: tom@tyresauto.com
Billing Contact: - 1955 Greenspring Dr Attn: Scott Cassell Lutherville Timonium, MD 21093-4113 - Phone: 410-252-8001 - Email: toms@tyresauto.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD109993V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000965943		Manchester	2000	08/26/2021	Recurring Cert	Active	COMP SHED
Total Objects at this Location:				1							

Location: U-Haul of Baltimore
Address: 8641 Pulaski Hwy - Rosedale, MD 21237-3007
County: Baltimore **FIPS:** 24005
Location ID: 727296
Phone: 410-682-5805
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Vicki Powell - Phone: 410-687-5400 - Email: .vicki_powell@uhaul.com
Billing Contact: Jim Dickerson - 8641 Pulaski Hwy Rosedale, MD 21237-3007 - Phone: 410-682-5805 - Email: vicki_powell@uhaul.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164269V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000693690		Morganton	2017	10/01/2021	Recurring Cert	Active	Hitch Shop
Total Objects at this Location:				1							

Location: United Rentals
Address: 3925 Washington Blvd - Halethorpe, MD 21227-4132
County: Baltimore **FIPS:** 24005
Location ID: 724954
Phone: 410-242-4504
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Brian Boone - Phone: 410-242-4504 - Email: bboone@ur.com
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097350V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000763720		Wood	1980	02/25/2022	Recurring Cert	Active	Lowershop
MD147729V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001854		M I T M	2013	02/25/2022	Recurring Cert	Active	shop

Total Objects at this Location: 2

Location: University Village **Location ID:** 2253696
Address: 408 Campus View Dr - Towson, MD 21204-6837 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Rooming and Boarding Houses
Primary Contact: David Propalis - Phone: 410-583-0500 - Email: dpropalis@americancampus.com
Billing Contact: David Propalis - 408 Campus View Dr Towson, MD 21204-6837 - Phone: 410-583-0500 - Email: dpropalis@americancampus.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157181H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000329063		Lochinvar	2015	02/14/2023	Recurring Cert	Active	BLDG 1 - BOILER ROOM
MD163512H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000444515		Lochinvar	2018	03/29/2023	Recurring Cert	Active	Building 5 Mec Rm
MD163513H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000385233		Lochinvar	2016	03/29/2023	Recurring Cert	Active	Building 6 Mech Room
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	UNKNOWN	1948117161495	Lochinvar	2020	02/28/2023	Recurring Cert	Active	MECHANICAL ROOM BLDG 4
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000451137		SERMETA/LOCHIN VAR	2018	02/08/2023	Recurring Cert	Active	BUILDING 2 MECHANICAL ROOM
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000453066		SERMETA/LOCHIN VAR	2018	02/08/2023	Recurring Cert	Active	BUILDING 3 MECHANICAL ROOM

Total Objects at this Location: 6

Location: US Fuels Automotive Inc **Location ID:** 3541474
Address: 4305 Southwestern Blvd - Baltimore, MD 21229-5416 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Mardo Alfare - Phone: 410 247 2020
Billing Contact: Mardo Alfare - 4305 Southwestern Blvd Baltimore, MD 21229-5416 - Phone: 410 247 2020

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153036V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001528756		Manchester	2014	08/11/2021	Recurring Cert	Active	GARAGE BAY

Total Objects at this Location: 1

Location: Vac Pac, Inc. **Location ID:** 3837888
Address: 917 Middle River Rd - Middle River, MD 21220-2452 **Phone:** 410-685-5181
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Ed Gover - Phone: 410-685-5220 x109 - Cell: 410-685-5181, 443-854-8350 - Email: egover@vacpacinc.com
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159395V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000432495		Morganton	2014	11/21/2021	Recurring Cert	Active	Back of Plant
MD159396V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000777771		Steel Fab	2015	11/21/2021	Recurring Cert	Active	Back of Plant
Total Objects at this Location:				2							

Location: Valley Country Club **Location ID:** 727807
Address: 1512 Jeffers Rd - Towson, MD 21204-1931 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Membership Sports and Recreation Clubs
Primary Contact: Debbie Donovan - Phone: 410-825-7710 - Email: ddonovan@valleycountryclub.com
Billing Contact: Debbie Donovan - 1512 Jeffers Rd Towson, MD 21204-1931 - Phone: 410-825-7710 - Email: ddonovan@valleycountryclub.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004621H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	MDB-5	Weil-McLain	1965	05/12/2021	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Valley Equipment Supply **Location ID:** 727810
Address: 1109 Middle River Rd - Middle River, MD 21220-2407 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Miscellaneous manufacturing industries
Primary Contact: Valley Equipment Supply - Phone: 4107804000
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128311V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000612651		Trinity	2006	07/06/2022	Recurring Cert	Active	shop

Total Objects at this Location: 1

Location: Valley Exxon (Arc3) **Location ID:** 4068350
Address: 2343 W Joppa Rd - Lutherville Timonium, MD 21093-4607 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Valley Exxon (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000111869		MVE	1999	03/18/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Valley Inn (Arc3) **Location ID:** 4068351
Address: 10501 Falls Rd - Lutherville Timonium, MD 21093-3619 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Valley Inn (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000094344		MVE	1999	03/18/2023	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Valley Mansion (Arc3) **Location ID:** 3925607
Address: 594 Cranbrook Rd - Cockeysville, MD 21030-3702 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Valley Mansion (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163499V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000182717		CHART	2007	02/27/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Valvoline Instant Oil Change BA0037
Address: 9807 Belair Rd - Perry Hall, MD 21128-9727
County: Baltimore **FIPS:** 24005
Location ID: 4062336
Phone: 443-410-4766
NOB/SIC:
Primary Contact: Jose Herrera - Phone: 617 243 0404 Ext 1303 - Email: licensing@vioc.net
Billing Contact: Jose Herrera - 54 Jaconnet St Newton Highlands, MA 02461-1952 - Phone: 617 243 0404 Ext 1303 - Email: licensing@vioc.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169194V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002324206	D210586	Manchester	2020	04/02/2023	Recurring Cert	Active	BASEMENT
Total Objects at this Location:				1							

Location: Velvetone Cleaners Inc.
Address: 6001 Liberty Rd - Woodlawn, MD 21207-6206
County: Baltimore **FIPS:** 24005
Location ID: 727891
Phone: 410-944-1276
NOB/SIC: Garment Pressing, and Agents for Laundries and Drycleaners
Primary Contact: Kim Sung - Phone: 410-944-1276 - Email: sung_kim12@comcast.net
Billing Contact: Kim Sung - 6001 Liberty Rd Woodlawn, MD 21207-6206 - Phone: 410-944-1276 - Email: sung_kim12@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153588		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000120771	PV-135-00	Fulton	2016	10/25/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Venture Trailers Inc.
Address: 5301 North Point Blvd - Sparrows Point, MD 21219-1740
County: Baltimore **FIPS:** 24005
Location ID: 703092
Phone: 410-388-1000
NOB/SIC: Primary metal industries
Primary Contact: Bart Blodgett - Phone: 410-388-1000 - Email: bartb@venturetrailers.com
Billing Contact: Zoe Riley - 5301 N Point Blvd Sparrows Point, MD 21219-1740 - Phone: 410-388-1000 - Email: zoe@venturetrailers.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD061850V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000854947		Wood	1984	09/23/2022	Recurring Cert	Active	Compressor Room
Total Objects at this Location:				1							

Location: Vito's Express (Arc3) **Location ID:** 3992518
Address: 11000 Owings Mills Blvd - Owings Mills, MD 21117-2817 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Vito's Express (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165837V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000015094		Taylor	1993	11/22/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Vito's Pizza (Arc3) **Location ID:** 3992515
Address: 9938 Reisterstown Rd - Owings Mills, MD 21117-3945 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Vito's Pizza (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165828V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000003821		Taylor	1988	11/22/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: VSAK, Inc. **Location ID:** 721190
Address: 2329 Cleanleigh Dr - Parkville, MD 21234-6807 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Personal services
Primary Contact: Sonia Saini - Phone: 410-668-8078
Billing Contact: Sonia Saini - 2329 Cleanleigh Dr Parkville, MD 21234-6807 - Phone: 410-668-8078

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161698H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000286939	C18286939	Laars	2018	09/14/2020	Recurring Cert	Active	Mechanical Rm
Total Objects at this Location:				1							

Location:	Waddells Customs				Location ID:	727901					
Address:	547 S Marlyn Ave - Essex, MD 21221-5259				Phone:	410-591-8076					
County:	Baltimore				FIPS:	24005					
Primary Contact:	Gene Waddell - Phone: 410 780 8620 - Email: waddellcustoms@hotmail.com										
Billing Contact:	Gene Waddell - 547 S Marlyn Ave Essex, MD 21221-5259 - Phone: 410 780 8620 - Email: waddellcustoms@hotmail.com										

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121914V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000548967		Manchester	1998	10/21/2020	Recurring Cert	Active	PAINT ROOM
Total Objects at this Location:				1							

Location:	Wal-Mart Store 2045					Location ID:	3005380				
Address:	8118 Perry Hills Ct - Nottingham, MD 21236-3514					Phone:					
County:	Baltimore		FIPS: 24005		NOB/SIC:	Department Stores					
Primary Contact:	APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com										
Billing Contact:	Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com										
Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144538V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033731		HENRY	2011	07/14/2023	Recurring Cert	Active	Walmart#2034 roof
MD144539V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033732		Henry Tech.	2011	07/14/2023	Recurring Cert	Active	Walmart#2034 roof
MD144540V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033605		Henry Tech.	2011	07/14/2023	Recurring Cert	Active	Walmart#2034 Roof
MD144541V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033606		Henry Tech.	2011	07/14/2023	Recurring Cert	Active	Walmart#2034 roof
MD144542V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033609		HENRY	2011	07/14/2023	Recurring Cert	Active	Walmart#2034 roof
Total Objects at this Location:				5							

Location: Wal-Mart Store 2248
Address: 6205 Baltimore National Pike - Catonsville, MD 21228-2908
County: Baltimore **FIPS:** 24005
Location ID: 3005382
Phone:
NOB/SIC: Department Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143985V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000422157		Standard	2002	12/04/2021	Recurring Cert	Active	Rear Store Room
Total Objects at this Location:				1							

Location: Wal-Mart Store 2290
Address: 9750 Reisterstown Rd - Owings Mills, MD 21117-4147
County: Baltimore **FIPS:** 24005
Location ID: 3005376
Phone:
NOB/SIC: Department Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143996V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029258		HENRY	2009	07/15/2021	Recurring Cert	Active	Rear Store
Total Objects at this Location:				1							

Location: Wal-Mart Store 2435
Address: 2399 North Point Blvd - Dundalk, MD 21222-1623
County: Baltimore **FIPS:** 24005
Location ID: 1600871
Phone:
NOB/SIC: Variety Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135046V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000960234		Manchester	2008	05/13/2022	Recurring Cert	Active	Auto Center
MD143142V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000030317		HENRY	2010	05/13/2022	Recurring Cert	Active	Roof

Total Objects at this Location: 2

Location: Wal-Mart Store 2577
Address: 1 Frankel Way - Cockeysville, MD 21030-3220
County: Baltimore **FIPS:** 24005
Location ID: 3090799
Phone:
NOB/SIC: Department Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141392V	E	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073334		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141393V	C	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00073198		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141394V	B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072180		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141395V	D	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073327		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141396V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073200		Standard	2007	12/04/2021	Recurring Cert	Active	Roof
MD141397V	F	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073743		Standard	2007	12/04/2021	Recurring Cert	Active	Roof

Total Objects at this Location: 6

Location: Wal-Mart Store 3481
Address: 112 Carroll Island Rd - Middle River, MD 21220-2208
County: Baltimore **FIPS:** 24005
Location ID: 2209624
Phone:
NOB/SIC: Variety Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126839V	CAT	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000188774		Manchester	2003	04/29/2022	Recurring Cert	Active	Compressor Room
MD143114V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029404		HENRY	2009	04/29/2022	Recurring Cert	Active	Roof

Total Objects at this Location: 2

Location: Wal-Mart Store 3489 **Location ID:** 1600870
Address: 6420 Petrie Way Rd - Rosedale, MD 21237-3034 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Variety Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145144V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000011590		Westermeyer	2011	12/05/2021	Recurring Cert	Active	Roof
MD145145V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0033877		HENRY	2011	12/05/2021	Recurring Cert	Active	Roof
MD145146V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033874		HENRY	2011	12/05/2021	Recurring Cert	Active	Roof
MD145147V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015591		Westermeyer	2011	12/05/2021	Recurring Cert	Active	Roof
MD145148V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033869		HENRY	2011	12/05/2021	Recurring Cert	Active	Roof

Total Objects at this Location: 5

Location: Wal-Mart Store 3720 **Location ID:** 2976908
Address: 3601 Washington Blvd - Arbutus, MD 21227-1627 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Department Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144573V	Rack C	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072148		Standard	2008	04/06/2023	Recurring Cert	Active	Roof
MD144574V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072505		Standard	2008	04/06/2023	Recurring Cert	Active	Roof
MD144575V	Rack D	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072128		Standard	2008	04/06/2023	Recurring Cert	Active	Roof

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144576V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072410		Standard	2008	04/06/2023	Recurring Cert	Active	Roof
MD144577V	Rack F	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072642		Standard	2008	04/06/2023	Recurring Cert	Active	Roof
MD144578V	Rack F	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072638		Standard	2008	04/06/2023	Recurring Cert	Active	Roof
MD162381V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000653691		Morganton	2017	01/23/2023	Recurring Cert	Active	Tire Shop
Total Objects at this Location:				7							

Location: Wal-Mart Store 3804

Address: 8730 Liberty Rd - Randallstown, MD 21133-4710

County: Baltimore

FIPS: 24005

Location ID: 3315636

Phone:

NOB/SIC: Department Stores

Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146241V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000019751		Westermeyer Ind	2012	12/27/2022	Recurring Cert	Active	Roof
MD146242V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000018674		Westermeyer Ind	2012	12/27/2022	Recurring Cert	Active	Roof
MD146243V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Feedwater Heater	000019611		Westermeyer Ind	2012	12/27/2022	Recurring Cert	Active	Roof
Total Objects at this Location:				3							

Location: Wal-Mart Store 5344
Address: 1238 Putty Hill Ave Suite 5 - Towson, MD 21286-5878
County: Baltimore **FIPS:** 24005
Location ID: 1600376
Phone:
NOB/SIC: Variety Stores
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121918V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000055467		Standard	2004	07/18/2022	Recurring Cert	Active	Roof Top
Total Objects at this Location:				1							

Location: Walter Jay Auto Painting
Address: 3826 N Point Blvd - Dundalk, MD 21222-2806
County: Baltimore **FIPS:** 24005
Location ID: 728317
Phone: 410-282-4207
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Angel Pirog - Phone: 410-282-4207
Billing Contact: Joseph Pirog - 3826 N Point Blvd Dundalk, MD 21222-2806 - Phone: 410-282-4207 - Email: walterjays@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145179V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000059046		Steel Fab	1993	10/21/2022	Recurring Cert	Active	OUTSIDE
MD150057V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000479802		Steel Fab	2007	10/21/2022	Recurring Cert	Active	OUTSIDE
Total Objects at this Location:				2							

Location: Walther Washmat
Address: 8611 Walther Blvd - Baltimore, MD 21236-3039
County: Baltimore **FIPS:** 24005
Location ID: 728332
Phone: 410-882-4303
NOB/SIC: Apparel and other textile products
Primary Contact: Walther Washmat - Phone: 410-882-4303
Billing Contact: - 8611 Walther Blvd Baltimore, MD 21236-3039 - Phone: 410-882-4303

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102111H	CoilWtrHtr	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000077803		National	1997	02/22/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Ware's Day Care Rental **Location ID:** 716586
Address: 4013 Liberty Heights Ave - Baltimore, MD 21207-7545 **Phone:** 410-239-9565
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Services, NEC
Primary Contact: La'Tronya Ware - Phone: 410-239-9565/443-865-4860
Billing Contact: La'Tronya Ware - 1206 Wynside Ln Hampstead, MD 21074-2608 - Phone: 410-239-9565/443-865-4860

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165251H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	0619014995	ECR	2019	01/02/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Washington, LLC. **Location ID:** 702444
Address: 600 Washington Ave - Towson, MD 21204-3913 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Offices of Bank Holding Companies
Primary Contact: Edin Goldman - Email: goldmanpartnersgroup@gmail.com
Billing Contact: Nechama Goldman - 5918 Simmonds Ave Baltimore, MD 21215-3823 - Email: Nechama.gpg@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074820H	1	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000067114	0688103714	Raypak	1989	05/22/2021	Recurring Cert	Active	Penthouse

Total Objects at this Location: 1

Location: Wawa **Location ID:** 3898858
Address: 516 Main St - Reisterstown, MD 21136-1916 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154242V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000093438	868-002-HH9	Taylor-Wharton	2011	08/14/2022	Recurring Cert	Active	Back Room

Total Objects at this Location: 1

Location: Wawa - 578 (Roberts) **Location ID:** 3898846
Address: 4017 N Point Blvd - Dundalk, MD 21222-3619 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Wawa - 578 (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161498V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000092393		Taylor	2011	08/05/2022	Recurring Cert	Active	Outside/Shed
Total Objects at this Location:				1							

Location: Wawa - 8504 (Roberts) **Location ID:** 3813487
Address: 3716 Washington Blvd - Halethorpe, MD 21227-1656 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Wawa - 8504 (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158781V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015247		Taylor	1993	10/20/2021	Recurring Cert	Active	Outside Storage
Total Objects at this Location:				1							

Location: Wawa - 8506 (Roberts) **Location ID:** 4011034
Address: 10111 York Rd - Cockeysville, MD 21030-3305 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Wawa - 8506 (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167306V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000092010		MVE	2001	03/04/2022	Recurring Cert	Active	Outside Closet
Total Objects at this Location:				1							

Location: Wawa - 8510 (Roberts) **Location ID:** 3898861
Address: 1270 E Joppa Rd - Towson, MD 21286 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Wawa - 8510 (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161731V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000299996		CHART	2017	08/05/2022	Recurring Cert	Active	Outside Closet
Total Objects at this Location:				1							

Location: Waynes Inc. **Location ID:** 728597
Address: 12300 Owings Mill Blvd. Unit #9 - Reisterstown, MD 21136-1744 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Wayne Forrest - Phone: 410-526-5500 - Email: cwforr@msn.com
Billing Contact: Wayne Forrest - 12300 Owings Mills Blvd Ste 9 Reisterstown, MD 21136-1744 - Phone: 410-526-5500 - Email: cwforr@msn.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD061150V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000066961		Kargard	1983	10/17/2020	Recurring Cert	Active	Rear
Total Objects at this Location:				1							

Location: Wayward Smokehouse (Arc3) **Location ID:** 4039046
Address: 8161 Honeygo Blvd - Nottingham, MD 21236-8202 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Wayward Smokehouse (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167312V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000000886		Worthington	2018	08/27/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Wegman's - 14 (Arc3) **Location ID:** 3925613
Address: 122 Shawan Rd - Cockeysville, MD 21030-1325 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Wegman's - 14 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163500V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000163789		CHART	2005	02/27/2023	Recurring Cert	Active	Nature's Floral - Back of Store Behind Cheese
Total Objects at this Location:				1							

Location: Welch Automotive **Location ID:** 718523
Address: 516 Middle River Rd - Middle River, MD 21220-3746 **Phone:** 410-918-9292
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Gary - Phone: 410 918 9292
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121954V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000946504		Buckeye	2001	06/12/2021	Recurring Cert	Active	shop
Total Objects at this Location:				1							

Location: Wendy's **Location ID:** 4023448
Address: 9817 York Rd - Cockeysville, MD 21030-4913 **Phone:** 410-667-1158
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Manager on Duty - Phone: 410-667-1158
Billing Contact: Manager on Duty - 9817 York Rd Cockeysville, MD 21030-4913 - Phone: 410-667-1158

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167230V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000068439		Taylor-Wharton	2013	06/03/2022	Recurring Cert	Active	Inside Rear Door
Total Objects at this Location:				1							

Location: Wendy's (Roberts) **Location ID:** 4037678
Address: 11818 reistertown rd - Reisterstown, MD 21136 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Wendy's (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167308V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000068362		Taylor	2012	08/10/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Wendy's - (Roberts) **Location ID:** 3933500
Address: 8700 Belair Rd - Nottingham, MD 21236-2420 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163557V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000006350		Taylor-Wharton	1989	04/25/2023	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Wendy's - 6506 (Roberts) **Location ID:** 4048068
Address: 3001 E Joppa Rd - Parkville, MD 21234-3218 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Wendy's - 6506 (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004048		Taylor	1987	11/12/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Wendy's - 6520 **Location ID:** 4045776
Address: 1320 Merritt Blvd - Dundalk, MD 21222-2108 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000003150		Taylor	1987	10/29/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Wendy's - 6599 (Roberts Oxygen) **Location ID:** 4045763
Address: 3620 Washington Blvd - Halethorpe, MD 21227-1626 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004115		Taylor	1990	11/03/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Wendy's - 6612 (Roberts Oxygen) **Location ID:** 4045777
Address: 1344 Eastern Blvd - Baltimore, MD 21221-3423 **Phone:**
County: Baltimore **FIPS:** 24005 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000008646		Taylor	1992	10/29/2022	Recurring Cert	Active	Closet
Total Objects at this Location:				1							

Location: West Road Corporate Center
Address: 110 West Rd - Towson, MD 21204-2316
County: Baltimore **FIPS:** 24005
Location ID: 728717
Phone: 410-427-0415
NOB/SIC: Investors, NEC
Primary Contact: Tim Preis - Phone: 443-865-5080 - Email: Rarmenta@mackenziemgmt.com
Billing Contact: Wendy Kirby-Barnes - 2328 W Joppa Rd Ste 200 Baltimore, MD 21234-2808 - Phone: 410-494-6654 - Email: wkirby-barnes@mackenziemanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD010639V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000176770		Manchester	1974	11/14/2022	Recurring Cert	Active	Building A Boiler Room
MD062043H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1985	11/14/2022	Recurring Cert	Active	Boiler Room B
MD137527H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000024714		R B I	2009	11/14/2022	Recurring Cert	Active	BLDG A BOILER ROOM
MD137528H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000024715		R B I	2009	11/14/2022	Recurring Cert	Active	BLDG A BOILER ROOM
Total Objects at this Location:				4							

Location: WetDog's Auto Repair
Address: 10823D Veneer Ln Ste 4 - Cockeysville, MD 21030-2158
County: Baltimore **FIPS:** 24005
Location ID: 3321121
Phone:
NOB/SIC: Automotive Repair Shops, NEC
Primary Contact: Brandon Suess - Phone: 443-846-7500
Billing Contact: Brandon Suess - 10823D Veneer Ln Ste 4 Cockeysville, MD 21030-2158 - Phone: 443-846-7500

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146959V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000374399		Buckeye	1982	03/30/2021	Recurring Cert	Active	SHOP REAR
Total Objects at this Location:				1							

Location: Whitcraft Automatic Transmission

Address: 536 Main St - Reisterstown, MD 21136-1916

County: Baltimore

FIPS: 24005

Location ID: 728982

Phone: 410-833-5752

NOB/SIC: Automotive dealers and gasoline service stations

Primary Contact: Harry Diehl - Phone: 410-833-2834 - Email: whitcrafttrans@comcast.com

Billing Contact: Harry Diehl - 536 Main St Reisterstown, MD 21136-1916 - Phone: 410-833-2834 - Email: whitcrafttrans@comcast.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081455V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000700550		Buckeye	1986	07/11/2022	Recurring Cert	Active	Comp Shed
MD098858V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004174	4174	Morrison	1930	07/11/2022	Recurring Cert	Active	Comp Shed
MD149522V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000305367		Trinity	2008	07/11/2022	Recurring Cert	Active	Rear Garage

Total Objects at this Location: 3

Location: Windsor Inn

Address: 7207 Windsor Mill Rd - Windsor Mill, MD 21244-2837

County: Baltimore

FIPS: 24005

Location ID: 729289

Phone: 410-944-0446

NOB/SIC: Prepared Fresh or Frozen Fish and Seafoods

Primary Contact: Demetrious Vangelakos - Phone: 410-944-0446

Billing Contact: Demetrious Vangelakos - 7207 Windsor Mill Rd Windsor Mill, MD 21244-2837 - Phone: 410-944-0446

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137343H	A	Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	Cast Iron	UDF14440	Columbia	2008	03/09/2021	Recurring Cert	Active	Boiler Room
MD137344H	B	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Heating-Cooking (Steam <= 15 psig)	Cast Iron	UFK26113	Columbia	2008	03/09/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Windsor Mill Cleaners
Address: 7216 A Windsor Mill Road - Windsor Mill, MD 21244-2836
County: Baltimore **FIPS:** 24005
Primary Contact: Windsor Mill Cleaners
Billing Contact:

Location ID: 729291
Phone: 410-298-7070
NOB/SIC: Power Laundries, Family and Commercial

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122527V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000438931		Trinity	2004	07/10/2019	Recurring Cert	Active	blrm

Total Objects at this Location: 1

Location: Windsor Mill Surgery Center
Address: 2373 N Rolling Rd - Windsor Mill, MD 21244-1952
County: Baltimore **FIPS:** 24005
Primary Contact: Windsor Mill Surgery Center, LLC. - Phone: 443-200-2664
Billing Contact: - 2373 N Rolling Rd Windsor Mill, MD 21244-1952 - Phone: 443-200-2664

Location ID: 3845238
Phone: 443-200-2664
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162386V	Sterilizer #1	Autoclave	V - Process-Sterilizing	000080038	1099166	Steris Corp	1999	02/08/2023	Recurring Cert	Active	Clean Work Room
MD162387	Sterilizer #1	Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000004141	44141	Chromalox	2013	02/08/2022	Recurring Cert	Active	Clean Work Room
MD162388V	Sterilizer #2	Autoclave	V - Process-Sterilizing	000084955	0802013	Steris Corp	2002	02/08/2023	Recurring Cert	Active	Clean Work Room
MD162389	2	Electric (NOT HLW)	S - Power-Electric Generation (Steam > 15 psig)	000004275	44275	Chromalox	2013	02/08/2022	Recurring Cert	Active	Clean Work Room

Total Objects at this Location: 4

Location: Wise Avenue Laundromat & Cleaners
Address: 7844 Wise Ave - Dundalk, MD 21222-3338
County: Baltimore **FIPS:** 24005
Location ID: 725968
Phone: 443-376-5538
NOB/SIC: Coin-Operated Laundries and Drycleaning
Primary Contact: Chung Mun Yi - Phone: 703-533-7200 - Email: leeohnohcpa@yahoo.com
Billing Contact: Chung Mun Yi - 7844 Wise Ave Dundalk, MD 21222-3338 - Phone: 703-533-7200 - Email: leeohnohcpa@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152727H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111073	126073	Bradford White	2015	11/30/2021	Recurring Cert	Active	Mechanical Room

Total Objects at this Location: 1

Location: Woodcraft Exxon - (Sunoco)
Address: 8601 Old Harford Rd - Parkville, MD 21234-3912
County: Baltimore **FIPS:** 24005
Location ID: 3646923
Phone:
NOB/SIC: Gasoline Service Stations
Primary Contact: Woodcraft Exxon - (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151595V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000431170		Wood	1969	09/18/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Woodlawn Village Apartments
Address: 6605 Kincheloe Ave - Woodlawn, MD 21207-4340
County: Baltimore **FIPS:** 24005
Location ID: 729440
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Sage Management - Phone: 443-304-0074 - Email: moshe@sagemgmtllc.com
Billing Contact: - 6807 Park Heights Ave Suite 100 Baltimore, MD 21215-1698 - Phone: 443-304-0074 - Email: moshe@sagemgmtllc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154600H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000198210		State Industries	2014	08/05/2020	Recurring Cert	Active	Bldg 6605

Total Objects at this Location: 1

Location: Woodmoor Shell
Address: 7100 Liberty Rd - Woodlawn, MD 21207-4518
County: Baltimore **FIPS:** 24005
Primary Contact: Mr. Shoukat - Phone: 443-285-9926
Billing Contact:

Location ID: 729470
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD087935V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001027261		Buckeye	1992	07/15/2021	External Cert, Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Words To Life Ministries
Address: 12 S Tollgate Rd - Owings Mills, MD 21117-3348
County: Baltimore **FIPS:** 24005
Primary Contact: Lee Montague - Phone: 410-925-6293
Billing Contact: Lee Montague - 12 Tollgate Rd Owings Mills, MD 21117-3348 - Phone: 410-925-6293

Location ID: 729564
Phone:
NOB/SIC: Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092924H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000047757	1940099	Lochinvar	1994	03/11/2021	Recurring Cert	Active	Basement- Boiler Room

Total Objects at this Location: 1

Location: YMCA of Baltimore Co/Catonsville
Address: 850 S Rolling Rd - Catonsville, MD 21228-5317
County: Baltimore **FIPS:** 24005
Primary Contact: Mike Monaghan - Cell: 443-764-4769 - Email: mikemonaghan@maryland.org
Billing Contact: Mike Monaghan - 850 S Rolling Rd Catonsville, MD 21228-5317 - Cell: 443-764-4769 - Email: mikemonaghan@maryland.org

Location ID: 706286
Phone:
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145430H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000229846		Lochinvar	2008	08/09/2022	Recurring Cert	Active	Mech Rm
MD145431H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000229817		Lochinvar	2010	08/09/2022	Recurring Cert	Active	Pool Room

Total Objects at this Location: 2

Location: York Road Limited Partnership
Address: 724 York Rd - Towson, MD 21204-2540
County: Baltimore **FIPS:** 24005
Location ID: 729672
Phone:
NOB/SIC: Offices of Bank Holding Companies
Primary Contact: John Dr. Fioramonti - Phone: 410 825-8880 - Cell: 443-904-1243
Billing Contact: John Dr. Fioramonti - 716 York Rd Towson, MD 21204-2535 - Phone: 410 825-8880 - Cell: 443-904-1243

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100264H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Burnham	1998	05/11/2020	Recurring Cert	Active	Boiler Rm

Total Objects at this Location: 1

Location: Yorkridge Shell
Address: 1800 York Rd - Lutherville Timonium, MD 21093-5118
County: Baltimore **FIPS:** 24005
Location ID: 729675
Phone: 410-252-9731
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Ji Hyung Ryu - Phone: 410-252-9731 - Email: oilexpressinc@hotmail.com
Billing Contact: Ji Hyung Ryu - 1800 York Rd Lutherville Timonium, MD 21093-5118 - Phone: 410-252-9731 - Email: oilexpressinc@hotmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD041897V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000272289		Buckeye	1980	11/06/2020	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Zips Dry Cleaners
Address: 6102 Baltimore National Pike - Catonsville, MD 21228-2905
County: Baltimore **FIPS:** 24005
Location ID: 3368791
Phone:
NOB/SIC: Power Laundries, Family and Commercial
Primary Contact: Bashir Shams - Phone: 443-879-9477 - Cell: 601-307-4612 - Email: bshams@aol.com
Billing Contact: Bashir Shams - 6102 Baltimore National Pike Catonsville, MD 21228-2905 - Phone: 443-879-9477 - Cell: 601-307-4612 - Email: bshams@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147098V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000034734	A30022	AIR COM	2013	10/26/2021	Recurring Cert	Active	Shop Rear
NEW		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000124647	PV-71-RR	Fulton	2019	12/18/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Zoes Kitchen (NuCO2) #605170

Address: 10130 Reisterstown Rd - Owings Mills, MD 21117-4099

County: Baltimore **FIPS:** 24005

Primary Contact: Zoes Kitchen (NuCO2) #605170

Billing Contact:

Location ID: 3957691

Phone:

NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164238V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000238244		Chart Inc	2013	07/11/2021	Recurring Cert	Active	INSIDE

Total Objects at this Location: 1

Total Objects 1,231

Total Locations 726

Total Active Objects 1231