

Location Detail

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: <Choose>; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address

Location: & Pizza (NuCo2) #686903 **Location ID:** 3968021
Address: 11626 Old Georgetown Rd - Rockville, MD 20852-2788 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160153V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000157402		CHART	2004	02/05/2022	Recurring Cert	Active	dumpster area
Total Objects at this Location:				1							

Location: 10410 Apartment Building **Location ID:** 701694
Address: 10410 Fawcett St - Kensington, MD 20895-3343 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: K. W. Simpson Jr. - Phone: 301 564 4585
Billing Contact: K. W. Simpson Jr. - 5720 Rossmoor Drive Bethesda, MD 20814 - Phone: 301 564 4585

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111185H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1998	10/20/2020	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: 1St Baptist Church Of Rockville
Address: 55 Adclare Rd - Rockville, MD 20850-3827
County: Montgomery **FIPS:** 24031
Location ID: 701734
Phone: 301-279-2400
NOB/SIC: Religious Organizations
Primary Contact: Sachi Nishio - Phone: 301-279-2400 - Email: sachi@firstbaptistrockville.org
Billing Contact: Sachi Nishio - 55 Adclare Rd Rockville, MD 20850-3827 - Phone: 301-279-2400 - Email: sachi@firstbaptistrockville.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112823H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000141149		Columbia Boiler Co	2001	02/18/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: 308 Patterson Court Apt.
Address: 308 Patterson Ct - Takoma Park, MD 20912-7750
County: Montgomery **FIPS:** 24031
Location ID: 727470
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jamil Hishmeh - Phone: 301-655-1000 - Email: jmhproperties1@gmail.com
Billing Contact: Jamil Hishmeh - 706 Ludlow St Takoma Park, MD 20912-7310 - Phone: 301-655-1000 - Email: jmhproperties1@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144835H		Cast Iron	H - Hot Water Supply (Water <= 160 psig, 210 F)	CI	31200127	Dunkirk	2012	05/13/2022	Recurring Cert	Active	Laundry Room
Total Objects at this Location:				1							

Location: 3202, LLC.
Address: 3202 Tower Oaks Blvd - Rockville, MD 20852-4219
County: Montgomery **FIPS:** 24031
Location ID: 710085
Phone:
NOB/SIC: Holding and other investment offices
Primary Contact: Carlos Blanco - Phone: 301-770-5347 - Cell: 240-204-4647 - Email: Carlos.Blanco@avisonyoung.com
Billing Contact: Carlos Blanco - 3206 Tower Oaks Blvd Rockville, MD 20852-4254 - Phone: 301-770-5347 - Cell: 240-204-4647 - Email: Carlos.Blanco@avisonyoung.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134069H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SMITH	2009	06/23/2022	Recurring Cert	Active	BOILER ROOM
MD134070H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SMITH	2009	06/23/2022	Recurring Cert	Active	BOILER ROOM

Total Objects at this Location: 2

Location: 3202, LLC.
Address: 3204 Tower Oak Boulevard - Rockville, MD 20852-4250
County: Montgomery **FIPS:** 24031
Primary Contact: Carlos Blanco
Billing Contact: Carlos Blanco - 3204 Tower Oaks Blvd Ste 110 Rockville, MD 20852-4206

Location ID: 710087
Phone:
NOB/SIC: Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134067H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SMITH	2009	06/23/2022	Recurring Cert	Active	BOILER ROOM
MD134068H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SMITH	2009	06/23/2022	Recurring Cert	Active	3204 boiler room

Total Objects at this Location: 2

Location: 3202, LLC.
Address: 3206 Tower Oaks Blvd - Rockville, MD 20852-4254
County: Montgomery **FIPS:** 24031
Primary Contact: Carlos Blanco - Phone: 301-770-5347 - Cell: 240-204-4647 - Email: Carlos.Blanco@avisonyoung.com
Billing Contact: Carlos Blanco - 3206 Tower Oaks Blvd Rockville, MD 20852-4254 - Phone: 301-770-5347 - Cell: 240-204-4647 - Email: Carlos.Blanco@avisonyoung.com

Location ID: 3542443
Phone:
NOB/SIC: Offices of Holding Companies, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152157H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000013559		Lochinvar	2006	06/23/2022	Recurring Cert	Active	3206 Blrm

Total Objects at this Location: 1

Location: 4641 Montgomery Avenue LP
Address: 4641 Montgomery Ave Ste 200 - Bethesda, MD 20814-3428
County: Montgomery **FIPS:** 24031
Primary Contact: Elmer Diaz - Phone: 301-951-8474 - Cell: 571-331-1706
Billing Contact: Elmer Diaz - 4641 Montgomery Ave Ste 200 Bethesda, MD 20814-3428 - Phone: 301-951-8474 - Cell: 571-331-1706

Location ID: 701837
Phone:
NOB/SIC: Trusts, Except Educational, Religious, and Charitable

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165167H		Cast Iron	H - Hot Water Heat (Water <=	000266766		AIC TUCHOM	2018	10/24/2021	Recurring Cert	Active	ROOF

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 250 F)								

Total Objects at this Location: 1

Location: 4935 Bar & Kitchen (Arc3) **Location ID:** 3974086
Address: 4935 Cordell Ave - Bethesda, MD 20814-2509 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165190V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000012655		Taylor-Wharton	1992	10/02/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: 5 Guys (Roberts) **Location ID:** 4049113
Address: 12029 Rockville Pike - Rockville, MD 20852-1603 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: 5 Guys (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167756V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000314046		CHART	2018	11/30/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: 5 Guys Burgers & Fries (Roberts) **Location ID:** 3974089
Address: 4829 Bethesda Ave - Bethesda, MD 20814-5240 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165197V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000200139		CHART	2009	10/02/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: 6010 Executive Building **Location ID:** 701845
Address: 6010 Executive Blvd - Rockville, MD 20852-3809 **Phone:** 301-951-7222
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Steve Johnson - Cell: 202-437-4883
Billing Contact: David B. Brown - 4416 E West Hwy Ste 300 Bethesda, MD 20814-4566 - Phone: 301-951-7222 - Cell: 301-370-1817 - Email: DBrown@RonaldPaulCos.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139433H	BLR-1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000189810	C07189810	Laars	2007	09/24/2021	Recurring Cert	Active	Boiler Room
MD139434H	BLR-2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000188009	C07188009	Laars	2007	09/24/2021	Recurring Cert	Active	Boiler Room
MD139435H	BLR-3	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000188010	C07188010	Laars	2007	09/24/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: 7 Eleven (NuCo2) # 308720 **Location ID:** 3627909
Address: 14430 Layhill Rd - Silver Spring, MD 20906-1911 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165152V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000315953		CHART	2018	08/21/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: 7 Eleven (NuCO2) # 308785 **Location ID:** 3627950
Address: 29 Olney Sandy Spring Rd - Ashton, MD 20861-3607 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Industrial Gases
Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143849V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000204184		CHART	2009	11/24/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: 7 Eleven (NuCO2) # 308791 **Location ID:** 3627954
Address: 7820 Wisconsin Ave - Bethesda, MD 20814-3524 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162348V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000074629	752044W50	Taylor-Wharton	2004	11/27/2021	Recurring Cert	Active	Beverage Carbonation
Total Objects at this Location:				1							

Location: 7 Locks Brewing (Roberts) **Location ID:** 3915200
Address: 12227 Wilkins Ave - Rockville, MD 20852-1833 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162586V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000316516		CHART	2018	12/14/2022	Recurring Cert	Active	Equipment Area
MD162587V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000316518		CHART	2018	12/14/2022	Recurring Cert	Active	Equipment Area

Total Objects at this Location: 2

Location: 7-11 Carwash **Location ID:** 2128835
Address: 12301 Middlebrook Rd - Germantown, MD 20874-2605 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Mid Atlantic Petroleum Properties - Phone: 301 670 0500(wrong number)
Billing Contact: - 12301 Middlebrook Rd Germantown, MD 20874-2605 - Phone: 301 670 0500(wrong number)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132652V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000240774		Steel Fab	2000	04/16/2022	Recurring Cert	Active	Carwash

Total Objects at this Location: 1

Location: 7-Eleven - 26881 **Location ID:** 3214713
Address: 8035 Snouffer School Rd - Gaithersburg, MD 20879-4729 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Miscellaneous Retail Stores, NEC
Primary Contact: 7-Eleven - 26881
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142561V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000082636		MVE	1998	11/24/2021	Recurring Cert	Active	store room

Total Objects at this Location: 1

Location: 7-Eleven - 29912 **Location ID:** 3214676
Address: 15900 Shady Grove Rd - Gaithersburg, MD 20877-1315 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Miscellaneous Retail Stores, NEC
Primary Contact: 7-Eleven - 29912
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152939V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000144414		CHART	2002	11/10/2021	Recurring Cert	Active	Store Rm

Total Objects at this Location: 1

Location: 7-Eleven - 32961 **Location ID:** 3187181
Address: 9051 Snouffer School Rd - Gaithersburg, MD 20879-1605 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Miscellaneous Retail Stores, NEC
Primary Contact: 7-Eleven - 32961
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149313V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000017265		Minnesota Valley	1988	11/24/2021	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: 7-Eleven - 36460 **Location ID:** 3469788
Address: 405 N Frederick Ave - Gaithersburg, MD 20877-2442 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: 7-Eleven - 36460
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148380V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00006470		BTIC	2012	11/10/2021	Recurring Cert	Active	Closet

Total Objects at this Location: 1

Location: 7-Eleven - 36867 **Location ID:** 3486672
Address: 418 Allied Pl - Gaithersburg, MD 20877-3029 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Miscellaneous Retail Stores, NEC
Primary Contact: 7-Eleven - 36867
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149810V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000238248		CHART	2013	10/06/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: 7-Eleven - 39796 **Location ID:** 3967553
Address: 16201 New Hampshire Ave - Silver Spring, MD 20905-3921 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Kent Nay - Phone: 703-286-9540 - Email: knay01@7-11.com
Billing Contact: Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165135V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000692969		Morganton	2017	08/21/2021	Recurring Cert	Active	Car Wash
Total Objects at this Location:				1							

Location: 7770 Norfolk **Location ID:** 3656587
Address: 7770 Norfolk Ave - Bethesda, MD 20814-6024 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings
Primary Contact: Jose Rodriguez - Cell: 240-678-2992 - Email: jrodriguez@cimgroup.com
Billing Contact: Jose Rodriguez - 7770 Norfolk Ave Bethesda, MD 20814-7004 - Cell: 240-678-2992 - Email: jrodriguez@cimgroup.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155254H	BLR-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	K940-14-11220	Harsco	2014	10/27/2021	Recurring Cert	Active	Penthouse - Mechanical Rm
MD155255H	BLR-2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	K940-14-11219	Harsco	2014	10/27/2021	Recurring Cert	Active	Penthouse - Mechanical Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155256H	BLR-3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	K940-14-11221	Harsco	2014	10/27/2021	Recurring Cert	Active	Penthouse - Mechanical Rm

Total Objects at this Location: 3

Location: 7900 Wisconsin, LLC.
Address: 7900 Wisconsin Ave - Bethesda, MD 20814-3601
County: Montgomery **FIPS:** 24031
Primary Contact: Sam Burrow
Billing Contact: Sam Burrow - 4747 Bethesda Ave Ste 200 Bethesda, MD 20814-5282

Location ID: 702579
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168830H	Boiler #1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000087738	17P4MB.1400.242	AIC GDYNIA	2020	01/06/2023	Recurring Cert	Active	Roof Mechanical Room
MD168831V	Boiler #1	Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000087715	17P4ME.1430.235	AIC GDYNIA	2020	01/06/2023	Recurring Cert	Active	Roof Mechanical Room
MD168832H	Boiler #2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000087414	17P4MB.1400.203	AIC GDYNIA	2020	01/06/2023	Recurring Cert	Active	Roof Mechanical Room
MD168833V	Boiler #1	Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000087442	17P4ME.1430.199	AIC GDYNIA	2020	01/06/2023	Recurring Cert	Active	Roof Mechanical Room

Total Objects at this Location: 4

Location: 8109 Garland Avenue Condominums
Address: 8109 Garland Ave - Takoma Park, MD 20912-6851
County: Montgomery **FIPS:** 24031
Primary Contact: Wai Cheung - Phone: 240-506-2030 - Email: judyjeung66@yahoo.com
Billing Contact: Wai Cheung - 12 Sweetwood Ct Rockville, MD 20850-7406 - Phone: 240-506-2030 - Email: judyjeung66@yahoo.com

Location ID: 711639
Phone: 240-506-2030
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162593H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		BFC	2016	10/18/2020	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: 8203 Apartment Bldg
Address: 8203 Houston Court - Silver Spring, MD 20912-6244
County: Montgomery **FIPS:** 24031
Location ID: 715066
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: David Rothman - Phone: 301 674 9977 - Cell: 301 270 0111 - Email: takomadave@gmail.com
Billing Contact: David Rothman - 7301 Garland Ave Takoma Park, MD 20912-6417 - Phone: 301 674 9977 - Cell: 301 270 0111 - Email: takomadave@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165137H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2014	08/19/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: 8313 Apartment Bldg.
Address: 8313 Garland Ave - Takoma Park, MD 20912-6717
County: Montgomery **FIPS:** 24031
Location ID: 711913
Phone: 301-792-6453
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Michael Campbell - Phone: 301 779 4153/ 301 792 6453 - Cell: 364 537 9201
Billing Contact: Michael Campbell - PO Box 443 College Park, MD 20741-0443 - Phone: 301 779 4153/ 301 792 6453 - Cell: 364 537 9201

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163140H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP7593822	Weil-McLain	2018	02/07/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: 833 Apartment House
Address: 833 Fairview Ave - Takoma Park, MD 20912-5966
County: Montgomery **FIPS:** 24031
Location ID: 722502
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Taylor Denchfield - Phone: 301-559-7500 - Email: taylor@alanmanagement.com
Billing Contact: Taylor Denchfield - 5920 Ager Rd Hyattsville, MD 20782-2663 - Phone: 301-559-7500 - Email: taylor@alanmanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166673H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000153551		KYUNG DONG	2019	03/18/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: 8501 Flower
Address: 8501 Flower Ave - Takoma Park, MD 20912-6645
County: Montgomery **FIPS:** 24031
Location ID: 1339700
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Mathew Mader - Phone: 240-393-1114 - Email: maderproperties@gmail.com
Billing Contact: Mathew Mader - 6062 Sunny Spring Columbia, MD 21044-3614 - Phone: 240-393-1114 - Email: maderproperties@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120714H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1986	08/21/2021	Recurring Cert	Active	basement

Total Objects at this Location: 1

Location: 8624 Apartment Bldg
Address: 8624 Flower Ave - Takoma Park, MD 20912-6622
County: Montgomery **FIPS:** 24031
Location ID: 708638
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Rocio Sanchez
Billing Contact: Rocio Sanchez - 8508 Flower Ave Takoma Park, MD 20912

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162358H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000227796		A O Smith	2017	12/13/2022	Recurring Cert	Active	Basement of 8624

Total Objects at this Location: 1

Location: 9605 Medical Center Drive
Address: 9605 Medical Center Dr - Rockville, MD 20850-6380
County: Montgomery **FIPS:** 24031
Location ID: 2653265
Phone: 202-924-9998
NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Sue Kravitz - Phone: 202-329-1440 - Email: oacosta@fluidics.com
Billing Contact: Sue Kravitz - 946 Clopper Rd. Gaithersburg, MD 20878 - Phone: 202-329-1440 - Email: oacosta@fluidics.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155892V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000380842		LaGrange	2004	10/18/2022	External Cert	Active	Flammable Storage Closet 1st Floor by Loading Dock

Total Objects at this Location: 1

Location: 9850 Key West Ave
Address: 9850 Key West Ave - Rockville, MD 20850-3960
County: Montgomery **FIPS:** 24031
Primary Contact: Paul Hernandez - Phone: 301-340-1081 - Cell: 240-286-4741 - Email: phernandez@writ.com
Billing Contact: Dick Fetter - 9850 Key West Ave Ste 306 Rockville, MD 20850-3958 - Phone: 301-637-6118 - Cell: 571-335-1062

Location ID: 2636366
Phone:
NOB/SIC: Offices and Clinics of Doctors of Medicine

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146338H	1	Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000178322		A O Smith	1999	11/04/2021	Recurring Cert	Active	Penthouse roof

Total Objects at this Location: 1

Location: A Plus
Address: 19738 Germantown Rd - Germantown, MD 20874-1204
County: Montgomery **FIPS:** 24031
Primary Contact: A Plus
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 4010658
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166684V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000055858		MVE	1996	02/21/2022	Recurring Cert	Active	Kitchen
MD166685V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000105993		Trinity	2001	02/21/2022	Recurring Cert	Active	Car Wash

Total Objects at this Location: 2

Location: A-1 Auto
Address: 925 University Blvd E - Silver Spring, MD 20903-2918
County: Montgomery **FIPS:** 24031
Primary Contact: Takoma Park Station LLC
Billing Contact: - 1350 Connecticut Ave NW Ste 800 Washington, DC 20036-1733

Location ID: 717094
Phone: 410-439-2038
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155607V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000249183		Manchester	1994	09/29/2020	Recurring Cert	Active	rear shed

Total Objects at this Location: 1

Location: A.C. Crane
Address: 651 Southlawn Ln - Rockville, MD 20850-1495
County: Montgomery **FIPS:** 24031
Primary Contact: A.C. Crane - Phone: 301-260-2600
Billing Contact: Brian Townsend - 651 Southlawn Ln Rockville, MD 20850-1458 - Phone: 301-260-2600

Location ID: 714447
Phone:
NOB/SIC: Jewelry, Precious Metal

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112446V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0002747	5406039	Steel Fab	1977	01/19/2023	Recurring Cert	Active	Outside Rear Shed
MD112447V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000370676		Kargard	1968	01/19/2023	Recurring Cert	Active	Outside Rear Shed

Total Objects at this Location: 2

Location: Adam A Weschler and Son Inc
Address: 40 W Gude Dr - Rockville, MD 20850-1152
County: Montgomery **FIPS:** 24031
Primary Contact: Tom Patterson - Phone: 301-758-4954 - Email: tpatterson@washreit.com
Billing Contact: Luis Jiron - 1775 Eye St NW Ste 1000 Washington, DC 20006-2404 - Phone: 202-764-7105 - Email: ljiron@washreit.com

Location ID: 728703
Phone:
NOB/SIC: Operators of Nonresidential Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114567H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003570		Precision	1985	03/03/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Adler & Mandel Inc
Address: 12298 Wilkins Ave Ste B - Rockville, MD 20852-1862
County: Montgomery **FIPS:** 24031
Primary Contact: Adler & Mandel Inc - Phone: 3018813525
Billing Contact:

Location ID: 702120
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108229V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000026587		Industrial Comb	1986	08/12/2023	Recurring Cert	Active	Shop

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
Total Objects at this Location:				1							

Location: Advanced Surgery Center of Bethesda
Address: 6430 Rockledge Dr Ste 160 - Bethesda, MD 20817-1847
County: Montgomery **FIPS:** 24031
Primary Contact: Daniele Marshall - Phone: 410-312-6144
Billing Contact: - 6430 Rockledge Dr Ste 160 Bethesda, MD 20817-1847 - Phone: 301-312-6144

Location ID: 3464581
Phone: 301-312-6144
NOB/SIC: General Medical and Surgical Hospitals

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149357		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000000663	40386	Pemberton	2012	10/31/2021	Recurring Cert	Active	Clean Work Room
MD149358		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000000664	40387	Pemberton	2012	10/31/2021	Recurring Cert	Active	Clean Work Room
MD149364V	1	Vertical Unfired Pressure Vessel w/comment	V - Process-Sterilizing	000037467	0580134-SAW	Amsco	1980	10/29/2021	Recurring Cert	Active	Clean Work Room
MD149365V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000065271	1091229	Amsco	1991	10/29/2021	Recurring Cert	Active	Clean Work Room
Total Objects at this Location:				4							

Location: Agile Data Sites Chesapeake
Address: 2240 Broadbirch Dr - Silver Spring, MD 20904-1931
County: Montgomery **FIPS:** 24031
Primary Contact: Ed Killeen - Phone: 858-449-9617 - Email: ekilleen@agiledatasites.com
Billing Contact: Gigi Bondi - 7226 Lee Deforest Dr Ste 104 Columbia, MD 21046-3239 - Phone: 610-392-0133 - Email: gbondi@agiledatasites.com

Location ID: 711609
Phone: 858-449-9617
NOB/SIC: Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070157H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N86-56	H B Smith	1986	12/02/2022	Recurring Cert	Active	Mechanical Room
MD138149V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000926621		Manchester	2008	12/02/2022	Recurring Cert	Active	Mechanical Room
Total Objects at this Location:				2							

Location: Airpark Auto Center
Address: 66 Cessna Ct - Gaithersburg, MD 20879-4145
County: Montgomery **FIPS:** 24031
Primary Contact: Carlo - Phone: 301-977-9401
Billing Contact: Carlo - 66 Cessna Ct Gaithersburg, MD 20879-4145 - Phone: 301-977-9401

Location ID: 788004
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117476V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000429740		Wood	1968	06/02/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Airpark Auto Cooling
Address: 18725 Mooney Dr - Gaithersburg, MD 20879-4704
County: Montgomery **FIPS:** 24031
Primary Contact: Airpark Auto Cooling - Phone: 301-670-6046
Billing Contact: - 18725 Mooney Dr Gaithersburg, MD 20879-4704 - Phone: 301-670-6046

Location ID: 788009
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162770V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000126276		Manchester	2002	04/18/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Aktiv Automotive
Address: 22 W Diamond Ave - Gaithersburg, MD 20877-2111
County: Montgomery **FIPS:** 24031
Primary Contact: Kevin Lucas Jr - Phone: 301-869-3200 - Email: kevin@aktivautomotive.com
Billing Contact: Kevin Lucas Jr - 22 W Diamond Ave Gaithersburg, MD 20877-2111 - Phone: 301-869-3200 - Email: kevin@aktivautomotive.com

Location ID: 717975
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD020871V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004260		Acme	1960	08/13/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Aldon Management Corp. **Location ID:** 702580
Address: 4858 Battery Ln - Bethesda, MD 20814-2742 **Phone:** 301-656-1306
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: David Greaves - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com
Billing Contact: David Greaves - 8180 Wisconsin Ave Bethesda, MD 20814-3624 - Phone: 301-841-6754 - Cell: 240-507-4985 - Email: dgreaves@aldonmanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158551H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000113546		Viessman	2017	10/02/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Alem Weldehiamanot **Location ID:** 702369
Address: 7515 Maple Avenue Apt 100 Meriwill - Takoma Park, MD 20912- **Phone:** 202-459-1949
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Alem Welde-Hiamanot - Phone: 301 270 1373 (disconnected) - Cell: 202 459 1949 - Email: alemgmwh@gmail.com
Billing Contact: Alem Welde-Hiamanot - 7515 Maple Ave Apt 100 Takoma Park, MD 20912-4938 - Phone: 301 270 1373 (disconnected) - Cell: 202 459 1949 - Email: alemgmwh@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128730H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2006	07/06/2020	Recurring Cert	Active	basement 7515
Total Objects at this Location:				1							

Location: ALG Drapery & Installations LLC **Location ID:** 3270591
Address: 7895 Cessna Ave - Gaithersburg, MD 20879-4161 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Miscellaneous Personal Services, NEC
Primary Contact: ALG Drapery & Installations LLC
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118515		Vertical Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000094153		Fulton	2003	10/12/2021	Recurring Cert	Active	BLRM
MD148958V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000956495		Manchester	2008	10/14/2021	Recurring Cert	Active	blr rm

Total Objects at this Location: 2

Location: All Tune & Lube
Address: 324 N Stonestreet Ave - Rockville, MD 20850-1655
County: Montgomery **FIPS:** 24031
Primary Contact: All Tune & Lube
Billing Contact: Glenn R Looper - 324 N Stonestreet Ave Rockville, MD 20850-1655 - Phone: 301-762-9333 - Email: loopersc@loopersc.com

Location ID: 716927
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105525V	01	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000046926		Manchester	1989	05/03/2022	Recurring Cert	Active	Compressor Area
MD105526V	02	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000785404		Pressed Steel	1955	05/03/2022	Recurring Cert	Active	Compressor Area

Total Objects at this Location: 2

Location: American Best Wings (Arc3)
Address: 18208 Contour Rd - Montgomery Village, MD 20877-2607
County: Montgomery **FIPS:** 24031
Primary Contact: American Best Wings (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3993042
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166669V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000299293		CHART	2014	11/19/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: American Inn
Address: 8130 Wisconsin Ave - Bethesda, MD 20814-3640
County: Montgomery **FIPS:** 24031
Primary Contact: Virginia Villegas - Phone: 301-656-9300 - Email: virginia.villegas@baywoodhotels.com
Billing Contact: Virginia Villegas - 8130 Wisconsin Ave Bethesda, MD 20814-3640 - Phone: 301-656-9300 - Email: virginia.villegas@baywoodhotels.com

Location ID: 702648
Phone: 301-656-9300
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108329H		Horizontal Water Tube	H - Hot Water Supply (Water <=	000117293		Lochinvar	1994	03/27/2021	Recurring Cert	Active	Annex Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108330H		Horizontal Water Tube	160 psig, 210 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	000091588		Teledyne Laars	1994	03/27/2021	Recurring Cert	Active	Tower Mechanical Room
MD108331H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000091589		Teledyne Laars	1994	03/27/2021	Recurring Cert	Active	Tower Mechanical Room
MD122011H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000160395		Lochinvar	2003	03/27/2021	Recurring Cert	Active	Tower Mechanical Room

Total Objects at this Location: 4

Location: American Occupational Therapy
Address: 4720 Montgomery Ln - Bethesda, MD 20814-5320
County: Montgomery **FIPS:** 24031
Primary Contact: Jim Crawford - Phone: 240-499-9600 - Email: jcrawfor@foulgerpratt.com
Billing Contact: Jim Crawford - 9600 Blackwell Rd Ste 200 Rockville, MD 20850-3659 - Phone: 240-499-9600 - Email: jcrawfor@foulgerpratt.com

Location ID: 702676
Phone:
NOB/SIC: Health and Allied Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080212V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000954064		Buckeye	1990	02/03/2022	Recurring Cert	Active	Penthouse
MD141901V		Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000096019		Niles	2011	02/03/2022	Recurring Cert	Active	Penthouse
MD141902V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000054948		JOHNSON	2008	02/03/2022	Recurring Cert	Active	Penthouse
MD141903V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000054894		JOHNSON	2008	02/03/2022	Recurring Cert	Active	Penthouse
MD141911H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	6481	Harsco	2011	02/03/2022	Recurring Cert	Active	Penthouse
MD141912H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	7081	Harsco	2011	02/03/2022	Recurring Cert	Active	Penthouse
MD141913H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	7067	Harsco	2011	02/03/2022	Recurring Cert	Active	Penthouse

Total Objects at this Location: 7

Location: American Podiatric Medical
Address: 9312 Old Georgetown Rd - Bethesda, MD 20814-1621
County: Montgomery **FIPS:** 24031
Primary Contact: Jay Levrio - Phone: 301-581-9200 - Email: jlevrio@apma.org
Billing Contact: Jay Levrio - 9312 Old Georgetown Rd Bethesda, MD 20814-1621 - Phone: 301-581-9200 - Email: jlevrio@apma.org

Location ID: 702682
Phone: 301-581-9216
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108918H	9312	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000061861	c963672	Lochinvar	1996	12/09/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Americana Finmark Condominiums
Address: 9900 Georgia Ave - Silver Spring, MD 20902-5244
County: Montgomery **FIPS:** 24031
Primary Contact: Cornell Smith - Phone: 301-585-4045
Billing Contact: Debrah Murray - 9900 Georgia Ave Silver Spring, MD 20902-5248 - Phone: 301-585-4045 - Email: dmurray@comsource.com

Location ID: 702727
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD010186H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000034322		Cleaver Brooks	1967	05/25/2022	Recurring Cert	Active	BLRM
MD010187H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000034323		Cleaver Brooks	1967	05/25/2022	Recurring Cert	Active	BLRM
MD081077H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000024515		Lochinvar	1992	05/25/2022	Recurring Cert	Active	BLRM
MD125375H	01	Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000174484		Lochinvar	2005	05/25/2022	Recurring Cert	Active	BLRM
MD155031H		Horizontal Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108949		Jet Glass	2014	05/25/2022	Recurring Cert	Active	Pump Rm
MD155032V		Heat Exchanger - Other w/comment	V - Storage (NOT Cryogenic)	000272311		Lochinvar	2015	05/25/2022	Recurring Cert	Active	BLRM
MD155033V		Heat Exchanger - Other w/comment	V - Storage (NOT Cryogenic)	000286098		Lochinvar	2015	05/25/2022	Recurring Cert	Active	BLRM
MD167784H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000133111		Bradford White	2019	03/20/2022	Recurring Cert	Active	Pump Room

Total Objects at this Location: 8

Location: Apartment Bldg./60 Elm LLC
Address: 60 Pine Ave - Takoma Park, MD 20912-4611
County: Montgomery **FIPS:** 24031
Location ID: 717097
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Brian Wright - Phone: 202-253-8297 - Email: brian_wright@verizon.net
Billing Contact: Brian Wright - 60 Pine Ave Takoma Park, MD 20912-4611 - Phone: 202-253-8297 - Email: brian_wright@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163255H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)		65423314	US Boiler	2014	05/22/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Apartments
Address: 8105 Greenwood Ave - Takoma Park, MD 20912-6872
County: Montgomery **FIPS:** 24031
Location ID: 717530
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Deric or Yuri Tomenko - Phone: 240-339-3399/240-242-7722
Billing Contact: Deric or Yuri Tomenko - 8201 Flower Ave Apt 5 Takoma Park, MD 20912-6932 - Phone: 240-339-3399/240-242-7722

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154990H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	033125	Burnham	2014	05/01/2022	Recurring Cert	Active	Equip Rm
MD154991H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	6544706	Burnham	2014	05/01/2022	Recurring Cert	Active	Equip Rm
MD154992H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65442705	Burnham	2014	05/01/2022	Recurring Cert	Active	Equip Rm
MD154993H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65433124	Burnham	2014	05/01/2022	Recurring Cert	Active	Equip Rm
MD154994H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65442704	Burnham	2014	05/01/2022	Recurring Cert	Active	Equip Rm
MD154995H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000042705	65433128	Burnham	2014	05/01/2022	Recurring Cert	Active	Equip Rm

Total Objects at this Location: 6

Location: Aspen Hill Exxon
Address: 14011 Georgia Ave - Silver Spring, MD 20906-2929
County: Montgomery **FIPS:** 24031
Location ID: 3656987
Phone:
NOB/SIC: Gasoline Service Stations
Primary Contact: Aspen Hill Exxon
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154647V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000068468 H		Brunner	1994	10/07/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Aspen Hill Racquet Club
Address: 14501 Homecrest Rd - Silver Spring, MD 20906-1823
County: Montgomery **FIPS:** 24031
Location ID: 703242
Phone: 301-598-5200
NOB/SIC: Membership Organizations, NEC
Primary Contact: Zaf Khan - Phone: 301-598-5200/301-906-7153 - Email: zafkhan66@hotmail.com
Billing Contact: Zaf Khan - 14501 Homecrest Rd Silver Spring, MD 20906-1823 - Phone: 301-598-5200/301-906-7153 - Email: zafkhan66@hotmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137222H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000183482		Laars	2007	04/22/2022	Recurring Cert	Active	Pool Room
MD137223H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000017325		A O Smith	2007	04/22/2022	Recurring Cert	Active	Pool Mech Rm
MD149583H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000288871		Laars	2014	04/22/2022	Recurring Cert	Active	blrm

Total Objects at this Location: 3

Location: Assembly at Watkins Mill
Address: 151 Watkins Station Cir - Gaithersburg, MD 20879-3338
County: Montgomery **FIPS:** 24031
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

Location ID: 3486594
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166740H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000128459	143459	Bradford White	2018	03/10/2022	Recurring Cert	Active	Maintenance/Boiler Room

Total Objects at this Location: 1

Location: Astro Lab Brewing
Address: 8216 Georgia Ave - Silver Spring, MD 20910-4519
County: Montgomery **FIPS:** 24031
Primary Contact: George Whelan - Phone: 703-622-5413
Billing Contact: Emma Whelan - 12 E Granville Dr Silver Spring, MD 20901-2903 - Phone: 240-423-8472 - Email: emma@astrolabbrewing.com

Location ID: 3861533
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161761H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000018750	90S32978	Rite Engineering	2018	06/12/2022	Recurring Cert	Active	Blrm

Total Objects at this Location: 1

Location: Auburn Exxon
Address: 7975 Old Georgetown Rd - Bethesda, MD 20814-2430
County: Montgomery **FIPS:** 24031
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3974085
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165191V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000128555		CHART	2001	10/02/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Audi Bethesda
Address: 5206 River Rd - Bethesda, MD 20816-1416
County: Montgomery **FIPS:** 24031
Location ID: 878219
Phone: 240-762-5600
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Steve Krasner - Phone: 301-986-8800 - Email: skrasner@euromotorcars.com
Billing Contact: Steve Krasner - 7020 Arlington Rd Bethesda, MD 20814-5229 - Phone: 301-986-8800 - Email: skrasner@euromotorcars.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153959V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000338251		Morganton	2013	05/05/2022	Recurring Cert	Active	Shop
MD153960V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000296821	310325	Morganton	2013	05/05/2022	Recurring Cert	Active	Rear Shed

Total Objects at this Location: 2

Location: Audubon Naturalist Society
Address: 8940 Jones Mill Rd - Chevy Chase, MD 20815-4725
County: Montgomery **FIPS:** 24031
Location ID: 703327
Phone:
NOB/SIC: Membership Organizations, NEC
Primary Contact: Raj Sakaria - Phone: 301-652-9188 ext 27
Billing Contact: Raj Sakaria - 8940 Jones Mill Rd Chevy Chase, MD 20815-4725 - Phone: 301-652-9188 ext 27

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000478386		Trinity	2019	11/18/2022	Recurring Cert	Active	Mansion Basement Boiler Room

Total Objects at this Location: 1

Location: Auto Clinic Care
Address: 5531 Nicholson Ln Ste A - Rockville, MD 20852-3182
County: Montgomery **FIPS:** 24031
Location ID: 2933355
Phone: 301-881-7891
NOB/SIC: General Automotive Repair Shops
Primary Contact: Karen - Phone: 301-881-7891 - Email: autocliniccare@aol.com
Billing Contact: Karen - 5531 Nicholson Ln Ste A Rockville, MD 20852-3182 - Phone: 301-881-7891 - Email: autocliniccare@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142909V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000014069	19026	Morganton	2008	04/24/2021	Recurring Cert	Active	Rear Storgae Shed

Total Objects at this Location: 1

Location: Auto Collision Craftsmen
Address: 7865 Cessna Ave - Gaithersburg, MD 20879-4109
County: Montgomery **FIPS:** 24031
Location ID: 703351
Phone: 301-216-0630
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Ernie Lanciano - Phone: 301-216-0630 - Email: info@AutoCollisionCraftsmen.com
Billing Contact: Ernie Lanciano - 7865 Cessna Ave Gaithersburg, MD 20879-4109 - Phone: 301-216-0630 - Email: info@AutoCollisionCraftsmen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159935V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000694277		Morganton	2017	04/30/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Autobody Dimensions Inc.
Address: 7559 Rickenbacker Dr - Gaithersburg, MD 20879-4700
County: Montgomery **FIPS:** 24031
Location ID: 3184499
Phone: 301-670-6343
NOB/SIC: General Automotive Repair Shops
Primary Contact: Charlie Herbert - Phone: 301-670-6343 - Email: cherbertabd@aol.com
Billing Contact: Charlie Herbert - 7559 Rickenbacker Dr Gaithersburg, MD 20879-4700 - Phone: 301-670-6343 - Email: cherbertabd@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167771V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002246929		Manchester	2020	12/17/2022	Recurring Cert	Active	Behind Paint Booth

Total Objects at this Location: 1

Location: Autonomous Therapeutics, Inc.
Address: 1530 E Jefferson St - Rockville, MD 20852-1501
County: Montgomery **FIPS:** 24031
Location ID: 713575
Phone: 301-681-1230
NOB/SIC: Medical Laboratories
Primary Contact: Chris Crowley - Phone: 301-710-6483 - Email: chris@ati.bio
Billing Contact: Susan Weinberger - 11808 Auth Ln Silver Spring, MD 20902-1643 - Phone: 301-681-1230 - Email: susan@ati.bio

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106437V	01	Autoclave	V - Process-Sterilizing	000059541	98k59541	Getinge Castle,Inc.	1998	09/18/2022	Recurring Cert	Active	117 B
MD106438V	02	Autoclave	V - Process-Sterilizing	000059689	98M59689	Getinge	1998	09/18/2022	Recurring Cert	Active	117 B

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106440H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000182238	J988931	Lochinvar	2005	03/12/2021	Recurring Cert	Active	2nd Fl Mech Room
MD155445		Vertical Fire Tube	S - Power-Sterilizing (Steam > 15 psig)	000019660	V49-150-752	Hurst	2014	09/18/2021	Recurring Cert	Active	Boiler Rm

Total Objects at this Location: 4

Location: AutoServ
Address: 2401 University Blvd W - Wheaton, MD 20902-4509
County: Montgomery **FIPS:** 24031
Primary Contact: Phillip, Peter or Alex Balourdos - Phone: 301-949-0400 - Email: autoservwheaton@gmail.com
Billing Contact: Phillip, Peter or Alex Balourdos - 2401 University Blvd W Wheaton, MD 20902-4509 - Phone: 301-949-0400 - Email: autoservwheaton@gmail.com

Location ID: 712577
Phone: 301-949-0211
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157374V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000016104		Jiaxing	2016	05/10/2023	Recurring Cert	Active	Compressor Room

Total Objects at this Location: 1

Location: Avery Park Apartments
Address: 1701 Mount Pisgah Ln - Silver Spring, MD 20903-2429
County: Montgomery **FIPS:** 24031
Primary Contact: Susan Ferris - Phone: 301-434-5385
Billing Contact: Susan Ferris - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 301-434-5385

Location ID: 712784
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142994H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092238		Jet Glass	2010	03/18/2022	Recurring Cert	Active	Equipment Room

Total Objects at this Location: 1

Location: Avery Park Apartments
Address: 1704 Hampshire Green Ln - Silver Spring, MD 20903-2412
County: Montgomery **FIPS:** 24031
Location ID: 712785
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Roshan Fiery - Phone: 3014345385 - Email: rfiery@laramarapts.com
Billing Contact: Roshan Fiery - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 3014345385 - Email: rfiery@laramarapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142992H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000083919		Jet Glass	2008	03/18/2022	Recurring Cert	Active	1704 Building
MD142993H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000083870		Jet Glass	2008	03/18/2022	Recurring Cert	Active	1704 Building
Total Objects at this Location:				2							

Location: Avery Park Apartments
Address: 1704 Mount Pisgah Ln - Silver Spring, MD 20903-2435
County: Montgomery **FIPS:** 24031
Location ID: 712786
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Susan Ferris - Phone: 301-434-5385
Billing Contact: Susan Ferris - 1801 Hampshire Green Ln Ofc Rental Silver Spring, MD 20903-2159 - Phone: 301-434-5385

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110953H	02	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000053421		Jet Glass	2000	03/15/2022	Recurring Cert	Active	Equip Rm 1704
MD149140H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000097798		Jet Glass	2012	03/15/2022	Recurring Cert	Active	Rm 1704
Total Objects at this Location:				2							

Location: Avery Park Apartments
Address: 1705 Hampshire Green Ln - Silver Spring, MD 20903-2414
County: Montgomery **FIPS:** 24031
Location ID: 712787
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Roshan Fierey - Phone: 3014345385 - Email: rfierney@laramarapts.com
Billing Contact: Roshan Fierey - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 3014345385 - Email: rfierney@laramarapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133992H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111961		Ruud-Rheem	2007	03/18/2022	Recurring Cert	Active	Htr Rm of 1705
MD142991H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092782		Jet Glass	2010	03/18/2022	Recurring Cert	Active	1705

Total Objects at this Location: 2

Location: Avery Park Apartments
Address: 1709 Mount Pisgah Ln - Silver Spring, MD 20903-2443
County: Montgomery **FIPS:** 24031
Location ID: 712789
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Avery Park Apartments - Phone: 301-434-0025 - Email: Avery-Park@GradyMgt.com
Billing Contact: - 1801 Hampshire Green Ln Ofc Leasing Silver Spring, MD 20903-2159 - Phone: 301-434-0025 - Email: Avery-Park@GradyMgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149141H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000103116		Jet Glass	2013	03/15/2022	Recurring Cert	Active	Basement of 1709

Total Objects at this Location: 1

Location: Avery Park Apartments
Address: 1711 Hampshire Green Ln - Silver Spring, MD 20903-2424
County: Montgomery **FIPS:** 24031
Location ID: 993198
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Roshan Fierey - Phone: 3014345385 - Email: rfierney@laramarapts.com
Billing Contact: Roshan Fierey - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 3014345385 - Email: rfierney@laramarapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154752H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000111842		Jet Glass	2015	03/18/2022	Recurring Cert	Active	1711 Heater Rm

Total Objects at this Location: 1

Location: Avery Park Apartments
Address: 1800 Mount Pisgah Ln - Silver Spring, MD 20903-2138
County: Montgomery **FIPS:** 24031
Location ID: 712790
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Van Cooper - Phone: 301-434-5385 - Email: vcooper@laramarapts.com
Billing Contact: Van Cooper - 1801 Hampshire Green Ln Ofc Leasing Silver Spring, MD 20903-2159 - Phone: 301-434-5385 - Email: vcooper@laramarapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160649H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000125299		JETGLASS	2017	04/03/2022	Recurring Cert	Active	1800 Mt. Pisgah
MD160650H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000119679		JETGLASS	2017	04/03/2022	Recurring Cert	Active	1800 Mt. Pisgah

Total Objects at this Location: 2

Location: Avery Park Apartments
Address: 1801 Greenwich Woods Drive - Silver Spring, MD 20903-2104
County: Montgomery **FIPS:** 24031
Location ID: 993199
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Nathan Moors - Phone: 301-434-5385 - Cell: 301-674-5287 - Email: averyparksm@laramarapts.com
Billing Contact: Nathan Moors - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 301-434-5385 - Cell: 301-674-5287 - Email: averyparksm@laramarapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160648H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100395		JETGLASS	2012	04/03/2022	Recurring Cert	Active	1801 Greenwich

Total Objects at this Location: 1

Location: Avery Park Apartments
Address: 1805 Mount Pisgah Ln - Silver Spring, MD 20903-2148
County: Montgomery **FIPS:** 24031
Location ID: 712793
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Van Cooper - Phone: 301-434-5385 - Email: vcooper@laramarapts.com
Billing Contact: Van Cooper - 1801 Hampshire Green Ln Ofc Leasing Silver Spring, MD 20903-2159 - Phone: 301-434-5385 - Email: vcooper@laramarapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128708H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000077384	92384	Bradford White	2007	03/18/2022	Recurring Cert	Active	Basement of 1805

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142995H		Water Heater (HLW)	160 psig, 210 F) H - Hot Water Supply (Water <= 160 psig, 210 F)	000096330		Bradford White	2011	03/18/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: Avery Park Apartments **Location ID:** 712795
Address: 1811 Mount Pisgah Ln - Silver Spring, MD 20903-2154 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Nathan Moors - Phone: 301-434-5385 - Cell: 301-674-5287 - Email: averyparksm@laramarapts.com
Billing Contact: Roshaun Ferradoni - 1801 Hampshire Green Ln Silver Spring, MD 20903-2159 - Phone: 301 434 5385

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138646H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000083929	98929	Bradford White	2008	03/18/2022	Recurring Cert	Active	Htr Rm - Basement
MD138647H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000083928	98928	Bradford White	2008	03/18/2022	Recurring Cert	Active	Htr Rm - Basement

Total Objects at this Location: 2

Location: Avery Park Apartments **Location ID:** 712796
Address: 1814 Greenwich Wood Dr - Silver Spring, MD 20903-2123 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Roshan Fierery - Phone: 3014345385 - Email: rfierery@laramarapts.com
Billing Contact: Roshan Fierery - 1801 Hampshire Green Ln Leasing Office Silver Spring, MD 20903-2159 - Phone: 3014345385 - Email: rfierery@laramarapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142990H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000093877		Bradford White	2010	03/15/2022	Recurring Cert	Active	Equipment Room 1814
MD160647H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096331		JETGLASS	2011	04/03/2022	Recurring Cert	Active	1814 Greenwich

Total Objects at this Location: 2

Location: Avery Park Apartments **Location ID:** 993196
Address: 9706 Mount Pisgah Rd - Silver Spring, MD 20903-2006 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Van Cooper - Phone: 301-434-5385 - Email: vcooper@laramarapts.com
Billing Contact: Van Cooper - 1801 Hampshire Green Ln Ofc Leasing Silver Spring, MD 20903-2159 - Phone: 301-434-5385 - Email: vcooper@laramarapts.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163380H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000291860	C18291860	Laars	2018	03/15/2021	Recurring Cert	Active	Boiler Room
MD163381H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	CI		Weil-McLain	2018	03/15/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Avison Young Mgmt Co. Inc. **Location ID:** 711748
Address: 401 N Washington St Ste B100 - Rockville, MD 20850-1772 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Guy Jagan - Phone: 202-870-3532 - Email: gjagan@normandyrealty.com
Billing Contact: Guy Jagan - 401 N Washington St Ste 168 Rockville, MD 20850-0702 - Phone: 202-870-3532 - Email: gjagan@normandyrealty.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD011109H	01	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000024285	BLR-1	Cleaver Brooks	1971	08/24/2021	Recurring Cert	Active	Penthouse
MD011387H	02	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	0024284	BLR-2	Cleaver Brooks	1971	08/24/2021	Recurring Cert	Active	Penthouse
MD062800V	01	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0846983		Wood	1984	08/24/2021	Recurring Cert	Active	Penthouse
MD160611H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000117924	132924	Bradford White	2016	09/01/2021	Recurring Cert	Active	Penthouse

Total Objects at this Location: 4

Location: AZ - Medimmune (Roberts) **Location ID:** 4060993
Address: 45 W Watkins Mill Rd - Gaithersburg, MD 20878-4026 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000312556		CHART	2018	03/01/2023	Recurring Cert	Active	Outside
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000263351		CHART	2014	03/01/2023	Recurring Cert	Active	Outside
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000262879		CHART	2014	03/01/2023	Recurring Cert	Active	Outside
Total Objects at this Location:				3							

Location: AZ _ Medimmune (Roberts) **Location ID:** 4060994
Address: 35 W Watkins Mill Rd - Gaithersburg, MD 20878-4021 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000020289		Taylor	1994	03/01/2023	Recurring Cert	Active	Outside
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000055331		Taylor	2001	03/01/2023	Recurring Cert	Active	Outside
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000020186		Taylor	1994	03/01/2023	Recurring Cert	Active	Outside
Total Objects at this Location:				3							

Location: AZ Medimmune
Address: 45 W Watkins Mill Rd - Gaithersburg, MD 20878-4026
County: Montgomery **FIPS:** 24031
Location ID: 722038
Phone: 240-694-8047
NOB/SIC: Biological Products, Except Diagnostic Substances
Primary Contact: AZ Medimmune - Phone: 240-694-847
Billing Contact: Owner - 45 W Watkins Mill Rd Gaithersburg, MD 20878-4026 - Phone: 240-694-847

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000268097		A O Smith	2020	03/01/2023	Recurring Cert	Active	Mechanical Rm
Total Objects at this Location:				1							

Location: Balducci's Food Lovers Market #3602
Address: 10323 Old Georgetown Rd - Bethesda, MD 20814-1903
County: Montgomery **FIPS:** 24031
Location ID: 2648138
Phone: 301-564-3100
NOB/SIC: Food stores
Primary Contact: Cecilia Nguyen - Phone: 623-869-4470
Billing Contact: Cecilia Nguyen - PO Box 29096 MS #6531 Phoenix, AZ 85038 - Phone: 623-869-4470

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143672V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013909		Acme	1984	06/27/2022	Recurring Cert	Active	Motor Room
MD143673V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000013062		Acme	1984	06/27/2022	Recurring Cert	Active	Motor Room
MD143674V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013910		Acme	1984	06/27/2022	Recurring Cert	Active	Motor Room
Total Objects at this Location:				3							

Location: Bank Of America
Address: 8722 Flower Ave - Silver Spring, MD 20901-4000
County: Montgomery **FIPS:** 24031
Location ID: 703841
Phone:
NOB/SIC: Depository institutions
Primary Contact: Karen Tyler - Phone: 301-915-9445 - Email: ktyler@finmarc.com
Billing Contact: Margaret Sexton - 525 N Tryon St Mailcode NC1-023-05-55 Charlotte, NC 28202-0202 - Phone: 860-244-4091 - Cell: 860-937-7618 - Email: margaret.sexton@cbre.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135720H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2007	11/09/2021	Recurring Cert	Active	Basement of 8722
MD135721H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2007	11/09/2021	Recurring Cert	Active	Basement of 8722

Total Objects at this Location: 2

Location: Bar Louie (NuCO2) #577910
Address: 11160 Veirs Mill Rd - Silver Spring, MD 20902-2538
County: Montgomery **FIPS:** 24031
Location ID: 3957724
Phone:
NOB/SIC:
Primary Contact: Bar Louie (NuCO2) #577910
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165561V	A948275	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000052848	CCFC96G213	MVE Inc	1996	10/11/2021	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Barclay Apartments
Address: 4700 Bradley Blvd - Chevy Chase, MD 20815-6351
County: Montgomery **FIPS:** 24031
Location ID: 2278736
Phone: 301-656-3737
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Tonya Kennedy - Phone: 301-656-3737 - Email: barclaymgr@emcmgmt.com
Billing Contact: Thelma Kennedy - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-939-7579 - Cell: 301-252-2240 - Email: tkennedy@res1.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162750H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000234995		A O Smith	2017	04/03/2021	Recurring Cert	Active	BLRM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162751H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000242808		A O Smith	2018	04/03/2021	Recurring Cert	Active	Blrm

Total Objects at this Location: 2

Location: Barclay Apartments
Address: 4707 Chevy Chase Dr - Chevy Chase, MD 20815-6405
County: Montgomery **FIPS:** 24031
Primary Contact: Thelma Kennedy - Phone: 301-939-7579 - Cell: 301-252-2240 - Email: tkennedy@res1.net
Billing Contact: Thelma Kennedy - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-939-7579 - Cell: 301-252-2240 - Email: tkennedy@res1.net

Location ID: 703885
Phone: 301-656-3737
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124705H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000093346	C05-M000656	A O Smith	2005	03/26/2021	Recurring Cert	Active	basement of 4707
MD162752H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000239846	H	A O Smith	2018	04/03/2021	Recurring Cert	Active	blrm

Total Objects at this Location: 2

Location: Barclay Apartments
Address: 4708 Bradley Blvd - Chevy Chase, MD 20815-6320
County: Montgomery **FIPS:** 24031
Primary Contact: Thelma Kennedy - Phone: 301-939-7579 - Cell: 301-252-2240 - Email: tkennedy@res1.net
Billing Contact: Thelma Kennedy - 8975 Guilford Rd Ste 100 Columbia, MD 21046-2390 - Phone: 301-939-7579 - Cell: 301-252-2240 - Email: tkennedy@res1.net

Location ID: 703886
Phone: 301-656-3737
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129743H	1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000102996		A O Smith	2006	03/26/2021	Recurring Cert	Active	Boiler Room
MD129744H	2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106021		A O Smith	2006	03/26/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Barnesville Baptist Church
Address: 17917 Barnesville Rd - Barnesville, MD 20838-9722
County: Montgomery **FIPS:** 24031
Location ID: 2108843
Phone: 301-407-0500
NOB/SIC: Religious Organizations
Primary Contact: Danny Moore - Cell: 410-459-3993
Billing Contact: Danny Moore - 17917 Barnesville Rd Barnesville, MD 20838-9722 - Cell: 410-459-3993

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142328H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	070200066	Columbia	2007	10/12/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Battery Garden Apartments
Address: 4920 Battery Ln - Bethesda, MD 20814-4954
County: Montgomery **FIPS:** 24031
Location ID: 703952
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Ana Marie Mutter - Phone: 301-656-8362 - Cell: 240-418-5567 - Email: Manager@thebatterygardens.com
Billing Contact: John Gill, Jr. - 1722 Wisconsin Ave NW Washington, DC 20007-2313 - Phone: 202-338-5001

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD037973H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	REDBSHPRV	American Standard	1955	08/18/2022	Recurring Cert	Active	Boiler Room
MD161747H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000228767		A O Smith	2016	08/15/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				2							

Location: Battery Garden Apartments
Address: 4926 Battery Ln - Bethesda, MD 20814-4951
County: Montgomery **FIPS:** 24031
Location ID: 703953
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Nell Sanders - Phone: 202-338-5000 - Email: nell@hagill.com
Billing Contact: John Gill, Jr. - 1722 Wisconsin Ave NW Washington, DC 20007-2313 - Phone: 202-338-5001

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD037975H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1955	08/18/2022	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161748H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000226810	PRVDSCH	A O Smith	2016	08/15/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Battery Garden Apartments **Location ID:** 703954
Address: 4932 Battery Ln - Bethesda, MD 20814-4948 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Nell Sanders - Phone: 202-338-5000 - Email: nell@hagill.com
Billing Contact: John Gill, Jr. - 1722 Wisconsin Ave NW Washington, DC 20007-2313 - Phone: 202-338-5001

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD037977H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1955	08/18/2022	Recurring Cert	Active	Boiler Room
MD161746H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000200992		A O Smith	2015	08/15/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Battery Garden Apartments **Location ID:** 703955
Address: 4938 Battery Ln - Bethesda, MD 20814-4945 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Nell Sanders - Phone: 202-338-5000 - Email: nell@hagill.com
Billing Contact: John Gill, Jr. - 1722 Wisconsin Ave NW Washington, DC 20007-2313 - Phone: 202-338-5001

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD037970H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1955	08/18/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Bedford Court (Sunrise Senior Living) **Location ID:** 717488
Address: 3701 International Dr - Silver Spring, MD 20906-1556 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Hotels and Motels
Primary Contact: Ty Randolph - Phone: 301-438-6613 - Cell: 202-809-4104 - Email: bedfordcourt.des@sunriseseniorliving.com
Billing Contact: - 3701 International Dr Silver Spring, MD 20906-1556

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078180V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000050967		Old Dominion	1990	08/25/2021	Recurring Cert	Active	7TH FLR BLRM
MD078181H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000006894	WH-4	Teledyne	1990	08/25/2021	Recurring Cert	Active	3RD FLR BLRM
MD078182H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000006893	WH-5	Teledyne	1990	08/25/2021	Recurring Cert	Active	3RD FLR BLRM
MD078183V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000050950		Old Dominion	1990	08/25/2021	Recurring Cert	Active	3RD FLR BLRM
MD113053H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000185225	HWS-3	Teledyne Laars	2002	08/25/2021	Recurring Cert	Active	2ND FLR ROOF
MD141007H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000093093	BLR-2	Patterson Kelley	2011	08/25/2021	Recurring Cert	Active	7th Flr Boiler Room
MD141008H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000216190	HWS-2	Laars	2009	08/25/2021	Recurring Cert	Active	7TH FLR BLRM
MD141009H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000227770	HWS-1	Laars	2011	08/25/2021	Recurring Cert	Active	7TH FLR BLRM
MD158183H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119247		Rbi	2016	08/23/2021	Recurring Cert	Active	LAUNDRY
MD158184H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000110824		Rbi	2016	08/23/2021	Recurring Cert	Active	LAUNDRY

Total Objects at this Location: 10

Location: Bel Pre Glassworks, Inc.
Address: 3 Derwood Cir - Rockville, MD 20850-1263
County: Montgomery **FIPS:** 24031
Primary Contact: Jeffrey James
Billing Contact:

Location ID: 3921144
Phone:
NOB/SIC: Flat Glass

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163078V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000872811		Steel Fab	2018	01/23/2023	Recurring Cert	Active	SHOP
MD163079V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000388780		Manchester	2004	01/23/2023	Recurring Cert	Active	SHOP
MD163080V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000708840		Steel Fab	2012	01/23/2023	Recurring Cert	Active	SHOP

Total Objects at this Location: 3

Location: Beltway Shell Station
Address: 9510 Georgia Ave - Silver Spring, MD 20910-1436
County: Montgomery **FIPS:** 24031
Primary Contact: Beltway Shell Station
Billing Contact:

Location ID: 704276
Phone: 301-585-2858
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092480V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000421821		Manchester	1996	08/24/2021	Recurring Cert	Active	Comp Rm

Total Objects at this Location: 1

Location: Bethesda Chevy Chase Surgery Center
Address: 6931 Arlington Rd 1st Floor Ste E - Bethesda, MD 20814-5268
County: Montgomery **FIPS:** 24031
Primary Contact: Bethesda Chevy Chase Surgery Center
Billing Contact:

Location ID: 4060700
Phone: 301-968-3184
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW	#1	Autoclave	V - Process-Sterilizing	000086823	0603119	Steris Corp	2003	03/02/2023	Recurring Cert	Active	Clean Work Room
NEW	#2	Autoclave	V - Process-Sterilizing	000078187	1098131	Steris Corp	1998	03/02/2023	Recurring Cert	Active	Clean Work Room
NEW	#2	Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	None	108763	Reimers	2017	03/02/2022	Recurring Cert	Active	Clean Work Room
NEW	#1	Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	None	108767	Reimers	2017	03/02/2022	Recurring Cert	Active	Clean Work Room

Total Objects at this Location: 4

Location: Bethesda Crossing
Address: 7315 Wisconsin Ave - Bethesda, MD 20814-3202
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Hugo - Phone: 301-469-3035 - Email: GHugo@mrprealty.com
Billing Contact: Chris Shanahan - 7315 Wisconsin Ave Bethesda, MD 20814-3202 - Phone: 301-469-3037 - Cell: 202-441-8735 - Email: cshanahan@mrpproperty.com

Location ID: 704495
Phone:
NOB/SIC: Offices of Holding Companies, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD008482H	BLR-1	Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000043924	L50285	Cleaver Brooks	1970	08/24/2021	External Cert	Active	Boiler Room
MD008483H	BLR-2	Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000043999	L50224	Cleaver Brooks	1970	08/24/2021	External Cert	Active	Boiler Room
MD046419H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2114752	Peerless	1970	06/13/2022	Recurring Cert	Active	Boiler Room
MD150440H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000250924		Lochinvar	2013	06/13/2022	Recurring Cert	Active	Boiler Room
MD150441V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000246914		Lochinvar	2013	06/13/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 5

Location: Biomedical Research & Development
Address: 8561 Atlas Dr - Gaithersburg, MD 20877-4135
County: Montgomery **FIPS:** 24031
Primary Contact: Biomedical Research & Development - Phone: 3019486506
Billing Contact:

Location ID: 704665
Phone:
NOB/SIC: Fluid Power Valves and Hose Fittings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165868V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	2068016		Manchester	2019	12/13/2021	Recurring Cert	Active	REAR UTILITY ROOM

Total Objects at this Location: 1

Location: Biomedical Research Institute (Roberts Oxygen)
Address: 9410 Key West Ave - Rockville, MD 20850-3345
County: Montgomery **FIPS:** 24031
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Location ID: 3839665
Phone:
NOB/SIC: Nonclassifiable Establishments

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158622V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000076303		CHART	2015	11/21/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Black Nor White LLC.
Address: 700 Chaney Dr - Takoma Park, MD 20912-6365
County: Montgomery **FIPS:** 24031
Primary Contact: Victoria Gray - Email: victoria.gray@gmail.com
Billing Contact: Victoria Gray - PO Box 423 Cabin John, MD 20818-0423 - Email: victoria.gray@gmail.com

Location ID: 709913
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154867H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65433451	US Boiler	2014	08/12/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: BMR-Medical Center Dr., LLC. **Location ID:** 994219
Address: 9714 Medical Center Dr - Rockville, MD 20850-3773 **Phone:** 301-279-0214
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Nonclassifiable Establishments
Primary Contact: Desirae Whitaker - Phone: 301-279-0214/301-279-0214 - Email: desirae.whitaker@biomedrealty.com
Billing Contact: Erin Shea - 17190 Bernard Dr San Diego, CA 92128 - Phone: 301-279-0214

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114555V	2	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00043003L		Brunner	1998	03/02/2020	Recurring Cert	Active	mech rm 3
Total Objects at this Location:				1							

Location: Bradford Road Apartments **Location ID:** 704979
Address: 8712 Bradford Rd - Silver Spring, MD 20901-4006 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Daniel Fabyubi - Phone: 301-337-4700 X 265 - Cell: 301-520-4379
Billing Contact: - 9201 Corporate Blvd Ste 420 Rockville, MD 20850-6523 - Phone: 301-337-4700

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129333H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2002	04/17/2021	Recurring Cert	Active	Laundry Room
MD129334H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2002	04/17/2021	Recurring Cert	Active	Laundry Room
MD129335H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2002	04/17/2021	Recurring Cert	Active	Laundry Room
MD129336H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2002	04/17/2021	Recurring Cert	Active	Laundry Room
MD129337H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2002	04/17/2021	Recurring Cert	Active	Laundry Room
MD129338H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2002	04/17/2021	Recurring Cert	Active	Laundry Room
Total Objects at this Location:				6							

Location: Bradford Road Apartments, Ste 3
Address: 8710 Bradford Rd - Silver Spring, MD 20901-4005
County: Montgomery **FIPS:** 24031
Primary Contact: Betsy & James Speropulos - Phone: 3016811238
Billing Contact: - 10005 Raynor Rd Silver Spring, MD 20901-2124 - Phone: 3016811238

Location ID: 704552
Phone: 301-641-1099
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135735H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000040713	41028	Triangle Tube	2009	12/11/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Brandon Investments, LLC
Address: 904 Fairview Ave - Takoma Park, MD 20912-5972
County: Montgomery **FIPS:** 24031
Primary Contact: Moises - Phone: 301-275-9543
Billing Contact: Moises - 12813 Hammonton Rd Silver Spring, MD 20904-3524 - Phone: 301-275-9543

Location ID: 707930
Phone: 240-244-5578
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141293H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	563642-200671	Peerless	2006	10/14/2022	Recurring Cert	Active	Basement Laundry Room

Total Objects at this Location: 1

Location: Briggs Chaney Exxon
Address: 3050 Briggs Chaney Rd - Silver Spring, MD 20904-4963
County: Montgomery **FIPS:** 24031
Primary Contact: Briggs Chaney Exxon - Phone: 3018909313
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 705093
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105721V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000076230		Brunner	1995	09/28/2021	Recurring Cert	Active	Comp Room

Total Objects at this Location: 1

Location: Brightlight Baptist Church
Address: 7300 New Hampshire Ave - Takoma Park, MD 20912-6908
County: Montgomery **FIPS:** 24031
Primary Contact: Watt Jefferson - Phone: 301-270-2645 - Email: wjeffer2@yahoo.com
Billing Contact: Watt Jefferson - 7300 New Hampshire Ave Takoma Park, MD 20912-6908 - Phone: 301-270-2645 - Email: wjeffer2@yahoo.com

Location ID: 705099
Phone: 301-891-8900
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161174H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000299558		LC	2016	03/25/2022	Recurring Cert	Active	blr rm
Total Objects at this Location:				1							

Location: BSREP II MD Office 20 W Gude LLC.
Address: 20 W Gude Dr - Rockville, MD 20850-4356
County: Montgomery **FIPS:** 24031
Primary Contact: Michael Frazier - Phone: 240-204-4164
Billing Contact: Rainey Murdock - 51 Monroe St Ste 100 Rockville, MD 20850-2414 - Phone: 301-762-4833 - Email: rainey.murdock@cushwake.com

Location ID: 718837
Phone:
NOB/SIC: Offices of Bank Holding Companies

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143864H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000019628		Precision	2011	03/03/2022	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: BSREP II MD Office Monroe, LLC.
Address: 51 Monroe St Ste 100 - Rockville, MD 20850-2414
County: Montgomery **FIPS:** 24031
Primary Contact: Aleah Ireland - Phone: 301-762-4833 - Email: aleah.ireland@cushwake.com
Billing Contact: Aleah Ireland - Cushman & Wakefield US Inc 51 Monroe St Suite 100 Rockville, MD 20850-2414 - Phone: 301-762-4833 - Email: aleah.ireland@cushwake.com

Location ID: 728205
Phone:
NOB/SIC: Offices of Holding Companies, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107797V	1	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000189682	Chiller-1	Carrier	1994	12/09/2021	Recurring Cert	Active	Penthouse
MD107798V	2	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000190745	Chiller-2	Carrier	1994	12/09/2021	Recurring Cert	Active	Penthouse

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143262H	3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000201106	BLR-3	Lochinvar	2007	12/09/2021	Recurring Cert	Active	Penthouse
MD143263H	1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000201107	BLR-1	Lochinvar	2007	12/09/2021	Recurring Cert	Active	Penthouse
MD143264H	3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000201108	BLR-2	Lochinvar	2007	12/09/2021	Recurring Cert	Active	Penthouse
Total Objects at this Location:				5							

Location: Bucknell Apartments
Address: 11500 Bucknell Dr - Wheaton, MD 20902-2837
County: Montgomery **FIPS:** 24031
Primary Contact: Terri Bridgeman - Phone: 202-726-5773 - Cell: 240-766-1676 - Email: ttbridgeman@yahoo.com
Billing Contact: Victor Ysern - 6939 Georgia Ave NW Washington, DC 20012-2456 - Phone: 202 726 5773

Location ID: 705402
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153843H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000200982		A O Smith	2015	05/21/2021	Recurring Cert	Active	Bldg 11500
Total Objects at this Location:				1							

Location: Bucknell Apartments
Address: 11502 Bucknell Dr - Wheaton, MD 20902-2838
County: Montgomery **FIPS:** 24031
Primary Contact: Melissa Polott - Phone: 202-726-9410 - Email: polott57@gmail.com
Billing Contact: Terri Bridgeman - 6939 Georgia Ave NW Washington, DC 20012-2456 - Phone: 202-726-5773 - Email: tbridgeman6939@gmail.com

Location ID: 705403
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162395H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000242526		A O Smith	2018	03/06/2021	Recurring Cert	Active	11502 HEATER RM
Total Objects at this Location:				1							

Location: Bucknell Apartments **Location ID:** 1134057
Address: 11504 Bucknell Dr - Wheaton, MD 20902-2839 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Terri Bridgeman - Phone: 202-726-5773 - Cell: 240-766-1676 - Email: ttbridgeman@yahoo.com
Billing Contact: Victor Ysern - 6939 Georgia Ave NW Washington, DC 20012-2456 - Phone: 202 726 5773

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140553H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086662	101662	Bradford White	2009	02/18/2021	Recurring Cert	Active	Bldg 11504

Total Objects at this Location: 1

Location: Bunn, LLC **Location ID:** 703374
Address: 689 Lofstrand Ln - Rockville, MD 20850-1315 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Motor Vehicles and Passenger Car Bodies
Primary Contact: John Bunn - Phone: 301-251-0121 - Email: jbunn1952@gmail.com
Billing Contact: John Bunn - 689 Lofstrand Ln Rockville, MD 20850-1315 - Phone: 301-251-0121 - Email: jbunn1952@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167778V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000636903		Morganton	2017	09/26/2022	Recurring Cert	Active	Rear Shop 689

Total Objects at this Location: 1

Location: Burning Tree Country Club **Location ID:** 705494
Address: 8600 Burdette Rd - Bethesda, MD 20817-2803 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership Organizations, NEC
Primary Contact: Nate Reid - Phone: 301-365-1200
Billing Contact: Nate Reid - 8600 Burdette Rd Bethesda, MD 20817-2803 - Phone: 301-365-1200

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD085888V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000999504		Buckeye	1991	10/23/2021	External Cert	Active	MAINT BLDG
MD132629V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000374336		Manchester	2004	10/23/2021	External Cert	Active	BASEMENT

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134011H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000079682		Bradford White	2007	10/23/2021	External Cert	Active	Basement
MD159864H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000121456		Jet Glass	2017	10/23/2021	Recurring Cert	Active	BASEMENT
MD165199H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000340610		AIC	2018	10/04/2021	Recurring Cert	Active	BASEMENT
MD165200H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000122332		BRDFRD WHT	2017	10/04/2021	Recurring Cert	Active	BASEMENT
MD165849H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000122925		Bradford	2017	12/05/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 7

Location: Burtonsville Fuel Co Inc
Address: 15408 Old Columbia Pike - Burtonsville, MD 20866-1688
County: Montgomery **FIPS:** 24031
Location ID: 754262
Phone: 301-384-7575
NOB/SIC: Business Services, NEC
Primary Contact: Wesley Santini - Phone: 301-384-7575 - Email: lsantini@burtonsvillefuel.com
Billing Contact: Lisa Santini - 15408 Old Columbia Pike Burtonsville, MD 20866-1688 - Phone: 301-384-7575 - Email: lsantini@burtonsvillefuel.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116677V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000423712		Wood	1968	04/05/2022	Recurring Cert	Active	SHOP

Total Objects at this Location: 1

Location: C.A.R.P. Auto Service
Address: 8174 Beechcraft Ave - Gaithersburg, MD 20879-1585
County: Montgomery **FIPS:** 24031
Location ID: 788014
Phone: 301-330-5999
NOB/SIC: General Automotive Repair Shops
Primary Contact: Gus - Phone: 301-330-5999 - Cell: 240-994-2169 - Email: carpautoservice@yahoo.com
Billing Contact: Gus - 8174 Beechcraft Ave Gaithersburg, MD 20879-1585 - Phone: 301-330-5999 - Cell: 240-994-2169 - Email: carpautoservice@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117479V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001037083		Melben	2002	02/12/2022	Recurring Cert	Active	Shop #1

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145281V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001727971		CAMPBELL	2011	02/12/2022	Recurring Cert	Active	Main Shop

Total Objects at this Location: 2

Location: Caliber Collision - Silver Spring 3017
Address: 12120 Tech Rd - Silver Spring, MD 20904-1914
County: Montgomery **FIPS:** 24031
Primary Contact: Holly Gingell - Phone: 301-622-4777
Location ID: 3686457
Phone: 301-622-4777
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops
Billing Contact: Reg. Comp. Coordinator - 2941 Lake Vista Dr Lewisville, TX 75067-3801 - Phone: 469-948-9500 - Email: licenseandpermits@calibercollision.com1

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155130V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000407915		Manchester	1996	10/24/2022	Recurring Cert	Active	Storage Room
MD155131V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000395193		Morganton	2014	10/24/2022	Recurring Cert	Active	Storage Room
MD167744V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000038912		Aircon	2019	11/30/2022	Recurring Cert	Active	BODY SHOP

Total Objects at this Location: 3

Location: Caliber Collision Center
Address: 309 E Gude Dr - Rockville, MD 20850-1394
County: Montgomery **FIPS:** 24031
Primary Contact: Sharon Lawrence - Phone: 469-948-9630 - Email: sharon.lawrence@calibercollison.com
Location ID: 3600653
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops
Billing Contact: Sharon Lawrence - 401 E Corporate Dr Ste 150 Lewisville, TX 75057-6449 - Phone: 469-948-9630 - Email: sharon.lawrence@calibercollison.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162252V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024828		Air Con	2016	10/09/2022	Recurring Cert	Active	Comp. Rm.
MD167775V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000351888		Manchester	2004	12/23/2022	Recurring Cert	Active	Comp. Rm.

Total Objects at this Location: 2

Location: California Pizza Kitchen - 29 (Arc3) **Location ID:** 3974081
Address: 7101 Democracy Blvd - Bethesda, MD 20817-1018 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165198V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000197759		CHART	2008	10/02/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: Calvary Evangelical Lutheran Church **Location ID:** 705665
Address: 9545 Georgia Ave - Silver Spring, MD 20910-1438 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Beverly Harmon - Phone: 301-589-4041 - Email: bharmon@celcs.org
Billing Contact: Donna Clark - 9545 Georgia Ave Silver Spring, MD 20910-1438 - Phone: 3015894041

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168890H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		Weil-McLain	2020	02/11/2023	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Camelback Village Condominiums **Location ID:** 705770
Address: 17815 Buehler Rd - Olney, MD 20832-2349 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ruchita Patel - Phone: 301-948-6666 x1115 - Email: rpatel@tmgainc.com
Billing Contact: Ruchita Patel - 20440 Century Blvd Ste 100 Germantown, MD 20874-7116 - Phone: 301-948-6666 x1115 - Email: rpatel@tmgainc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154664H	1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	139593	Patterson Kelley	2013	03/15/2022	Recurring Cert	Active	Boiler Room
MD154665H	2	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	139594	Patterson Kelley	2013	03/15/2022	Recurring Cert	Active	Boiler Room
MD154666H	3	Cast Aluminum	H - Hot Water	CA	139596	Patterson Kelley	2013	03/15/2022	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154667H	4	Cast Aluminum	Supply (Water <= 160 psig, 250 F) H - Hot Water Supply (Water <= 160 psig, 250 F)	CA	139595	Patterson Kelley	2013	03/15/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 4

Location: Capital Orthopedics Surgery Center (COSC)
Address: 20680 Seneca Meadows Pkwy Suite 200 - Germantown, MD 20876
County: Montgomery **FIPS:** 24031
Primary Contact: Sarah Finley - Phone: 301 701 6900 - Email: sfinley@capitalosc.com
Billing Contact:

Location ID: 4046230
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168877V		Autoclave	V - Process-Sterilizing	000061060	0290093	Amsco	1990	11/06/2022	Recurring Cert	Active	Sterile Processing
MD168878		Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000003836	43424	Pemberton	2020	11/06/2021	Recurring Cert	Active	Sterile Processing
MD168879V		Autoclave	V - Process-Sterilizing	000061785	0590181	Amsco	1990	11/06/2022	Recurring Cert	Active	Sterile Processing
MD168880		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000003837	43425	Pemberton	2020	11/06/2021	Recurring Cert	Active	Sterile Processing

Total Objects at this Location: 4

Location: Car Premaintenance Service
Address: 7615 Rickenbacker Dr Ste E - Gaithersburg, MD 20879-4783
County: Montgomery **FIPS:** 24031
Primary Contact: Jesus Rodriguez - Phone: 301-792-2421
Billing Contact: Jesus Rodriguez - 7615 Rickenbacker Dr Ste E Gaithersburg, MD 20879-4783 - Phone: 301-792-2421

Location ID: 4069440
Phone: 301-792-2421
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000295718	324645	Morganton	2013	04/16/2023	Recurring Cert	Active	Back of Shop

Total Objects at this Location: 1

Location: Car Quest
Address: 9930 Main St - Damascus, MD 20872-2017
County: Montgomery **FIPS:** 24031
Location ID: 988461
Phone: 301-482-1900
NOB/SIC: Physical Fitness Facilities
Primary Contact: Scott Johnston - Phone: 301-253-0066 - Cell: 301-788-5754 - Email: carquestautoparts@comcast.net
Billing Contact: Scott Johnston - 9930 Main St Damascus, MD 20872-2017 - Phone: 301-253-0066 - Cell: 301-788-5754 - Email: carquestautoparts@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116925H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	1964	09/22/2022	Recurring Cert	Active	LOWER LEVEL
Total Objects at this Location:				1							

Location: Chaney Apartment Homes
Address: 704 Chaney Dr - Takoma Park, MD 20912-6366
County: Montgomery **FIPS:** 24031
Location ID: 701855
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chris DeChaine - Phone: 703-623-3228 - Cell: 410 956 5824
Billing Contact: - 3080 Tudor Hall Rd Riva, MD 21140-1324 - Phone: 301410 956 5824

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111973H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1999	01/03/2021	Recurring Cert	Active	Laundry Rm - Rear
Total Objects at this Location:				1							

Location: Chase Bank
Address: 7901 Wisconsin Ave - Bethesda, MD 20814-3619
County: Montgomery **FIPS:** 24031
Location ID: 710749
Phone:
NOB/SIC: Depository institutions
Primary Contact: Mike Hudy - Phone: 301-841-0518 - Email: michael.s.hudy@chase.com
Billing Contact: Mike Hudy - 7901 Wisconsin Ave Bethesda, MD 20814-3619 - Phone: 301-841-0518 - Email: michael.s.hudy@chase.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111180H	7901	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000079852	00000	Lochinvar	1997	11/01/2021	Recurring Cert	Active	Penthouse
Total Objects at this Location:				1							

Location: Chic-Fil-A 03440 (Arc3) **Location ID:** 4039166
Address: 18115 Georgia Ave - Olney, MD 20832-1401 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Chic-Fil-A 03440 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167189V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000303902		CHART	2017	08/25/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Chick-Fil-A (Arc3) **Location ID:** 3991462
Address: 12289 Tech Rd - Silver Spring, MD 20904-1901 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165600V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000210213		CHART	2010	11/14/2021	Recurring Cert	Active	THE CAGE
Total Objects at this Location:				1							

Location: Chick-Fil-A - 0475 (Arc3) **Location ID:** 3974070
Address: 7101 Democracy Blvd - Bethesda, MD 20817-1018 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165810V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000132288		CHART	2001	10/02/2021	Recurring Cert	Active	Loading Dock GARAGE
Total Objects at this Location:				1							

Location: Chick-Fil-A - 2932 (Arc3) **Location ID:** 3918915
Address: 12001 Rockville Pike - Rockville, MD 20852-1603 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Chick-Fil-A - 2932 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162893V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000243714		CHART	2013	12/13/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Christ Episcopal Church **Location ID:** 707008
Address: 109 S Washington St - Rockville, MD 20850-2319 **Phone:** 301-762-2191
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Judith Schneider - Phone: 301-762-2191 - Email: jschneider@cecrockville.org
Billing Contact: - 107 S Washington St Rockville, MD 20850-2319 - Phone: 301-762-2191

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099055H		Cast Iron	S - Power-Cooking (Steam > 15 psig)	CI	JS18055	Columbia	1991	10/01/2021	Recurring Cert	Active	Parish house
MD144288H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2010	10/16/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Christ Episcopal School **Location ID:** 717182
Address: 22 W Jefferson St - Rockville, MD 20850-4215 **Phone:** 301-762-2191
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Religious Organizations
Primary Contact: Donna Flint - Phone: 301-424-6550 x104 - Email: dflint@cesrockville.org
Billing Contact: Donna Flint - 22 W Jefferson St Rockville, MD 20850-4282 - Phone: 301-424-6550 x104 - Email: dflint@cesrockville.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD009377H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1959	02/02/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 14120 Pear Tree Ln - Silver Spring, MD 20906-2517
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707148
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145289H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000085209		Bradford White	2009	04/28/2021	External Cert	Active	14120 PEAR T

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3501 Pear Tree Ct - Silver Spring, MD 20906-2557
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707159
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145290H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000092783		AO Smith	2010	04/28/2021	External Cert	Active	3501 PEAR TR

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3502 Pear Tree Ct - Silver Spring, MD 20906-2559
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707149
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137220H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000080079		Bradford White	2007	05/13/2021	External Cert	Active	3502 PEAR TR

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3503 Pear Tree Ct - Silver Spring, MD 20906-2560
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707150
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145952H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000096346		Bradford White	2011	05/13/2021	Recurring Cert	Active	3503 PEAR TR

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3522 Pear Tree Ct - Silver Spring, MD 20906-2562
County: Montgomery **FIPS:** 24031
Primary Contact: Doreen Riales - Phone: 585-246-4139 - Email: doreenri@homeproperties.com
Billing Contact: Doreen Riales - 300 Clinton Square Rochester, NY 14604-1702 - Phone: 585-246-4139 - Email: doreenri@homeproperties.com

Location ID: 707152
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148263H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000180505		A O Smith	2013	05/13/2021	Recurring Cert	Active	3522 PEAR TR

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3530 Pear Tree Ct - Silver Spring, MD 20906-2565
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707154
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157758H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109657		Bradford White	2014	04/28/2021	Recurring Cert	Active	3530 PEAR TR

Total Objects at this Location: 1

Location: Cinnamon Run Apartments
Address: 3532 Pear Tree Ct - Silver Spring, MD 20906-2566
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707155
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137221H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000083543		Bradford White	2008	05/13/2021	External Cert	Active	3532 PEAR TR

Total Objects at this Location: 1

Location: Classic Auto Body
Address: 425 E Diamond Ave - Gaithersburg, MD 20877-3019
County: Montgomery **FIPS:** 24031
Primary Contact: Amir Miljkovic - Phone: 301-948-5993
Billing Contact: - 425 E Diamond Ave Gaithersburg, MD 20877-3019 - Phone: 301-948-5993

Location ID: 707324
Phone:
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118885V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000200060		Steel Products	1998	07/08/2021	Recurring Cert	Active	shop
MD118886V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000681609		Buckeye	1985	07/08/2021	Recurring Cert	Active	shop
MD153068V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001872688		CAMPBELL	2014	07/08/2021	Recurring Cert	Active	Shed-rear of building

Total Objects at this Location: 3

Location: **Cloverly Auto Care**
Address: 15501 New Hampshire Ave - Silver Spring, MD 20905-4077
County: Montgomery **FIPS:** 24031
Location ID: 787659
Phone: 301-384-9600
NOB/SIC: Gasoline Service Stations
Primary Contact: Uzzie Cheema - Phone: 301-384-9600 - Email: cloerlyvalero@gmail.com
Billing Contact: Uzzie Cheema - 15501 New Hampshire Ave Silver Spring, MD 20905-4077 - Phone: 301-384-9600 - Email: cloerlyvalero@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166412V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001188084		Manchester	2001	09/19/2021	External Cert	Active	Back Room
Total Objects at this Location:				1							

Location: **Cloverly Citgo**
Address: 15541 New Hampshire Ave - Silver Spring, MD 20905-4077
County: Montgomery **FIPS:** 24031
Location ID: 707432
Phone: (301) 384-4140
NOB/SIC: General Automotive Repair Shops
Primary Contact: John Bunn - Phone: 3013844140
Billing Contact: John Bunn - 15541 New Hampshire Ave Silver Spring, MD 20905-4077 - Phone: 3013844140

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161826V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001446		Morganton	2016	08/23/2022	Recurring Cert	Active	Back Room
Total Objects at this Location:				1							

Location: **Coastal Flats (Roberts Oxygen)**
Address: 135 Crown Park Ave - Gaithersburg, MD 20878-4551
County: Montgomery **FIPS:** 24031
Location ID: 3562595
Phone:
NOB/SIC: Industrial Gases
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149627V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000029055		Cryogenic	1994	08/03/2022	Recurring Cert	Active	Mechanical Room
Total Objects at this Location:				1							

Location: College Plaza Exxon - 2198 (Sunoco)
Address: 15211 Frederick Rd - Rockville, MD 20850-1111
County: Montgomery **FIPS:** 24031
Primary Contact: College Plaza Exxon - 2198 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 3656554
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152111V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001119539		Manchester	2001	09/28/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Collingswood Nursing Home
Address: 299 Hurley Ave - Rockville, MD 20850-3118
County: Montgomery **FIPS:** 24031
Primary Contact: Michael Willis - Cell: 804-305-1210 - Email: mwillis@mhspl.com
Billing Contact: Jim Willey - 299 Hurley Ave Rockville, MD 20850-3118 - Phone: 301-762-8900 - Email: jwilley@tjrock.com

Location ID: 707543
Phone: 301-762-8900
NOB/SIC: Skilled Nursing Care Facilities

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134143H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000126445		Lochinvar	2009	09/08/2022	Recurring Cert	Active	BLRM
MD134144H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000127397		Lochinvar	2009	09/08/2022	Recurring Cert	Active	BLRM
MD134145H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000143664		Lochinvar	2009	09/08/2022	Recurring Cert	Active	BLRM
MD134146H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000100301		Lochinvar	2009	09/08/2022	Recurring Cert	Active	BLRM
MD134147H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000100303		Lochinvar	2009	09/08/2022	Recurring Cert	Active	blrm
MD150288H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000273360		Lochinvar	2014	09/08/2022	Recurring Cert	Active	LAUNDRY RM
MD150448V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000434501	473793	Morganton	2014	09/08/2024	Recurring Cert	Active	BLRM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155583V	middle	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000041142		Lochinvar	2009	09/08/2024	Recurring Cert	Active	BLRM
MD155584V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000041143		Lochinvar	2009	09/08/2024	Recurring Cert	Active	Boiler room
MD155585V	right	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000041146		Lochinvar	2009	09/08/2024	Recurring Cert	Active	BLRM
MD155586V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000291899		Lochinvar	2015	09/08/2024	Recurring Cert	Active	LAUNDRY BOIL
Total Objects at this Location:				11							

Location: Colonial Shell - 878

Address: 4101 Randolph Rd - Silver Spring, MD 20906-4502

County: Montgomery **FIPS:** 24031

Primary Contact: Colonial Shell - 878

Billing Contact:

Location ID: 1093225

Phone:

NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139682V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000426690		Steel Fab	2006	07/16/2021	Recurring Cert	Active	comp rm
Total Objects at this Location:				1							

Location: Comfort Inn

Address: 16216 S Frederick Rd - Gaithersburg, MD 20877-4023

County: Montgomery **FIPS:** 24031

Primary Contact: Vira Safai - Phone: 301-330-0023

Billing Contact: Vira Safai - 16216 Frederick Rd Gaithersburg, MD 20877-4023 - Phone: 301-330-0023

Location ID: 707652

Phone: 301-330-0023

NOB/SIC: Hotels, rooming houses, camps, and other lodging places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153069H	1 (left)	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000200638		A O Smith	2015	12/16/2021	Recurring Cert	Active	Laundry
MD153073H	3 (right)	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000205526		A O Smith	2015	12/16/2021	Recurring Cert	Active	Laundry

Total Objects at this Location: 2

Location: Congregation Beth-El Of Montgomery County
Address: 8215 Old Georgetown Rd - Bethesda, MD 20814-1451
County: Montgomery **FIPS:** 24031
Primary Contact: Congregation Beth-El Of Montgomery County - Phone: 301 652 2606
Billing Contact: - 8215 Old Georgetown Rd Bethesda, MD 20814-1451 - Phone: 301 652 2606

Location ID: 707800
Phone:
NOB/SIC: Membership Organizations, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163275H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000238150		A O Smith	2018	06/14/2021	Recurring Cert	Active	bBsement of 4707

Total Objects at this Location: 1

Location: Courtyard by Marriott - Bethesda Chevy Chase
Address: 5520 Wisconsin Ave - Chevy Chase, MD 20815-4403
County: Montgomery **FIPS:** 24031
Primary Contact: Justin White - Phone: 301-656-1500 - Email: justin.white@courtyardchevyCHASE..com
Billing Contact: Justin White - 5520 Wisconsin Ave Chevy Chase, MD 20815-4403 - Phone: 301-656-1500 - Email: justin.white@courtyardchevyCHASE..com

Location ID: 3964105
Phone: 301-656-1500
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000082842	G-18-2840	Aerco	2018	06/01/2020	Recurring Cert	Active	Boiler room ground level

Total Objects at this Location: 1

Location: Crystal Rock Exxon #0105-4634 (Sunoco)
Address: 19815 Germantown Rd - Germantown, MD 20874-1205
County: Montgomery **FIPS:** 24031
Primary Contact: Kathleen McCaney - Phone: 610-833-3761 - Email: kathleen.mccaney@sunoco.com
Billing Contact: Kathleen McCaney - 3801 W Chester Pike Newtown Square, PA 19073-2320 - Phone: 610-833-3761 - Email: kathleen.mccaney@sunoco.com

Location ID: 3656993
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153227V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000002873		Taylor	1987	10/06/2021	Recurring Cert	Active	Outside
MD165844V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000545316		Manchester	2005	11/19/2021	Recurring Cert	Active	Car Wash

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
w/comment											
Total Objects at this Location:				2							
Location:	D & G Auto Repair					Location ID:	3596265				
Address:	7615 Rickenbacker Dr Ste N - Gaithersburg, MD 20879-4783					Phone:	301-330-6280				
County:	Montgomery			FIPS: 24031		NOB/SIC:	General Automotive Repair Shops				
Primary Contact:	Fernando Oyola - Phone: 301-330-6280 - Email: f.oyola@hotmail.com										
Billing Contact:	Fernando Oyola - 7615 Rickenbacker Dr Ste N Gaithersburg, MD 20879-4783 - Phone: 301-330-6280 - Email: f.oyola@hotmail.com										
Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150868V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000576240		Steel Fab	2009	05/13/2023	Recurring Cert	Active	Back of Shop
Total Objects at this Location:				1							
Location:	D & G Group Apartments					Location ID:	712800				
Address:	8401 Greenwood Ave - Takoma Park, MD 20912-6762					Phone:					
County:	Montgomery			FIPS: 24031		NOB/SIC:	Operators of Apartment Buildings				
Primary Contact:	Uri Tomenko - Phone: 301-523-4400										
Billing Contact:	Uri Tomenko - 8201 Flower Ave Takoma Park, MD 20912-6932 - Phone: 301-523-4400										
Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128742H	02	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	3576	Burnham	2006	10/06/2022	Recurring Cert	Active	Basement
MD128743H	04	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7260	Burnham	2006	10/06/2022	Recurring Cert	Active	Basement
MD128744H	06	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7258	Burnham	2006	10/06/2022	Recurring Cert	Active	Basement
MD128745H	05	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	3593	Burnham	2006	10/06/2022	Recurring Cert	Active	Basement
MD128746H	03	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7253	Burnham	2006	10/06/2022	Recurring Cert	Active	Basement
MD128747H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	3575	Burnham	2006	10/06/2022	Recurring Cert	Active	Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
Total Objects at this Location:				6							

Location: Dale Apartments
Address: 526 Thayer Avenue - Silver Spring, MD 20910-5335
County: Montgomery **FIPS:** 24031
Primary Contact: Janine Bryan - Cell: 202-322-1066
Billing Contact: Janine Bryan - 5301 New Hampshire Ave NW Washington, DC 20011-6639 - Cell: 202-322-1066

Location ID: 708549
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145740H	BLR-1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		Weil-McLain	2011	02/27/2021	Recurring Cert	Active	Boiler Room
MD145741H	BLR-2	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	CP6443607	Weil-McLain	2011	02/27/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				2							

Location: Damascus Volunteer Fire Department
Address: 26334 Ridge Rd - Damascus, MD 20872-1947
County: Montgomery **FIPS:** 24031
Primary Contact: Damascus Volunteer Fire Department - Phone: 3012533988
Billing Contact: June Evans - 100 Edison Park Dr FI 2 Gaithersburg, MD 20878-3210 - Phone: 240-777-2459

Location ID: 708569
Phone:
NOB/SIC: Justice, public order, and safety

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165860H	2(middle)	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	1991	01/31/2022	Recurring Cert	Active	Boiler Room
MD165861H	3(RIGHT)	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA 1		Peerless	1991	01/31/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				2							

Location: Darcars Chrysler/Jeep
Address: 12214 Cherry Hill Rd - Silver Spring, MD 20904-1968
County: Montgomery **FIPS:** 24031
Location ID: 1991764
Phone: 301-902-2150
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: George Castenda - Phone: 301-902-2150
Billing Contact: George Castenda - 12214 Cherry Hill Rd Silver Spring, MD 20904-1968 - Phone: 301-902-2150

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD075089V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000163555		Iamco	1989	08/15/2022	Recurring Cert	Active	Rear Outside Open Shed
MD116190V	3	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000580065		Manchester	2002	08/15/2022	Recurring Cert	Active	Rear Outside Open Shed
Total Objects at this Location:				2							

Location: Dash In (Robert's)
Address: 11150 New Hampshire Ave - Silver Spring, MD 20904-2604
County: Montgomery **FIPS:** 24031
Location ID: 4033611
Phone:
NOB/SIC:
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166693V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290523		CHART	2016	07/28/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Davids Beautiful People
Address: 12121 Rockville Pike - Rockville, MD 20852-1605
County: Montgomery **FIPS:** 24031
Location ID: 708643
Phone:
NOB/SIC: Beauty Shops
Primary Contact: Cheri Vaszil - Phone: 301-881-2540
Billing Contact: Cheri Vaszil - 12121 Rockville Pike Rockville, MD 20852-1605 - Phone: 301-881-2540

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154921H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000191468		A O Smith	2014	12/16/2021	External Cert	Active	Closet

Total Objects at this Location: 1

Location: DeChaine Apartments
Address: 8802 Plymouth St - Silver Spring, MD 20901-4064
County: Montgomery **FIPS:** 24031
Primary Contact: Deric Tomenko - Phone: 240-339-3399 - Email: ftomenko@yahoo.com
Billing Contact: - 8201 Flower Ave Unit 5 Takoma Park, MD 20912

Location ID: 715127
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD054603H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	1982	05/03/2020	Recurring Cert	Active	Bsmt Blrm

Total Objects at this Location: 1

Location: Delta Auto Body Inc
Address: 12312 Carroll Ave - Rockville, MD 20852-1814
County: Montgomery **FIPS:** 24031
Primary Contact: Min Kyon Kang - Phone: 301-984-2948 - Email: minkang216@aol.com
Billing Contact: Min Kyon Kang - 12312 Carroll Ave Rockville, MD 20852-1814 - Phone: 301-984-2948 - Email: minkang216@aol.com

Location ID: 2209032
Phone:
NOB/SIC: Automotive Repair Shops, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134127V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000574481		Manchester	2006	09/07/2022	Recurring Cert	Active	Under Stairway

Total Objects at this Location: 1

Location: DG Autobody
Address: 7615 Rickenbacker Dr Ste C - Gaithersburg, MD 20879-4783
County: Montgomery **FIPS:** 24031
Primary Contact: DG Autobody
Billing Contact: Fernando Oyola - 7615 Rickenbacker Dr Ste N Gaithersburg, MD 20879-4783 - Phone: 301-330-6280 - Email: f.oyola@hotmail.com

Location ID: 3932875
Phone: 301-330-6280
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000598693	621624	Morganton	2016	04/16/2023	Recurring Cert	Active	Rear shop

Total Objects at this Location: 1

Location: DGWK Apt. Bldg.
Address: 311 Domer Ave - Takoma Park, MD 20912-6651
County: Montgomery **FIPS:** 24031
Primary Contact: Deric Tomenko - Phone: 240-339-3399
Billing Contact: Deric Tomenko - 8201 Flower Ave Takoma Park, MD 20912-6932 - Phone: 240-339-3399

Location ID: 708512
Phone: 240-339-3399
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129332H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2005	05/12/2020	Recurring Cert	Active	Basement-blr rm

Total Objects at this Location: 1

Location: Donald Nash
Address: 20514 Georgia Ave - Brookeville, MD 20833-1700
County: Montgomery **FIPS:** 24031
Primary Contact: Donald Nash - Phone: 301-335-7400
Billing Contact: - 20530 Georgia Ave Brookeville, MD 20833-1722 - Phone: 301-335-7400

Location ID: 709076
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD089859H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Pacific	1947	10/19/2022	Recurring Cert	Active	SHOP

Total Objects at this Location: 1

Location: DRS Technologies
Address: 1 Milestone Center Ct - Germantown, MD 20876-7106
County: Montgomery **FIPS:** 24031
Primary Contact: Pearl Lane - Phone: 301-353-1680
Billing Contact: Pearl Lane - 12410 Milestone Center Dr Suite 150 Germantown, MD 20876-7105 - Phone: 301-353-1680

Location ID: 726405
Phone: 301-944-8390
NOB/SIC: Electrical and electronic equipment

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116350V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000293451		Steel Fab	2002	04/17/2023	Recurring Cert	Active	Comp. Room
MD116351V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000293452		Steel Fab	2002	04/17/2023	Recurring Cert	Active	Comp. Room

Total Objects at this Location: 2

Location: Dry Clean Plus
Address: 10311 Westlake Dr - Bethesda, MD 20817-6403
County: Montgomery **FIPS:** 24031
Location ID: 753740
Phone:
NOB/SIC: Services, NEC
Primary Contact: Dry Clean Plus
Billing Contact: - 10311 Westlake Dr Bethesda, MD 20817-6403

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140139V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000847615		Manchester	2007	01/03/2022	Recurring Cert	Active	BOILER ROOM
MD155610		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000120948		Fulton	2016	07/27/2020	Recurring Cert	Active	Blrm

Total Objects at this Location: 2

Location: Dry Clean Plus
Address: 11530 Rockville Pike - Rockville, MD 20852-2751
County: Montgomery **FIPS:** 24031
Location ID: 709283
Phone:
NOB/SIC: Fabricated Textile Products, NEC
Primary Contact: Woosun Kim - Phone: 301-231-9445 - Cell: 703-944-5421 - Email: woosunk@yahoo.com
Billing Contact: Woosun Kim - 11530 Rockville Pike Rockville, MD 20852-2751 - Phone: 301-231-9445 - Cell: 703-944-5421 - Email: woosunk@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100154V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000543961		Manchester	1997	06/23/2021	Recurring Cert	Active	BLRM
MD146034		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000112788		Fulton	2011	08/02/2020	Recurring Cert	Active	BLRM

Total Objects at this Location: 2

Location: Dry Clean Warehouse
Address: 112 N Frederick Ave - Gaithersburg, MD 20877-2411
County: Montgomery **FIPS:** 24031
Location ID: 709285
Phone: 301-869-6098
NOB/SIC: Power Laundries, Family and Commercial
Primary Contact: Jong Choi - Phone: 301.869.6098 - Email: jchoi52@yahoo.com
Billing Contact: Jong Choi - 112 N Frederick Ave Gaithersburg, MD 20877-2411 - Phone: 301.869.6098 - Email: jchoi52@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106759V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000820691		Melben	1999	07/28/2022	Recurring Cert	Active	BOILER ROOM
MD114732V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000122912		Stoystown	2002	07/28/2022	Recurring Cert	Active	BOILER RM
MD139510		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000109969		FULTON	2010	07/28/2021	Recurring Cert	Active	BOILER ROOM
Total Objects at this Location:				3							

Location: Dry Cleaner Plus
Address: 5233 River Rd - Bethesda, MD 20816-1415
County: Montgomery **FIPS:** 24031
Location ID: 1083053
Phone:
NOB/SIC: Manufacturing Industries, NEC
Primary Contact: John Ryoo - Phone: 301-767-1947
Billing Contact: John Ryoo - 10311 Westlake Dr Bethesda, MD 20817-6403 - Phone: 301-767-1947

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118513V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	001097735		Manchester	2000	02/18/2022	Recurring Cert	Active	BLRM
MD164200		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000124565		Fulton	2019	06/10/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				2							

Location: Duramax Body Shop **Location ID:** 730774
Address: 10515 Summit Ave - Kensington, MD 20895-2423 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Florencia Gradillas - Phone: 301-897-8190 - Email: duramaxbodyshop@gmail.com
Billing Contact: Maia Danna - 10515 Summit Ave Kensington, MD 20895-2423 - Phone: 301-897-8190

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138823V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000747973		Pressed Steel	1954	07/02/2021	Recurring Cert	Active	Shop
MD164138V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000345858		Steel Fab	2004	06/10/2021	Recurring Cert	Active	Shop Rear

Total Objects at this Location: 2

Location: Earle Manor I **Location ID:** 709472
Address: 10820 Georgia Ave - Wheaton, MD 20902-4763 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Yvonne Lepage - Phone: 301-933-1576 - Cell: 301-250-8408 - Email: earlemanorapts@gmail.com
Billing Contact: Michelle Morton - 10820 Georgia Ave Wheaton, MD 20902-4763 - Phone: 301-802-0959 - Email: earlemanor@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081134H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1992	11/08/2022	Recurring Cert	Active	BOILER ROOM
MD143606H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000168697		A O Smith	2012	11/08/2022	Recurring Cert	Active	BOILER ROOM
MD167785H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000264527		A O Smith	2020	08/21/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 3

Location: Earle Manor II
Address: 10800 Georgia Ave - Wheaton, MD 20902-4762
County: Montgomery **FIPS:** 24031
Location ID: 705535
Phone: 301-933-1576
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Yvonne Lepage - Phone: 301-933-1576 - Cell: 301-250-8408 - Email: earlemanorapts@gmail.com
Billing Contact: Michelle Morton - 10820 Georgia Ave Wheaton, MD 20902-4763 - Phone: 301-802-0959 - Email: earlemanor@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD068594H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1988	11/08/2022	Recurring Cert	Active	BOILER ROOM
MD155189H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000215379		A O Smith	2016	11/08/2022	Recurring Cert	Active	Boiler Room
MD155190H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000275380		A O Smith	2016	11/08/2022	Recurring Cert	Active	BOILER ROOM
Total Objects at this Location:				3							

Location: East Diamond Brewing (Arc3)
Address: 227 E Diamond Ave - Gaithersburg, MD 20877-3015
County: Montgomery **FIPS:** 24031
Location ID: 4039063
Phone:
NOB/SIC:
Primary Contact: East Diamond Brewing (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167703V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000323835		CHART	2019	08/25/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Eastern Avenue Apartments
Address: 7603 Eastern Ave - Takoma Park, MD 20912-4036
County: Montgomery **FIPS:** 24031
Location ID: 709517
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Keith Hurst - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com
Billing Contact: Keith Hurst - 8609 2nd Ave Ste 502 Silver Spring, MD 20910-3360 - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121849H		Cast Iron	H - Steam Heat	CI	CP5360935	HB Smith	2005	10/27/2021	Recurring Cert	Active	Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			(Steam <= 15 psig)								

Total Objects at this Location: 1

Location: Eastern Avenue Apartments **Location ID:** 709522
Address: 7607 Eastern Ave - Takoma Park, MD 20912-4005 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Keith Hurst - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com
Billing Contact: Keith Hurst - 8609 2nd Ave Ste 502 Silver Spring, MD 20910-3360 - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149002H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2013	10/27/2021	Recurring Cert	Active	Basement
MD149003H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2013	10/27/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: Eastern Avenue Apartments **Location ID:** 709523
Address: 7611 Eastern Ave - Takoma Park, MD 20912-4004 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Keith Hurst - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com
Billing Contact: Keith Hurst - 8609 2nd Ave Ste 502 Silver Spring, MD 20910-3360 - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149000H		Cast Iron	H - Hot Water Supply (Water <= 160 psig, 250 F)	CI		Burnham	2009	10/27/2021	Recurring Cert	Active	Basement
MD149001H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2013	10/27/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: Eastern Avenue Apartments
Address: 7615 Eastern Ave - Takoma Park, MD 20912-4034
County: Montgomery **FIPS:** 24031
Location ID: 709518
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Keith Hurst - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com
Billing Contact: Keith Hurst - 8609 2nd Ave Ste 502 Silver Spring, MD 20910-3360 - Phone: 301-589-6000 X 2111 - Cell: 301-674-7290 - Email: khurst@frankemmet.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139425H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	CP5888931	Weil-McLain	2009	10/28/2021	Recurring Cert	Active	Basement
MD166414H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000130861		Jet Glass	2019	11/20/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 2

Location: Educational Funding Company
Address: 4740 Chevy Chase Dr - Chevy Chase, MD 20815-6461
County: Montgomery **FIPS:** 24031
Location ID: 719651
Phone:
NOB/SIC: Offices of Bank Holding Companies
Primary Contact: John Cokinos - Phone: 301-654-2277
Billing Contact: John Cokinos - 4740 Chevy Chase Dr Chevy Chase, MD 20815-6461 - Phone: 301-654-2277

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150257H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2012	11/16/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Ellsworth Place
Address: 8661 Colesville Rd - Silver Spring, MD 20910-3924
County: Montgomery **FIPS:** 24031
Location ID: 707252
Phone:
NOB/SIC: Holding and other investment offices
Primary Contact: Gary Brewer - Phone: 301-589-1091 - Cell: 301-674-4928 - Email: gary.brewer@gbtrealty.com
Billing Contact: Gary Brewer - 8661 Colesville Rd Ste A-100 Silver Spring, MD 20910-3924 - Phone: 301-589-1091 - Cell: 301-674-4928 - Email: gary.brewer@gbtrealty.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD075707V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000014897		Snyder General	1991	08/13/2021	Recurring Cert	Active	6th Fl Roof
MD075708V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000014901		Snyder General	1991	08/13/2021	Recurring Cert	Active	6th Fl Roof

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD075709V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000079025		Brunner	1990	08/13/2021	Recurring Cert	Active	6th Fl Roof

Total Objects at this Location: 3

Location: Enclave at Silver Spring
Address: 11200 Lockwood Dr - Silver Spring, MD 20901-4551
County: Montgomery **FIPS:** 24031
Primary Contact: Enclave Silver Spring Apartments - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com
Billing Contact: - 11225 Oak Leaf Dr Silver Spring, MD 20901-1311 - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com

Location ID: 992963

Phone:

NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067851V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000568739		Bell & Gossett	1984	06/22/2021	Recurring Cert	Active	BLDG 11200
MD068167V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000576326		Bell & Gossett	1985	06/22/2021	Recurring Cert	Active	BLDG 11200
MD083577H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1992	06/22/2021	Recurring Cert	Active	BLDG 11200
MD119535H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11200
MD119536H	02	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11200
MD119537H	03	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11200
MD134040V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290361		Manchester	2004	06/22/2021	Recurring Cert	Active	BLDG 11200
MD148844V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000010305		Carrier	2004	06/22/2021	Recurring Cert	Active	11200
MD148846V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000010315		Carrier	2004	06/22/2021	Recurring Cert	Active	11200

Total Objects at this Location: 9

Location: Enclave Silver Spring
Address: 11215 Oak Leaf Dr - Silver Spring, MD 20901-1317
County: Montgomery **FIPS:** 24031
Location ID: 704371
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Enclave Silver Spring Apartments - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com
Billing Contact: - 11225 Oak Leaf Dr Silver Spring, MD 20901-1311 - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD014827V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000222077		Bell & Gossett	1966	06/22/2021	Recurring Cert	Active	BLDG 11215
MD083578H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1993	06/22/2021	Recurring Cert	Active	BLDG 11215
MD119538H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11215
MD119539H	02	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11215
MD119540H	03	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11215
MD133921V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032198		Bell & Gossett	1993	06/22/2021	Recurring Cert	Active	BLDG 11215
MD133922V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290362		Manchester	2004	06/22/2021	Recurring Cert	Active	BLDG 11215
MD147964V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010329		Carrier	2004	06/22/2021	Recurring Cert	Active	11215
MD148843V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000010311		Carrier	2004	06/22/2021	Recurring Cert	Active	11215
MD152077H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000013436	050538744	R B I	2005	06/22/2021	Recurring Cert	Active	Bldg 11225 pool house double doors

Total Objects at this Location: 10

Location: Enclave Silver Spring
Address: 11235 Oak Leaf Dr - Silver Spring, MD 20901-1318
County: Montgomery **FIPS:** 24031
Location ID: 992965
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Enclave Silver Spring Apartments - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com
Billing Contact: - 11225 Oak Leaf Dr Silver Spring, MD 20901-1311 - Phone: 301-593-6600 - Email: rlundy@TheDonaldsonGroup.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD014829V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000560904		Bell & Gossett	1965	06/22/2021	Recurring Cert	Active	11235 Bldg 2
MD083576H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1991	06/22/2021	Recurring Cert	Active	BLDG 11235
MD119532H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11235
MD119533H	02	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11235
MD119534H	03	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	2003	06/22/2021	Recurring Cert	Active	BLDG 11235
MD133919V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000290333		Manchester	2004	06/22/2021	Recurring Cert	Active	BLDG 11235
MD133920V		Heat Exchanger - Other w/comment	V - Storage (NOT Cryogenic)	000569812		Bell & Gossett	1985	06/22/2021	Recurring Cert	Active	bldg 11235
MD148845V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000010291		Carrier	2004	06/22/2021	Recurring Cert	Active	Bldg. 11235
MD152078V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010327		Carrier	2004	06/22/2021	Recurring Cert	Active	Bldg 11235

Total Objects at this Location: 9

Location: Euro Motor Cars
Address: 7020 Arlington Rd - Bethesda, MD 20814-5229
County: Montgomery **FIPS:** 24031
Location ID: 710142
Phone: 301-215-5429
NOB/SIC: Automotive Dealers, NEC
Primary Contact: Bill Gross - Phone: 301-215-5429
Billing Contact: Steve Krasner - 7020 Arlington Rd Bethesda, MD 20814-5229 - Phone: 301-986-8800

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074496V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000813430		Buckeye	1987	07/18/2022	Recurring Cert	Active	COMP SHED
MD074497V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000799966		Buckeye	1987	07/18/2022	Recurring Cert	Active	comp shed
MD074498V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000856547		Buckeye	1988	07/18/2022	Recurring Cert	Active	COMP SHED
Total Objects at this Location:				3							

Location: Executive Sunoco
Address: 6060 Montrose Rd - Rockville, MD 20852-4802
County: Montgomery **FIPS:** 24031
Location ID: 710210
Phone:
NOB/SIC: Gasoline Service Stations
Primary Contact: Executive Sunoco - Phone: 301-230-0120 - Cell: 240-413-0139
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112809V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00036464D		Brunner	1985	10/19/2022	Recurring Cert	Active	COMP ROOM
Total Objects at this Location:				1							

Location: Expression Pathology Inc (Roberts Oxygen) **Location ID:** 3839666
Address: 9600 Medical Center Dr - Rockville, MD 20850-3336 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Biological Products, Except Diagnostic Substances
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160864V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013962		MVE	1987	11/21/2021	Recurring Cert	Active	Loading Dock

Total Objects at this Location: 1

Location: Exxon Columbia Automotive/Iverson Mall **Location ID:** 714660
Address: 12601 Old Columbia Pike - Silver Spring, MD 20904-1614 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Sunny Singh - Phone: 301-622-4400
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137789V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000973118		Manchester	2008	10/07/2021	Recurring Cert	Active	Car Wash
MD152140V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000024572		Taylor-Wharton	1995	10/07/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 2

Location: Exxon Tiger Mart (Roberts Oxygen) **Location ID:** 3968118
Address: 13400 Old Columbia Pike - Silver Spring, MD 20904-4546 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165153V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000284256		CHART	2016	08/27/2021	Recurring Cert	Active	Outside Shed

Total Objects at this Location: 1

Location: Fallswood Condominium
Address: 5800 Nicholson Ln - Rockville, MD 20852-2961
County: Montgomery **FIPS:** 24031
Location ID: 710435
Phone: 410-770-5631
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Charity Stahl - Phone: 301-984-4430 - Email: cstahl@comsource.com
Billing Contact: Charity Stahl - 5800 Nicholson Ln Rockville, MD 20852-2988 - Phone: 301-984-4430 - Email: cstahl@comsource.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD059832H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000001516		Lochinvar	1984	10/08/2021	Recurring Cert	Active	PENTHOUSE
MD059833H	#2	Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001517		Lochinvar	1984	10/08/2021	Recurring Cert	Active	PENTHOUSE
MD074028V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000206498		Wessels	1984	10/08/2021	Recurring Cert	Active	PENTHOUSE
MD074157V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000206499		Wessels	1984	10/08/2021	Recurring Cert	Active	PENTHOUSE

Total Objects at this Location: 4

Location: Firehouse Subs (Arc3)
Address: 28 Upper Rock Cir - Rockville, MD 20850-4098
County: Montgomery **FIPS:** 24031
Location ID: 3918918
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: Firehouse Subs (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162930V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000304233		CHART	2017	12/13/2022	Recurring Cert	Active	Closet

Total Objects at this Location: 1

Location: Firehouse Subs - 0702 (Arc3)
Address: 19851 Century Blvd - Germantown, MD 20874-7144
County: Montgomery **FIPS:** 24031
Location ID: 3993045
Phone:
NOB/SIC:
Primary Contact: Firehouse Subs - 0702 (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165832V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021084		Taylor	1995	11/19/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Firestone - 0469
Address: 11500 Georgia Avenue - Silver Spring, MD 20902-1909
County: Montgomery **FIPS:** 24031
Location ID: 710704
Phone: 301-942-8120
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Firestone - 0469
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074374V	02	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000871802		Buckeye	1988	12/27/2022	Recurring Cert	Active	Storage Room
MD074495V	03	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000871798		Buckeye	1988	12/27/2022	Recurring Cert	Active	Storage Rm
Total Objects at this Location:				2							

Location: Fitzgerald Lakeforest Auto Mall
Address: 905 N Frederick Ave - Gaithersburg, MD 20879-3370
County: Montgomery **FIPS:** 24031
Location ID: 716033
Phone:
NOB/SIC: Automotive dealers and gasoline service stations
Primary Contact: Tony Pearson - Phone: 301-670-4831
Billing Contact: Tony Pearson - 905 N Frederick Ave Gaithersburg, MD 20879-3323 - Phone: 301-670-4831

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161496V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000840722		Steel Fab	2017	07/12/2022	Recurring Cert	Active	COMPRESSOR RM

Total Objects at this Location: 1

Location: Flowerhill Car Wash
Address: 8441 Snouffer School Rd - Gaithersburg, MD 20879-5541
County: Montgomery **FIPS:** 24031
Primary Contact: Oxenhill Services, Inc.
Billing Contact: - 1300 Caraway Ct Ste 202 Upper Marlboro, MD 20774-5462

Location ID: 2549771
Phone:
NOB/SIC: Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141786V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000635816		Manchester	1998	02/15/2022	Recurring Cert	Active	Car Wsh Bkrm

Total Objects at this Location: 1

Location: Flowers Garden Apartments
Address: 8240 Flower Ave - Takoma Park, MD 20912-6800
County: Montgomery **FIPS:** 24031
Primary Contact: Max Chaiken - Phone: 301-983-0519
Billing Contact: Max Chaiken - PO Box 34743 C/O Steve Chalken Bethesda, MD 20827-0743 - Phone: 301-983-0519

Location ID: 710861
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100173H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000075202		Rheem	1997	11/13/2021	Recurring Cert	Active	Boiler Room
MD133975H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2005	11/13/2021	Recurring Cert	Active	Boiler room

Total Objects at this Location: 2

Location: Forest Apartments
Address: 2004 Baltimore Rd - Rockville, MD 20851-1209
County: Montgomery **FIPS:** 24031
Primary Contact: David Craig Jr - Phone: 301-340-1990 - Email: dcraig@horningbros.com
Billing Contact: Veda Brinkley - 2012 Baltimore Rd Ofc Rockville, MD 20851-1210 - Phone: 301-340-1990

Location ID: 2897914
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148259H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000093059		Bradford	2010	09/27/2022	Recurring Cert	Active	Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 210 F)								

Total Objects at this Location: 1

Location: Forest Glen Medical Center
Address: 9801 Georgia Ave - Silver Spring, MD 20902-5276
County: Montgomery **FIPS:** 24031
Primary Contact: Christina Martin - Phone: 301-222-0026 - Email: cmartin@edgecre.com
Billing Contact: Christina Martin - 2273 Research Blvd Rockville, MD 20850-3264 - Phone: 301-222-0026 - Email: cmartin@edgecre.com

Location ID: 710955
Phone:
NOB/SIC: Health services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106337V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000024592		Dunham Bush	1995	10/06/2022	Recurring Cert	Active	Boiler Room
MD138136H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000113575		Lochinvar	2009	10/06/2022	Recurring Cert	Active	Boiler room
MD138137H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000113570		Lochinvar	2009	10/06/2022	Recurring Cert	Active	Boiler room
MD162362H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000129107		Bradford White	2018	10/06/2022	Recurring Cert	Active	Blrm

Total Objects at this Location: 4

Location: Fox Chase Rehab & Nursing
Address: 2015 East West Hwy - Silver Spring, MD 20910-2602
County: Montgomery **FIPS:** 24031
Primary Contact: Garth Wilson - Phone: 301-587-2400 - Cell: 240-616-8168 - Email: gwilson@parkhealthfoxchase.com
Billing Contact: Alex Nowell - 2015 East West Hwy Silver Spring, MD 20910-2602 - Phone: 301-587-0786

Location ID: 722625
Phone: 301-587-0786
NOB/SIC: Skilled Nursing Care Facilities

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145747H	MSN-THERM	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000154608		A O Smith	2011	08/24/2022	Recurring Cert	Active	Boiler Room
MD149272H	2	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	11992	Hydrotherm	2013	08/24/2022	Recurring Cert	Active	Boiler Room
MD149273H	BLR-1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	11991	Hydrotherm	2013	08/24/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: G O M C
Address: 15020 Shady Grove Road - Gaithersburg, MD 20898
County: Montgomery **FIPS:** 24031
Location ID: 711534
Phone: 301-949-2131
NOB/SIC: Holding and other investment offices
Primary Contact: Laura Mandeville - Phone: 301-657-590
Billing Contact: Laura Mandeville - 4630 Montgomery Ave Bethesda, MD 20814-3410 - Phone: 301-657-590

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD075385H		Electric (NOT HLW)	O - Other (Blr Use) w/comment	000023782		CAM	1988	08/16/2020	Recurring Cert	Active	Penthouse

Total Objects at this Location: 1

Location: Gaithersburg Exxon
Address: 408 N Frederick Ave - Gaithersburg, MD 20877-2404
County: Montgomery **FIPS:** 24031
Location ID: 711568
Phone: 301-840-1821
NOB/SIC: Gasoline Service Stations
Primary Contact: Leonard Shipe - Phone: (301) 840-1821 - Email: dileninc@verizon.net
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153070V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001564894		Manchester	2015	08/12/2021	Recurring Cert	Active	Container

Total Objects at this Location: 1

Location: Gaithersburg Mazda
Address: 625 N Frederick Ave - Gaithersburg, MD 20879-3306
County: Montgomery **FIPS:** 24031
Location ID: 3475579
Phone: 301-840-9333
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Fred Fees - Phone: 703-409-6199 - Email: ffees@rosenthalauto.com
Billing Contact: Ben Calvitti - 625 N Frederick Ave Gaithersburg, MD 20879-3306 - Phone: 301-840-9333

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099041V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000075471		Brunner	1994	02/22/2022	Recurring Cert	Active	COMPRES ROOM

Total Objects at this Location: 1

Location: Garden Plaza
Address: 7700 Old Georgetown Rd - Bethesda, MD 20814-6100
County: Montgomery **FIPS:** 24031
Location ID: 706937
Phone:
NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Steve Hickman - Phone: 240-497-7503 - Cell: 301-674-0854 - Email: steve.hickman@bfsaulco.com
Billing Contact: Steve Hickman - 7501 Wisconsin Ave Ste 300 Bethesda, MD 20814-6569 - Phone: 240-497-7503 - Cell: 301-674-0854 - Email: steve.hickman@bfsaulco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132638H	1	Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000053533		Lattner Boiler Co	2006	09/29/2022	External Cert	Active	Penthouse

Total Objects at this Location: 1

Location: Gentleman Jim's Restuarant (Arc3)
Address: 18257 Flower Hill Way - Gaithersburg, MD 20879-5335
County: Montgomery **FIPS:** 24031
Location ID: 4039062
Phone:
NOB/SIC:
Primary Contact: Gentleman Jim's Restuarant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167750V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000127584		MVE	2001	08/25/2022	Recurring Cert	Active	Outside cage

Total Objects at this Location: 1

Location: George Mader
Address: 8507 Flower Ave - Takoma Park, MD 20912-6641
County: Montgomery **FIPS:** 24031
Location ID: 711830
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Mathew Mader - Phone: 240-393-1114 - Email: maderproperties@gmail.com
Billing Contact: Mathew Mader - 6062 Sunny Spring Columbia, MD 21044-3614 - Phone: 240-393-1114 - Email: maderproperties@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111856H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2001	10/16/2022	Recurring Cert	Active	Laundry Room

Total Objects at this Location: 1

Location: Georgia Fuel & Treats, LLC.
Address: 9336 Georgia Ave - Silver Spring, MD 20910-1726
County: Montgomery **FIPS:** 24031
Location ID: 724995
Phone:
NOB/SIC: Gasoline Service Stations
Primary Contact: Eyob Gebrekidan - Phone: 301-589-7071
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105061V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000095275		Brunner	1983	09/28/2021	Recurring Cert	Active	Outside Shed
MD150896V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000721865		Steel Fab	2013	10/08/2021	Recurring Cert	Active	Outside Shed
Total Objects at this Location:				2							

Location: Gerber Collision
Address: 19560 Frederick Rd - Germantown, MD 20876-1304
County: Montgomery **FIPS:** 24031
Location ID: 3243990
Phone: 301-926-6184
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Jessie Savannah - Phone: 301-916-9081
Billing Contact: Jessie Savannah - 19560 Frederick Rd Germantown, MD 20876-1304 - Phone: 301-916-9081

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137011V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000609460		Trinity	2006	11/04/2022	Recurring Cert	Active	Main Comp. Shed
MD137012V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001017338		Manchester	2006	11/04/2020	Recurring Cert	Active	Paint Shop Shed
MD155187V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000782059		Trinity	2015	11/09/2020	Recurring Cert	Active	Main Comp. Shed
MD155188V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000782050		Steel Fab	2015	11/09/2022	Recurring Cert	Active	Paint Shop Shed
MD167770V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000954867		samuel	2020	12/15/2022	Recurring Cert	Active	paint shop
Total Objects at this Location:				5							

Location: Germantown Tire & Auto
Address: 19971 Aircraft Dr - Germantown, MD 20874-1101
County: Montgomery **FIPS:** 24031
Primary Contact: Germantown Tire & Automotive Center
Billing Contact:

Location ID: 708982
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150899V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000321576		Morganton	2013	10/13/2021	Recurring Cert	Active	Compressor room

Total Objects at this Location: 1

Location: Glen Echo Exxon
Address: 6729 Goldsboro Rd - Bethesda, MD 20817-5417
County: Montgomery **FIPS:** 24031
Primary Contact: Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 3270281
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145947V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000893266		Manchester	2007	11/04/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Glenmont Crossing Apartments
Address: 2305 Shorefield Rd - Wheaton, MD 20902-1852
County: Montgomery **FIPS:** 24031
Primary Contact: Michele Reed - Phone: 301-948-2600
Billing Contact: Michele Reed - 11921 Rockville Pike Ste 200 Rockville, MD 20852-2737 - Phone: 301-948-2600

Location ID: 711891
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129725H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000018181		R B I	2007	09/28/2021	Recurring Cert	Active	Basement
MD129726H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000018180		R B I	2007	09/28/2021	Recurring Cert	Active	Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129727H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000018201		R B I	2007	09/28/2021	Recurring Cert	Active	Basement
MD129728H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000018186		R B I	2007	09/28/2021	Recurring Cert	Active	Basement
MD142905H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000018179		R B I	2007	09/28/2021	Recurring Cert	Active	Basement
Total Objects at this Location:				5							

Location: Glenmont Crossing Apartments
Address: 2116 Georgian Woods PI - Silver Spring, MD 20902-1808
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 1930034
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129739H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018168		R B I	2007	05/25/2022	Recurring Cert	Active	Heater Room 2116
Total Objects at this Location:				1							

Location: Glenmont Crossing Apartments
Address: 2130 Georgian Woods PI - Silver Spring, MD 20902-1808
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 2330309
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129738H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018192		R B I	2007	05/25/2022	Recurring Cert	Active	Storage Room 2130
Total Objects at this Location:				1							

Location: Glenmont Crossing Apartments
Address: 2150 Georgian Woods PI - Wheaton, MD 20902-1808
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 711884
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129736H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018202		R B I	2007	05/25/2022	Recurring Cert	Active	Heater Room 2150
Total Objects at this Location:				1							

Location: Glenmont Crossing Apartments
Address: 2164 Georgian Woods PI - Wheaton, MD 20902-1808
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 1930033
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129737H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018200		R B I	2007	05/25/2022	Recurring Cert	Active	heater rm-2164
Total Objects at this Location:				1							

Location: Glenmont Crossing Apartments
Address: 2203 Georgian Woods PI - Silver Spring, MD 20902
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 2330334
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129735H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018182		R B I	2007	05/25/2022	Recurring Cert	Active	Shop 2203

Total Objects at this Location: 1

Location: Glenmont Crossing Apartments
Address: 2222 Georgian Woods PI - Silver Spring, MD 20902-1810
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 711883
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129734H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018167		R B I	2007	05/25/2022	Recurring Cert	Active	Heater Room 2222
Total Objects at this Location:				1							

Location: Glenmont Crossing Apartments
Address: 2240 Georgian Woods PI - Silver Spring, MD 20902-1810
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 711882
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129740H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018185		R B I	2007	05/25/2022	Recurring Cert	Active	Basement 2244
Total Objects at this Location:				1							

Location: Glenmont Crossing Apartments
Address: 2262 Georgian Woods PI - Silver Spring, MD 20902-1810
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 2330335
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129733H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018184		R B I	2007	05/25/2022	Recurring Cert	Active	Heater rm - 2262

Juris #	Alt Juris #	Type Efficiency)	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
Total Objects at this Location:				1							

Location: Glenmont Crossing Apartments
Address: 2302 Georgian Woods Pl - Silver Spring, MD 20902-1812
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: Charles Jones - 2309 Shorefield Rd Ste 112 Wheaton, MD 20902-1853

Location ID: 2330336
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138140H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000024078		R B I	2010	05/25/2022	Recurring Cert	Active	Heater Room 2302
Total Objects at this Location:				1							

Location: Glenmont Crossing Apartments
Address: 2318 Georgian Woods Pl - Silver Spring, MD 20902-1812
County: Montgomery **FIPS:** 24031
Primary Contact: Charles Jones
Billing Contact: David Inactive-Williams - 2309 Shorefield Rd Silver Spring, MD 20902-1853 - Phone: 3019463300 - Cell: 2404182544

Location ID: 2330337
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129731H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018191		R B I	2007	05/25/2022	Recurring Cert	Active	basement- 2318
Total Objects at this Location:				1							

Location: Glyco Mimetics
Address: 9708 Medical Center Dr - Rockville, MD 20850-3343
County: Montgomery **FIPS:** 24031
Location ID: 3699349
Phone: 301-417-4224
NOB/SIC:
Primary Contact: Joan Moeltner - Phone: 301-417-4224 - Email: jmoeltner@glycomimetics.com
Billing Contact: Joan Moeltner - 9708 Medical Center Dr Rockville, MD 20850-3343 - Phone: 301-417-4224 - Email: jmoeltner@glycomimetics.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091683H	1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000084519		PVI	1995	03/02/2022	Recurring Cert	Active	BLDG 1 RM 116

Total Objects at this Location: 1

Location: Goldfish Swim School
Address: 1701 Rockville Pike - Rockville, MD 20852-1613
County: Montgomery **FIPS:** 24031
Location ID: 4002314
Phone: 301 640 5592
NOB/SIC:
Primary Contact: Bob Panzone - Phone: 301 252 5331
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165885H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000341508		AIC	2018	01/27/2022	Recurring Cert	Active	MECH ROOM
MD165886H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000341511		AIC	2018	01/27/2022	Recurring Cert	Active	MECH ROOM

Total Objects at this Location: 2

Location: Goldfish Swim School
Address: 801 Center Point Way - Gaithersburg, MD 20878-6461
County: Montgomery **FIPS:** 24031
Location ID: 4049162
Phone:
NOB/SIC:
Primary Contact: Goldfish Swim School
Billing Contact: Jake Atchoo - 801 Center Point Way Gaithersburg, MD 20878-6461 - Phone: 248-763-5400 - Email: jake.atchoo@goldfishsf.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168854H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000143564		AIC	2019	01/22/2023	Recurring Cert	Active	MECH ROOM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168855H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000143559		AIC	2019	01/22/2023	Recurring Cert	Active	MECH ROOM

Total Objects at this Location: 2

Location: Good Hope Development Center
Address: 15930 Good Hope Rd - Silver Spring, MD 20905-4038
County: Montgomery **FIPS:** 24031
Primary Contact: Good Hope Development Center - Phone: 301-421-9813
Billing Contact: - 15930 Good Hope Rd Silver Spring, MD 20905-4038 - Phone: 301-421-9813

Location ID: 2858253
Phone: 301-421-9813
NOB/SIC: Elementary and Secondary Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135724H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2002	07/12/2022	Recurring Cert	Active	Boiler Room #1
MD135725H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1993	07/12/2022	Recurring Cert	Active	Boiler Room #2

Total Objects at this Location: 2

Location: Goodstone, LLC.
Address: 6116 Executive Blvd - Rockville, MD 20852-4920
County: Montgomery **FIPS:** 24031
Primary Contact: Mary Burns - Phone: 240-832-6833 - Email: mary.burns@ausonyoung.com
Billing Contact: Mary Burns - 11921 Rockville Pike Ste 200 Rockville, MD 20852-2737 - Phone: 240-832-6833 - Email: mary.burns@ausonyoung.com

Location ID: 701848
Phone:
NOB/SIC: Operators of Nonresidential Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078307V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000213697		Trane	1988	01/03/2023	Recurring Cert	Active	8th Floor North
MD078308V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000213534		Trane	1988	01/03/2023	Recurring Cert	Active	#8 Floor South
MD078309V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212383		Trane	1988	01/03/2023	Recurring Cert	Active	#7 Floor North
MD078310V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212386		Trane	1988	01/03/2023	Recurring Cert	Active	#7 Floor South
MD078311V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212397		Trane	1988	01/03/2023	Recurring Cert	Active	#6 Floor North
MD078312V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212395		Trane	1988	01/03/2023	Recurring Cert	Active	#6 Floor South

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078313V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212384		Trane	1988	01/03/2023	Recurring Cert	Active	#5 Floor North
MD078314V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212398		Trane	1988	01/03/2023	Recurring Cert	Active	#5 Floor South
MD078335V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212385		Trane	1988	01/03/2023	Recurring Cert	Active	#4 Floor North
MD078336V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212396		Trane	1988	01/03/2023	Recurring Cert	Active	#4 Floor South
MD078337V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212394		Trane	1988	01/03/2023	Recurring Cert	Active	#3 Floor North
MD078338V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000212382		Trane	1988	01/03/2023	Recurring Cert	Active	#3 Floor South
MD078339V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000213531		Trane	1988	01/03/2023	Recurring Cert	Active	#2 Floor South
MD078340V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000213533		Trane	1988	01/03/2023	Recurring Cert	Active	#2 Floor North
MD078341V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000213532		Trane	1988	01/03/2023	Recurring Cert	Active	#1 Floor North
MD078342V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000213530		Trane	1988	01/03/2023	Recurring Cert	Active	#1 Floor South

Total Objects at this Location: 16

Location: Goodyear Tire Center
Address: 15420 Old Columbia Pike - Burtonsville, MD 20866-1671
County: Montgomery **FIPS:** 24031
Location ID: 712359
Phone: 301-421-1505
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Jim Wilson - Phone: 301-642-3826 - Email: WJimWilson@comcast.net
Billing Contact: Jim Wilson - 7107 Moorland Dr Clarksville, MD 21029-1734 - Phone: 301-642-3826 - Email: WJimWilson@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088262V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000877193		Buckeye	1988	11/03/2021	Recurring Cert	Active	Store Room
MD088263V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000877194		Buckeye	1988	11/03/2021	Recurring Cert	Active	Store Room

Total Objects at this Location: 2

Location: Gordon Biersch Brewery
Address: 200 E Middle Ln Unit A - Rockville, MD 20850-2206
County: Montgomery **FIPS:** 24031
Location ID: 2125097
Phone:
NOB/SIC: Drinking Places (Alcoholic Beverages)
Primary Contact: Steve Santa - Phone: 301-340-7159 - Email: ssanta@cwrestaurants.com
Billing Contact: Nassim Sultan - 200 E Middle Ln Unit A Rockville, MD 20850-2206 - Phone: 301-340-7159 - Email: nsultan@gbrestaurants.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127449H	#1	Horizontal Water Tube	H - Heating-Cooking (Steam <= 15 psig)	000057775	00000	Parker Boiler	2007	03/22/2020	Recurring Cert	Active	2nd Floor Boiler Room
MD160874H	A	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65521559	AHRI	2015	03/28/2020	Recurring Cert	Active	Boiler Room
MD160875H	B	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65536430	AHRI	2015	03/28/2020	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				3							

Location: Goshen Crossing Sunoco
Address: 20050 Goshen Rd - Gaithersburg, MD 20879-1604
County: Montgomery **FIPS:** 24031
Location ID: 2911862
Phone: 301-977-3200
NOB/SIC: Gasoline Service Stations
Primary Contact: Keith Kim - Phone: 301-977-3200
Billing Contact: Keith Kim - 20050 Goshen Rd Gaithersburg, MD 20879-1604 - Phone: 301-977-3200

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156543V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001691609		Manchester	2016	05/02/2021	Recurring Cert	Active	Comp Shed
Total Objects at this Location:				1							

Location: Grace United Methodist Church
Address: 7001 New Hampshire Ave - Takoma Park, MD 20912-5816
County: Montgomery **FIPS:** 24031
Location ID: 712520
Phone:
NOB/SIC: Religious Organizations
Primary Contact: Dunrick Sogie-Thomas - Cell: 240 602 9572
Billing Contact: Joan - 7001 New Hampshire Ave Takoma Park, MD 20912-5816 - Phone: 301 891 2100 - Email: thenehemiahcharge@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125738H	No. 1	Cast Iron	H - Hot Water	CI	UFC26446	Utica	2005	03/07/2021	Recurring Cert	Active	Blrm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125739H	No. 2	Cast Iron	Heat (Water <= 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UGC26938	Utica	2005	03/07/2021	Recurring Cert	Active	BLRM
MD125740H	No. 3	Cast Iron	Heat (Water <= 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UGC27154	Utica	2005	03/07/2021	Recurring Cert	Active	BLRM
MD125741H	No.4	Cast Iron	Heat (Water <= 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UGC27155	Utica	2005	03/07/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 4

Location: Grand Bel Manor Condominiums
Address: 3830 Bel Pre Rd - Silver Spring, MD 20906-2630
County: Montgomery **FIPS:** 24031
Primary Contact: Ron Llevergood - Cell: 3015256102
Billing Contact:

Location ID: 712539
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154871H	3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001772		Viessman	2013	07/06/2022	Recurring Cert	Active	boiler room
MD154872H	4	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001771		Viessman	2013	07/06/2022	Recurring Cert	Active	boiler room
MD161651H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003399	7513668700491	Viessman	2017	07/30/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: Grand Bell I I Condominiums **Location ID:** 712541
Address: 3924 Bell Pre Road - Silver Spring, MD 20906-2801 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Lynne Singer - Phone: 301-948-6666 - Email: lsinger@tmgainc.com
Billing Contact: Steve Leskowitz - 20440 Century Blvd Ste 100 Germantown, MD 20874-7116 - Phone: 301-948-6666

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135700H	#1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005625		Fulton	2007	06/03/2021	Recurring Cert	Active	BLRM
MD135701H	#2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005613		Fulton	2007	06/03/2021	Recurring Cert	Active	BLRM
MD135702H	#3	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005722		Fulton	2007	06/03/2021	Recurring Cert	Active	BLRM
MD135703H	#4	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005719		Fulton	2007	06/03/2021	Recurring Cert	Active	BLRM
MD135704H	#5	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005621		Fulton	2007	06/03/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				5							

Location: Green Growlers **Location ID:** 711559
Address: 227 E Diamond Ave - Gaithersburg, MD 20877-3015 **Phone:** 000-000-0000
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Drinking Places (Alcoholic Beverages)
Primary Contact: Green Growlers
Billing Contact: Bret Kimbrough - 227 E Diamond Ave Gaithersburg, MD 20877-3015 - Phone: 301-519-9400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161837H		Vertical Water Tube	H - Heating-Cooking (Steam <= 15 psig)	000154262		Columbia	2017	10/15/2022	Recurring Cert	Active	Brew House
Total Objects at this Location:				1							

Location: Greenhill Child Development Center
Address: 120 Geneva Avenue - Silver Spring, MD 20910-5105
County: Montgomery **FIPS:** 24031
Location ID: 997364
Phone:
NOB/SIC: Elementary and Secondary Schools
Primary Contact: Malika Clarke - Phone: 301-589-0613 - Email: malikaclarke.greenhillcdc@gmail.com
Billing Contact: Kimberly Kight - 120 Geneva Ave Silver Spring, MD 20910-5105 - Phone: 301-589-0613 - Cell: 301-678-9566/301-523-4232 - Email: kkight@greenhillcdc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119978H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Columbia	2002	10/14/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Greenhill Realty Property
Address: 11435 Grandview Ave - Wheaton, MD 20902-2741
County: Montgomery **FIPS:** 24031
Location ID: 728968
Phone:
NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Steven Toliver - Phone: 301-657-2525
Billing Contact: Steven Toliver - 4901 Fairmont Ave Ste 200 Bethesda, MD 20814-6062 - Phone: 301-657-2525

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD095866H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	1970	06/02/2020	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Grosvenor Park Condominium I
Address: 10201 Grosvenor PI - Rockville, MD 20852-4645
County: Montgomery **FIPS:** 24031
Location ID: 712852
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Robby Paul - Phone: 301-674-6125
Billing Contact: Sue Quigley - 10201 Grosvenor PI Rockville, MD 20852-4645 - Phone: 301-493-9220 - Email: squigley@gp1condo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128545H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001475	BLR-1	Easco	2002	08/31/2021	Recurring Cert	Active	Boiler Room
MD128546H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001476	BLR-2	Easco	2002	08/31/2021	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128547H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000128892	HWS-2	Lochinvar	2002	08/31/2021	Recurring Cert	Active	Boiler Room
MD128548H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000128711	HWS-1	Lochinvar	2002	08/31/2021	Recurring Cert	Active	Boiler Room
MD132985V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000192053	Chiller-2	Carrier	1994	08/31/2021	Recurring Cert	Active	Boiler Room
MD132986V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000192055	Chiller-1	Carrier	1994	08/31/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: H & R Enterprises
Address: 19050 Woodfield Rd - Gaithersburg, MD 20879-4705
County: Montgomery **FIPS:** 24031
Primary Contact: H & R Enterprises
Billing Contact:

Location ID: 708760
Phone: 301-294-9700
NOB/SIC: Wholesale trade--durable goods

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD095867H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1997	08/25/2022	Recurring Cert	Active	Boiler Room
MD095868H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1997	08/25/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: H Mart
Address: 12015 Georgia Ave - Silver Spring, MD 20902-2003
County: Montgomery **FIPS:** 24031
Primary Contact: Eric Lim - Email: judy.lim@hmart.com
Billing Contact: Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com

Location ID: 3218416
Phone:
NOB/SIC: Prepared Flour Mixes and Doughs

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143332V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000247352		Standard	1988	10/29/2021	Recurring Cert	Active	Motor Room
MD143333V		Horizontal Unfired Pressure Vessel	V - Storage (Cryogenic)	000239474		Standard	1987	10/29/2021	Recurring Cert	Active	Motor Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD143334V		Horizontal Unfired Pressure Vessel	V - Storage (Cryogenic)	000247364		Standard	1988	10/29/2021	Recurring Cert	Active	Motor Room
		w/comment									

Total Objects at this Location: 3

Location: H Mart
Address: 9639 Lost Knife Rd - Gaithersburg, MD 20877-2618
County: Montgomery **FIPS:** 24031
Primary Contact: Young W. Moon - Phone: 301-35-7499
Billing Contact: Eric Lim - 350 Prince Georges Blvd Upper Marlboro, MD 20774-7409 - Email: judy.lim@hmart.com

Location ID: 2181038
Phone: 301-355-7499
NOB/SIC: Grocery Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133873V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000166809		Standard	1982	12/16/2021	Recurring Cert	Active	Motor Room Unit A
		w/comment									
MD133874V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000174311		Standard	1982	12/16/2021	Recurring Cert	Active	Motor Room Unit D
		w/comment									
MD133875V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000173585		Standard	1982	12/16/2021	Recurring Cert	Active	Motor Room Unit B
		w/comment									
MD133876V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000171043		Standard	1982	12/16/2021	Recurring Cert	Active	Motor Room Unit C
		w/comment									

Total Objects at this Location: 4

Location: Heritage Green Condominiums
Address: 13135 Dairymaid Dr - Germantown, MD 20874-2316
County: Montgomery **FIPS:** 24031
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: schung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Location ID: 713612
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139659H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018446		R B I	2007	08/14/2021	Recurring Cert	Active	Bldg 3135

Total Objects at this Location: 1

Location: Heritage Green Condominiums **Location ID:** 2975196
Address: 13137 Dairymaid Dr - Germantown, MD 20874-2319 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139658H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000016743		R B I	2007	08/14/2021	Recurring Cert	Active	13137

Total Objects at this Location: 1

Location: Heritage Green Condominiums **Location ID:** 2975195
Address: 13139 Dairymaid Dr - Germantown, MD 20874-2322 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139657H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018453		R B I	2007	08/14/2021	Recurring Cert	Active	13139

Total Objects at this Location: 1

Location: Heritage Green Condominiums **Location ID:** 2975194
Address: 13143 Dairymaid Dr - Germantown, MD 20874-2323 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139656H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000016757		R B I	2007	08/14/2021	Recurring Cert	Active	13143

Total Objects at this Location: 1

Location: Heritage Green Condominiums **Location ID:** 2975193
Address: 13145 Dairymaid Dr - Germantown, MD 20874-2326 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139655H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000016758		R B I	2007	08/14/2021	Recurring Cert	Active	13145
Total Objects at this Location:				1							

Location: Heritage Green Condominiums **Location ID:** 2975192
Address: 13205 Dairymaid Dr - Germantown, MD 20874-2327 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139654H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000014457		R B I	2007	08/14/2021	Recurring Cert	Active	13205
Total Objects at this Location:				1							

Location: Heritage Green Condominiums **Location ID:** 2975191
Address: 13207 Dairymaid Dr - Germantown, MD 20874-2329 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139653H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018445		R B I	2007	08/14/2021	Recurring Cert	Active	13207
Total Objects at this Location:				1							

Location: Heritage Green Condominiums **Location ID:** 2975189
Address: 13209 Dairymaid Dr - Germantown, MD 20874-2331 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139652H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000016756		R B I	2007	08/14/2021	Recurring Cert	Active	13209

Total Objects at this Location: 1

Location: Heritage Green Condominiums **Location ID:** 2975188
Address: 13213 Dairymaid Dr - Germantown, MD 20874-2333 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139651H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000012054		R B I	2007	08/14/2021	Recurring Cert	Active	13213

Total Objects at this Location: 1

Location: Heritage Green Condominiums **Location ID:** 713613
Address: 13215 Dairymaid Dr - Germantown, MD 20874-2335 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Samuel Chung - Phone: 301-468-8919 - Email: chung@abarisrealty.com
Billing Contact: Alena Proctor, CMCA - 7811 Montrose Rd Suite 110 Potomac, MD 20854-3349 - Phone: 301-468-8919 ext 110

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139650H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000012053		R B I	2007	08/14/2021	Recurring Cert	Active	13215

Total Objects at this Location: 1

Location: HOCMC-4500 Avondale St **Location ID:** 714924
Address: 4500 Avondale St - Bethesda, MD 20814-3541 **Phone:** 301-803-9782
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Office of the General Counsel Montgomery Co. - Phone: 240-627-9762
Billing Contact: Office of the General Counsel Montgomery Co. - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9762

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149590H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000207803	65307634	Burnham	2012	07/29/2020	Recurring Cert	Active	Blrm
Total Objects at this Location:				1							

Location: HOCMC-4504 Avondale St **Location ID:** 1526627
Address: 4504 Avondale St - Bethesda, MD 20814-3599 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Office of the General Counsel Montgomery Co. - Phone: 240-627-9762
Billing Contact: Office of the General Counsel Montgomery Co. - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9762

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149592H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000207062	65307633	Burnham	2012	07/29/2022	Recurring Cert	Active	blrm
Total Objects at this Location:				1							

Location: HOCMC-4508 Avondale St **Location ID:** 1526629
Address: 4508 Avondale St - Bethesda, MD 20814-3598 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Office of the General Counsel Montgomery Co. - Phone: 240-627-9762
Billing Contact: Office of the General Counsel Montgomery Co. - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9762

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149591H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000199608	65302587	Burnham	2012	07/29/2022	Recurring Cert	Active	Blrm
Total Objects at this Location:				1							

Location: Holiday Inn Express **Location ID:** 713172
Address: 20260 Goldenrod Ln - Germantown, MD 20876-4063 **Phone:** 301-428-1300
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Hotels, rooming houses, camps, and other lodging places
Primary Contact: Simon Ferrufino - Phone: 301.767.6737 - Email: simon.ferrufino@bfsaul.com
Billing Contact: - 20260 Goldenrod Ln Germantown, MD 20876-4063 - Phone: 301-605-1432 - Email: linda.obrien@bfsaul.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148645H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C36700	DHWB-1	A O Smith	2012	04/04/2022	Recurring Cert	Active	Mechanical Room
MD154658H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000C45052	DHWB-3	A O Smith	2015	04/04/2022	Recurring Cert	Active	Mechanical Room
MD167747H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C50360	DHWB-2	A O Smith	2018	09/23/2022	Recurring Cert	Active	Mechanical Room
Total Objects at this Location:				3							

Location: Holiday Inn Express **Location ID:** 709659
Address: 7990 Georgia Ave - Silver Spring, MD 20910-4837 **Phone:** 3015653444
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Hotels, rooming houses, camps, and other lodging places
Primary Contact: Harry Patel - Phone: 3015653444 - Cell: 2013064602 - Email: harry7990@gmail.com
Billing Contact: Harry Patel - 7990 Georgia Ave Silver Spring, MD 20910-4837 - Phone: 3015653444 - Cell: 2013064602 - Email: harry7990@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161089H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000237725		A O Smith	2018	06/08/2022	Recurring Cert	Active	BLRM
MD161090H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000237713		A O Smith	2018	06/08/2022	Recurring Cert	Active	BLRM
MD161091H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000237723		A O Smith	2018	06/08/2022	Recurring Cert	Active	BLRM
Total Objects at this Location:				3							

Location: Holy Cross Catholic Parish Church & School#222
Address: 4900 Strathmore Ave - Garrett Park, MD 20896-1548
County: Montgomery **FIPS:** 24031
Primary Contact: Raul Alfonso - Phone: 301-949-0053
Billing Contact: Raul Alfonso - PO Box 249 Garrett Park, MD 20896-0249 - Phone: 301-949-0053

Location ID: 714026
Phone: 301-942-1020
NOB/SIC: Elementary and Secondary Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD040282H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	1961	08/10/2021	Recurring Cert	Active	Church Boiler Room
MD054049H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	N86 849	HB Smith	1986	08/10/2021	Recurring Cert	Active	School Boiler Room

Total Objects at this Location: 2

Location: Holy Cross Hospital (Roberts Oxygen)
Address: 1500 Forest Glen Rd - Silver Spring, MD 20910-1460
County: Montgomery **FIPS:** 24031
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Location ID: 3839671
Phone: 301-754-7097
NOB/SIC: General Medical and Surgical Hospitals

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159486V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000275772		CHART	2015	11/21/2021	Recurring Cert	Active	Outside Gated Area
MD159487V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000076258		CHART	2015	11/21/2021	Recurring Cert	Active	Outside Gated Area

Total Objects at this Location: 2

Location: Houston LLC.
Address: 8202 Houston Ct - Takoma Park, MD 20912-6245
County: Montgomery **FIPS:** 24031
Primary Contact: 8202 Houston Court, LLC
Billing Contact: Facility Manager - 1325 Independence Ave SE Washington, DC 20003-2302

Location ID: 702590
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110994H	#1	Cast Iron	H - Hot Water	CI		Slant Fin	1999	06/26/2020	Recurring Cert	Active	Basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110995H	#2	Cast Iron	Heat (Water <= 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Slant Fin	1999	06/26/2020	Recurring Cert	Active	Basement
MD110998H	#5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Slant Fin	1999	06/26/2020	Recurring Cert	Active	Basement
MD110999H	#6	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Slant Fin	1999	06/26/2020	Recurring Cert	Active	Basement
MD150861H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		AHRI	2012	06/26/2020	Recurring Cert	Active	Basement
MD159926H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	331600493S	Utica	2017	04/04/2020	Recurring Cert	Active	Blr Rm

Total Objects at this Location: 6

Location: Howard Hughes Medical Institute
Address: 4000 Jones Bridge Rd - Chevy Chase, MD 20815-6720
County: Montgomery **FIPS:** 24031
Location ID: 714208
Phone:
NOB/SIC: Holding and other investment offices
Primary Contact: John Keister - Phone: 301-215-8991
Billing Contact: John Keister - 4000 Jones Bridge Rd Chevy Chase, MD 20815-6720 - Phone: 301-215-8991

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138612H	Boiler #1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000030159		Burnham	2008	01/06/2022	Recurring Cert	Active	New Boiler Room Bl# 1
MD138613H	Boiler # 2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000030115		Burnham	2008	01/06/2022	Recurring Cert	Active	New Boiler Room Bl#2
MD149664H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000020045		Precision	2012	01/06/2022	Recurring Cert	Active	H House Boiler Room
MD149665H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000138057		PVI Industries	2014	01/06/2022	Recurring Cert	Active	Blr rm H bld
MD165892H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000148384		PVI	2019	12/10/2021	Recurring Cert	Active	Boiler Room
MD165893H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000149408		PVI	2019	12/10/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: IHOP (Arc3) **Location ID:** 3964696
Address: 18147 Village Center Dr - Olney, MD 20832-1414 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: IHOP (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167188V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000309141		CHART	2018	08/25/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Imperial Autobody **Location ID:** 1728973
Address: 690 Lofstrand Ln - Rockville, MD 20850-1313 **Phone:** 301-354-9803
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Sevag Poochikian - Phone: 301-354-9803 - Email: anthony@imperiallab.com
Billing Contact: Sevag Poochikian - 690 Lofstrand Ln Rockville, MD 20850-1313 - Phone: 301-354-9803 - Email: anthony@imperiallab.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165184V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029743		AIR COM	2017	08/29/2021	Recurring Cert	Active	Paintshop

Total Objects at this Location: 1

Location: Ingleside at King Farm **Location ID:** 2401026
Address: 701 King Farm Blvd - Rockville, MD 20850-6165 **Phone:** 240-499-9026
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Civic, Social, and Fraternal Associations
Primary Contact: Barbara Hopper - Phone: 240-499-9015
Billing Contact: Barbara Hopper - 701 King Farm Blvd Rockville, MD 20850-6165 - Phone: 240-499-9015

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131842H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000122183		PVI Industries	2007	10/18/2022	Recurring Cert	Active	EAST BLRM

Total Objects at this Location: 1

Location: Innovations Surgery Center
Address: 3206 Tower Oaks Blvd Ste 100 - Rockville, MD 20852-4255
County: Montgomery **FIPS:** 24031
Primary Contact: Innovations Surgery Center
Billing Contact:

Location ID: 3919529
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162940	Boiler #1	Miniature Boiler (NOT Fired Kettle)	S - Power-Electric Generation (Steam > 15 psig)	000000141	28618	Ogden MFG Co	2003	01/09/2022	Recurring Cert	Active	Sterile Processing
MD162941	Boiler #2	Miniature Boiler (NOT Fired Kettle)	S - Power-Electric Generation (Steam > 15 psig)	000017088	25386	Chromalox	2001	01/09/2022	Recurring Cert	Active	Sterile Processing
MD162942V	Autoclave #1	Autoclave	V - Process-Sterilizing	000075544	0797045	Amsco	1997	01/09/2023	Recurring Cert	Active	Sterile Processing
MD162943V	Autoclave #2	Autoclave	V - Process-Sterilizing	000088408	0404008	Steris	2004	01/09/2023	Recurring Cert	Active	Sterile Processing
Total Objects at this Location:				4							

Location: International Collision Center
Address: 627 Southlawn Ln - Rockville, MD 20850-1458
County: Montgomery **FIPS:** 24031
Primary Contact: Advanced Collision Center
Billing Contact: - 627 Southlawn Ln Rockville, MD 20850-1458

Location ID: 1932065
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132356V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000351874		Manchester	2004	04/20/2021	Recurring Cert	Active	Outside shed
Total Objects at this Location:				1							

Location: ISN Building **Location ID:** 714654
Address: 10411 Motor City Dr - Bethesda, MD 20817-1008 **Phone:** 301 469 0400
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Gregory Adams - Phone: 301-717-2371
Billing Contact: Gregory Adams - 10411 Motor City Dr Bethesda, MD 20817-1008 - Phone: 301-717-2371

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153394V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000320403		Manchester	2013	11/19/2021	Recurring Cert	Active	Penthouse

Total Objects at this Location: 1

Location: J C PENNEY #0273 **Location ID:** 714741
Address: 701 Russell Ave - Gaithersburg, MD 20877-2631 **Phone:** 301-840-0010
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Department Stores
Primary Contact: Ben Roberts - Phone: 972-431-1128 - Email: bfrobert@jcp.com
Billing Contact: - 6501 Legacy Dr. Plano, TX 75024-3612 - Phone: 972-431-4644 - Email: fgpruitt@jcp.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD038494V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000890153		Kargard	1977	03/08/2022	Recurring Cert	Active	Penthouse
MD114731V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000205470		Carrier	1996	03/08/2022	Recurring Cert	Active	Penthouse
MD133183H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000208312		Lochinvar	2007	03/08/2022	Recurring Cert	Active	Penhouse
MD133184H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000208314		Lochinvar	2007	03/08/2022	Recurring Cert	Active	Penthouse
MD133185V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000158480		Trane	2007	03/08/2022	Recurring Cert	Active	Penthouse

Total Objects at this Location: 5

Location: Jaguar/Land Rover/Range Rover of Bethesda
Address: 11617 Old Georgetown Rd - Rockville, MD 20852-2797
County: Montgomery **FIPS:** 24031
Primary Contact: David Bohn - Phone: 301-424-7000
Billing Contact: David Bohn - 11617 Old Georgetown Rd Rockville, MD 20852-2797 - Phone: 301-424-7000

Location ID: 717231
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107715V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000365572		Manchester	1996	07/05/2022	Recurring Cert	Active	Rear Outside Open Shed
MD146021V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000377737		Manchester	2004	07/05/2022	Recurring Cert	Active	Rear Outside Open Shed

Total Objects at this Location: 2

Location: JB Auto Repair
Address: 7615 Rickenbacker Dr Ste K - Gaithersburg, MD 20879-4783
County: Montgomery **FIPS:** 24031
Primary Contact: JB Auto Repair - Phone: 301-216-2622
Billing Contact: - 7615 Rickenbacker Dr Ste K Gaithersburg, MD 20879-4783 - Phone: 301-216-2622

Location ID: 3596262
Phone: 301-216-2622
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150869V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000885423		Kargard	1977	05/13/2023	Recurring Cert	Active	Back of Shop, Under Steps

Total Objects at this Location: 1

Location: Jersey Mikes Subs (NuCo2) # 428350
Address: 249 Kentlands Blvd - Gaithersburg, MD 20878-5446
County: Montgomery **FIPS:** 24031
Primary Contact: NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

Location ID: 3631636
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167221V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000090831		MVE	1998	10/21/2022	Recurring Cert	Active	Outside Rear

Total Objects at this Location: 1

Location: Jewish Council for the Aging
Address: 12320 Parklawn Dr - Rockville, MD 20852-1726
County: Montgomery **FIPS:** 24031
Location ID: 704838
Phone:
NOB/SIC: Social Services, NEC
Primary Contact: Maria Hernandez - Phone: 301-255-4220 - Email: mhernandez@AccessJCA.org
Billing Contact: Maria Hernandez - 12320 Parklawn Dr Rockville, MD 20852-1726 - Phone: 301-255-4220 - Email: mhernandez@AccessJCA.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118649H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000094291		Fulton	2003	01/04/2021	Recurring Cert	Active	Boiler Room
MD118650H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000094287		Fulton	2003	01/04/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Jiffy Lube
Address: 3251 Automobile Blvd - Silver Spring, MD 20904-4909
County: Montgomery **FIPS:** 24031
Location ID: 715036
Phone:
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Brett Davis
Billing Contact: Brett Davis - 3251 Automobile Blvd Silver Spring, MD 20904-4909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063008V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000130754		Manchester	1985	08/24/2021	Recurring Cert	Active	STORAGE ROOM
MD063009V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031700		Kargard	1985	08/24/2021	Recurring Cert	Active	STORAGE ROOM

Total Objects at this Location: 2

Location: Jiffy Lube - 1213
Address: 19520 Walter Johnson Drive - Germantown, MD 20874-2656
County: Montgomery **FIPS:** 24031
Primary Contact: Jiffy Lube - 1213
Billing Contact: Chris Burns - 13300 Minnieville Rd Woodbridge, VA 22192-4032 - Phone: 703-494-1108 x 301 - Cell: 571-437-8971 - Email: cburns@atcjiffylube.com

Location ID: 715057
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD077747V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000897023		Buckeye	1989	04/16/2022	Recurring Cert	Active	Basement
MD110396V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000535229		Manchester	1997	04/16/2022	Recurring Cert	Active	Basement
Total Objects at this Location:				2							

Location: Jiffy Lube - 1272
Address: 5535 Nicholson Ln - Rockville, MD 20852-3133
County: Montgomery **FIPS:** 24031
Primary Contact: Jiffy Lube - 1272
Billing Contact: Doug Wheeler - 8754 Virginia Meadows Dr Manassas, VA 20109-7820 - Phone: 888-425-9400 x-406 - Cell: 571-217-9703 - Email: dwheeler@premierler.com

Location ID: 715058
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD077744V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000960000		Buckeye	1980	05/16/2021	Recurring Cert	Active	Basement
MD125736V	3	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000420560		Trinity	2004	05/16/2021	Recurring Cert	Active	BASEMENT
Total Objects at this Location:				2							

Location: Jiffy Lube - 777
Address: 806 Rockville Pike - Rockville, MD 20852-1224
County: Montgomery **FIPS:** 24031
Location ID: 3285969
Phone: 301-424-9531
NOB/SIC: General Automotive Repair Shops
Primary Contact: Frank Bowers - Phone: 301-424-9531 - Email: HLLjiffylube@yahoo.com
Billing Contact: Rob Waters - 806 Rockville Pike Rockville, MD 20852-1224 - Phone: 410-4961-7431/240-529-7348 - Email: HLCjiffylube@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145285V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000811997		Buckeye	1987	10/26/2022	Recurring Cert	Active	Storage Room
MD156420V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000823551		Steel Fab	2016	11/04/2022	Recurring Cert	Active	Equipment Room

Total Objects at this Location: 2

Location: Jimenez Apartments
Address: 8304 Eastridge Ave - Takoma Park, MD 20912-6748
County: Montgomery **FIPS:** 24031
Location ID: 709627
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Julio Jemee - Phone: 301-537-7631
Billing Contact: Julio Jemee - PO Box 6114 Silver Spring, MD 20916-6114 - Phone: 301-537-7631

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD076098H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1987	05/02/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: JIMY Apartments
Address: 8809 Plymouth St - Silver Spring, MD 20901-4070
County: Montgomery **FIPS:** 24031
Location ID: 709912
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Bin Jiang - Phone: 703 861 1345
Billing Contact: Bin Jiang - 47 Longmeadow Dr Gaithersburg, MD 20878-1997 - Phone: 703 861 1345

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066719H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Columbia	1987	06/15/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Joan F. Curtis Trust
Address: 3700 Decatur Ave - Kensington, MD 20895-2104
County: Montgomery **FIPS:** 24031
Location ID: 4009280
Phone: 410-404-4839
NOB/SIC:
Primary Contact: Joan F. Curtis Trust
Billing Contact: Vicki Wilhelm - PO Box 35 Woodstock, MD 21163-0035 - Phone: 410-404-4839

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168902H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI 1		Weil-McLain	2011	01/29/2022	Recurring Cert	Active	3700 Decatur
MD168903H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI 2		Weil-McLain	2011	01/29/2022	Recurring Cert	Active	3700 Decatur

Total Objects at this Location: 2

Location: Katz & Company
Address: 817 Silver Spring Ave Ste 305G - Silver Spring, MD 20910-4617
County: Montgomery **FIPS:** 24031
Location ID: 2059707
Phone:
NOB/SIC: Nonclassifiable Establishments
Primary Contact: Elmer Diaz - Phone: 301 951 8474
Billing Contact: Elmer Diaz - 817 Silver Spring Ave Ste 305G Silver Spring, MD 20910-4617 - Phone: 301 951 8474

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120108H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1965	04/18/2022	Recurring Cert	Active	817 SILVER SPRING AVE

Total Objects at this Location: 1

Location: Kehilat Shalom
Address: 9915 Apple Ridge Rd - Gaithersburg, MD 20886-1332
County: Montgomery **FIPS:** 24031
Location ID: 785660
Phone:
NOB/SIC: Religious Organizations
Primary Contact: Thomas Loggie - Phone: 301-869-7699 - Cell: 301-869-9030 - Email: administrator@kehillatshalom.org
Billing Contact: Thomas Loggie - 9915 Apple Ridge Rd Gaithersburg, MD 20886-1332 - Phone: 301-869-7699 - Cell: 301-869-9030 - Email: administrator@kehillatshalom.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115896H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000057709		Rheem/Ruud	1991	04/23/2021	Recurring Cert	Active	Sisterhood Hall Mech Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 210 F)								

Total Objects at this Location: 1

Location: Kelleys Auto Body
Address: 10644 Connecticut Ave - Kensington, MD 20895-2501
County: Montgomery **FIPS:** 24031
Primary Contact: Raffi Kasparian - Phone: 3019460051
Billing Contact: Raffi Kasparian - 10644 Connecticut Ave Kensington, MD 20895-2501 - Phone: 3019460051

Location ID: 715475
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111511V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000244289		Steel Products	2000	11/01/2021	Recurring Cert	Active	CPRM
MD159085V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000387387		MAT Industries	2016	11/01/2021	Recurring Cert	Active	COMPRESSOR A

Total Objects at this Location: 2

Location: Ken Mil Apartments
Address: 9119 Manchester Rd - Silver Spring, MD 20901-4146
County: Montgomery **FIPS:** 24031
Primary Contact: Jose Lovos - Phone: 301-587-7740
Billing Contact: Linda Rutkai - 9119 Manchester Rd Silver Spring, MD 20901-4146 - Phone: 301-587-7740 - Email: sailmr@aol.com

Location ID: 715491
Phone: 301-587-7740
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161655H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000040150		R B I	2017	08/24/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Kennebec Apartments **Location ID:** 717528
Address: 610 Kennebec Avenue - Takoma Park, MD 20912-6231 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Mathew Mader - Phone: 240-393-1114 - Email: maderproperties@gmail.com
Billing Contact: Mathew Mader - 6062 Sunny Spring Columbia, MD 21044-3614 - Phone: 240-393-1114 - Email: maderproperties@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128532H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000025284		Munchkin	2006	06/21/2022	Recurring Cert	Active	Boiler Room
MD128549H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000025292		Munchkin	2006	06/21/2022	Recurring Cert	Active	Boiler Room
MD128700H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000025294		Munchkin	2006	06/21/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				3							

Location: Kensington Apartments **Location ID:** 710506
Address: 4010 Hampden St - Kensington, MD 20895-2009 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Alex Fitch - Phone: 301 949 9056 - Cell: 240-472-1884
Billing Contact: Dana Fawn - 11119 Devereux Station Ln Fairfax Station, VA 22039-2339 - Phone: 703 622 5911

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161444H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000C44125		A O Smith	2015	03/11/2021	Recurring Cert	Active	Bldg 4010
Total Objects at this Location:				1							

Location: Kensington Apartments
Address: 4107 Plyers Mill Rd - Kensington, MD 20895-2022
County: Montgomery **FIPS:** 24031
Location ID: 710505
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Alex Fitch - Phone: 301 949 9056 - Cell: 240-472-1884
Billing Contact: Dana Fawn - 11119 Devereux Station Ln Fairfax Station, VA 22039-2339 - Phone: 703 622 5911

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156532H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000C43597		A O Smith	2015	03/11/2021	Recurring Cert	Active	Bldg 4107

Total Objects at this Location: 1

Location: Kensington Getty Inc
Address: 10616 Connecticut Ave - Kensington, MD 20895-2524
County: Montgomery **FIPS:** 24031
Location ID: 715572
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)
Primary Contact: Mostafa Abyaneh - Phone: 3019492783
Billing Contact: Mostafa Abyaneh - 10616 Connecticut Ave Kensington, MD 20895-2524 - Phone: 3019492783

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105162V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001094948		Manchester	1993	06/09/2020	Recurring Cert	Active	Storage Room

Total Objects at this Location: 1

Location: Kensington Terrace Condominiums
Address: 3409 University Blvd W - Kensington, MD 20895-1733
County: Montgomery **FIPS:** 24031
Location ID: 715558
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Neil Nichols, CMCA, AMS - Phone: 301-805-1050 - Cell: 667-307-0009 - Email: neil@quizamanagement.com
Billing Contact: Neil Nichols, CMCA, AMS - 4550 Forbes Blvd Ste 120 Lanham, MD 20706-6305 - Phone: 301-805-1050 - Cell: 667-307-0009 - Email: neil@quizamanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143450H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000089812		Brad White	2010	03/19/2021	Recurring Cert	Active	Bldg 3409

Total Objects at this Location: 1

Location: Kensington Terrace Condominiums **Location ID:** 715559
Address: 3419 University Blvd W - Kensington, MD 20895-1736 **Phone:** 301-468-8919
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Neil Nichols, CMCA, AMS - Phone: 301-805-1050 - Cell: 667-307-0009 - Email: neil@quizamanagement.com
Billing Contact: Neil Nichols, CMCA, AMS - 4550 Forbes Blvd Ste 120 Lanham, MD 20706-6305 - Phone: 301-805-1050 - Cell: 667-307-0009 - Email: neil@quizamanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139439H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000066599		Jetglass	2004	03/19/2021	Recurring Cert	Active	3419 Basement Storage
MD139440H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000093475	103475	Bradford White	2010	03/19/2021	Recurring Cert	Active	Bsmt-Storage room

Total Objects at this Location: 2

Location: Kenwood Auto Body Inc **Location ID:** 724752
Address: 19310 Woodfield Rd - Gaithersburg, MD 20879-4723 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive dealers and gasoline service stations
Primary Contact: Ken Steiding - Phone: 301 540 8100 - Email: kenwd2@aol.com
Billing Contact: Ken Steiding - 19310 Woodfield Rd Gaithersburg, MD 20879-4723 - Phone: 301 540 8100 - Email: kenwd2@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138504V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000439433		Silvan	2004	07/30/2021	Recurring Cert	Active	Rear Shop

Total Objects at this Location: 1

Location: Kenwood Body Shop **Location ID:** 1760703
Address: 664 Lofstrand Ln - Rockville, MD 20850-1313 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Louis Santos - Phone: 301-340-0393
Billing Contact: Louis Santos - 664 Lofstrand Ln Rockville, MD 20850-1313 - Phone: 301-340-0393

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156400V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000649675		Steel Fab	2011	11/10/2022	Recurring Cert	Active	Rear Shed

Total Objects at this Location: 1

Location: Kenwood Sunoco **Location ID:** 715647
Address: 5201 River Rd - Bethesda, MD 20816-1400 **Phone:** 301-652-9527
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: James Spicer Jr. - Phone: 301-801-9217 - Email: jspicer2@yahoo.com
Billing Contact: James Spicer Jr. - 5201 River Rd Bethesda, MD 20816-1400 - Phone: 301-801-9217 - Email: jspicer2@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105745V	01	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000528809		Manchester	1997	12/06/2022	Recurring Cert	Active	OS SHED
MD105746V	02	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000787549		Buckeye	1987	12/06/2022	Recurring Cert	Active	OS SHED

Total Objects at this Location: 2

Location: King Farm Pool **Location ID:** 3184512
Address: 920 Crestfield Dr - Rockville, MD 20850 **Phone:** 301-987-0122
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Investors, NEC
Primary Contact: Jennifer Gillmore - Phone: 301-987-0122 X 4 - Email: jennifer@kingfarm.org
Billing Contact: Jennifer Gillmore - 300 Saddle Ridge Cir Rockville, MD 20850-5743 - Phone: 301-987-0122 X 4 - Email: jennifer@kingfarm.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142816H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000113499		PVI	2004	04/14/2021	Recurring Cert	Active	Mechanical Room
MD142817H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000113500		PVI	2004	04/14/2021	Recurring Cert	Active	Mechanical Room

Total Objects at this Location: 2

Location: King Pontiac, Buick, GMC Inc
Address: 16200 Frederick Rd - Gaithersburg, MD 20877-4023
County: Montgomery **FIPS:** 24031
Primary Contact: Lyle Etzwiler - Phone: 301-948-9111 - Email: letzwiler@kingauto.com
Billing Contact: Lyle Etzwiler - 16200 Frederick Rd Gaithersburg, MD 20877-4023 - Phone: 301-948-9111 - Email: letzwiler@kingauto.com

Location ID: 715750
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072071H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	52370190	Peerless	1990	07/13/2021	Recurring Cert	Active	Mezzanine
MD099275V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001165182		Manchester	2001	07/13/2021	Recurring Cert	Active	REAR SHED
MD109271V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000833201		Manchester	1999	07/13/2021	Recurring Cert	Active	REAR SHED
MD142813H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000066845		Bradford White	2004	07/13/2021	Recurring Cert	Active	Mezzanine

Total Objects at this Location: 4

Location: Kite Pharmaceutical (Roberts Gases)
Address: 930 Clopper Rd - Gaithersburg, MD 20878-1301
County: Montgomery **FIPS:** 24031
Primary Contact: Omar - Phone: 301 944 5400
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Location ID: 3961467
Phone:
NOB/SIC: Medical Laboratories

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164196V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000079027		CHART	2018	06/18/2021	Recurring Cert	Active	Outside
MD164197V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000079009		CHART	2018	06/18/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 2

Location: KMC-Goodacre Apartments
Address: 8521 Garland Ave - Silver Spring, MD 20912-7118
County: Montgomery **FIPS:** 24031
Primary Contact: Clark Melillo - Phone: 301-562-4453 - Email: clark@KayApartments.com
Billing Contact: Clark Melillo - 8720 Georgia Ave Ste 410 Silver Spring, MD 20910-3638 - Phone: 301-562-4453 - Email: clark@KayApartments.com

Location ID: 953547
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149326H	1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000162306		A O Smith	2011	06/22/2021	Recurring Cert	Active	8521 Garland
MD149374H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000190424		Lochinvar	2013	06/22/2021	Recurring Cert	Active	8521 Garland

Total Objects at this Location: 2

Location: KMC-Goodacres Apartments
Address: 512 Domer Ave - Silver Spring, MD 20912-7131
County: Montgomery **FIPS:** 24031
Primary Contact: Clark Melillo - Phone: 301-562-4453 - Email: clark@KayApartments.com
Billing Contact: Clark Melillo - 8720 Georgia Ave Ste 410 Silver Spring, MD 20910-3638 - Phone: 301-562-4453 - Email: clark@KayApartments.com

Location ID: 712344
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123724H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	2003	06/22/2021	Recurring Cert	Active	boiler room
MD160619H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SMITH	2017	12/13/2020	Recurring Cert	Active	512 BLRM

Total Objects at this Location: 2

Location: Knox Orthodox Presbyterian Church
Address: 410 Granville Dr - Silver Spring, MD 20901-3237
County: Montgomery **FIPS:** 24031
Primary Contact: Rick Smith - Phone: 3015876637 - Cell: 202 489 7042
Billing Contact: Rick Smith - 410 Granville Dr Silver Spring, MD 20901-3237 - Phone: 3015876637 - Cell: 202 489 7042

Location ID: 715846
Phone:
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD071383H		Cast Iron	H - Hot Water	CI	1268873	Weil-McLain	1980	10/19/2021	Recurring Cert	Active	Boiler Room #1

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138641H		Cast Iron	Heat (Water <= 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2005	10/19/2021	Recurring Cert	Active	Blr rm #2

Total Objects at this Location: 2

Location: La Mexicana (Arc3) **Location ID:** 3993046
Address: 13016 Middlebrook Rd - Germantown, MD 20874-2617 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: La Mexicana (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165835V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000153951		CHART	2004	11/19/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: La Pasta **Location ID:** 715979
Address: 2727 Pittman Dr - Silver Spring, MD 20910-1807 **Phone:** 301-588-1111
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Macaroni, Spaghetti, Vermicelli, and Noodles
Primary Contact: Henrique Cogo - Phone: 301-588-1111 - Cell: 202-607-0846 - Email: henrique@lapastainc.com
Billing Contact: Henrique Cogo - 2727 Pittman Dr Silver Spring, MD 20910-1807 - Phone: 301-588-1111 - Cell: 202-607-0846 - Email: henrique@lapastainc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113090V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000021649		Brunner	1995	12/09/2022	Recurring Cert	Active	Boiler Rm
MD137129		Vertical Tubeless	S - Power-Other w/comment (Stm > 15 psig)	000107473		FULTON	2008	12/17/2021	Recurring Cert	Active	BLRM
MD142211		Vertical Fire Tube	S - Power-Cooking (Steam > 15 psig)	000112961		Fulton	2011	12/09/2021	Recurring Cert	Active	Boiler Room
MD162361V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000086201		Brunner	1997	12/17/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 4

Location: La Tasca (Aec3) **Location ID:** 3918921
Address: 141 Gibbs St - Rockville, MD 20850-0333 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: La Tasca (Aec3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162924V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000182687		CHART	2007	12/13/2020	Recurring Cert	Active	Closet
Total Objects at this Location:				1							

Location: Lake Forest Exxon **Location ID:** 3656991
Address: 448 N Frederick Ave - Gaithersburg, MD 20877-2416 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Lake Forest Exxon
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152146V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000076138		Brunner	1995	02/10/2022	Recurring Cert	Active	Car Wash
Total Objects at this Location:				1							

Location: Lakeside Apartments **Location ID:** 716038
Address: 517 S Frederick Ave - Gaithersburg, MD 20877-6361 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Karen Fishman - Cell: 240-300-1194
Billing Contact: - PO Box 4234 Silver Spring, MD 20914-4234 - Phone: 301-384-7762

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD047167H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Hydrotherm	1967	10/06/2022	External Cert	Active	Boiler Room
MD149620H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000082791		Bradford White	2008	10/06/2022	External Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Layhill Center (Bita Healthcare)
Address: 3227 Bel Pre Rd - Silver Spring, MD 20906-2423
County: Montgomery **FIPS:** 24031
Primary Contact: Janice Burnap - Phone: 919-529-4490 - Email: Janice.burnap@genesishcc.com
Billing Contact: - 3227 Bel Pre Rd Silver Spring, MD 20906-2423

Location ID: 716358
Phone:
NOB/SIC: Offices and Clinics of Doctors of Medicine

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067585H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7FDA-5074-1086	Peerless	1986	04/23/2021	Recurring Cert	Active	Boiler Room
MD138592H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000014168	090539787	R B I	2005	04/23/2021	Recurring Cert	Active	Boiler Room
MD142528H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000015156	090539772	R B I	2005	04/23/2021	Recurring Cert	Active	Boiler Room
MD142529H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	Cast Iron	65212480	Burnham	2010	04/23/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 4

Location: Lee Avenue Apartments
Address: 127 Lee Ave - Takoma Park, MD 20912-4929
County: Montgomery **FIPS:** 24031
Primary Contact: Ed Billingsly - Phone: 301-774-3620/301-924-5107 - Cell: 1-8009935715
Billing Contact: Ed Billingsly - PO Box 4589 Silver Spring, MD 20914-4589 - Phone: 301-774-3620/301-924-5107 - Cell: 1-8009935715

Location ID: 716408
Phone: 301-774-3620
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107059H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Dunkirk	1995	07/30/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Lees Auto Care Wheaton W Express
Address: 2204 University Blvd W - Wheaton, MD 20902-4506
County: Montgomery **FIPS:** 24031
Primary Contact: Sang Lee - Phone: 301-949-8004
Billing Contact: Sang Lee - 2204 University Blvd W Wheaton, MD 20902-4506 - Phone: 301-949-8004

Location ID: 727262
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113091V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001024115		Manchester	2000	12/06/2020	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Lexus Of Rockville
Address: 15501 Frederick Rd - Rockville, MD 20855-2110
County: Montgomery **FIPS:** 24031
Primary Contact: Larry Solan - Phone: 301-639-7254 - Email: larry.solan@rockvillelexus.com
Billing Contact: - 15501 Frederick Rd Rockville, MD 20855-2110 - Phone: 301-762-9009

Location ID: 716550
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128741V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000668708		Manchester	2006	01/16/2023	Recurring Cert	Active	COMPRESSOR R
MD146257V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000269212		Morganton	2012	01/16/2023	Recurring Cert	Active	Car Wash

Total Objects at this Location: 2

Location: LGIT - City of Rockville/Civic Center
Address: 601 Edmonston Drive - Rockville, MD 20852-1009
County: Montgomery **FIPS:** 24031
Primary Contact: Jason Beale - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov
Billing Contact: Jason Beale - 14625 Rothgeb Dr Rockville, MD 20850-5312 - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov

Location ID: 707260
Phone: C5402165-1035
NOB/SIC: Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066132H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP1441927	Weil-McLain	1987	08/26/2021	External Cert	Active	Boiler Room Auditorium

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143500H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000012707		R B I	2005	08/26/2021	External Cert	Active	Mansion Boiler Room

Total Objects at this Location: 2

Location: LGIT - City of Rockville/Police Station Annex
Address: 2 W Montgomery Ave - Rockville, MD 20850-4211
County: Montgomery **FIPS:** 24031
Primary Contact: Jason Beale - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov
Billing Contact: Jason Beale - 14625 Rothgeb Dr Rockville, MD 20850-5312 - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov

Location ID: 2549032
Phone:
NOB/SIC: Police Protection

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142571H	1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	M508-11-6448	Patterson Kelley	2011	04/20/2022	Recurring Cert	Active	Boiler Room
MD142572H	2	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	M517-11-6677	Patterson Kelley	2011	04/20/2022	Recurring Cert	Active	Boiler Room
MD142573H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000132644		PVI Industries	2011	04/20/2022	External Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: LGIT - City of Rockville/Swim Center
Address: 355 Martins Ln - Rockville, MD 20850-1857
County: Montgomery **FIPS:** 24031
Primary Contact: Jason Beale - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov
Billing Contact: Jason Beale - 14625 Rothgeb Dr Rockville, MD 20850-5312 - Phone: 240-314-8726 - Cell: 240-876-6580 - Email: jbeale@rockvillemd.gov

Location ID: 2958331
Phone:
NOB/SIC: Amusement and Recreation Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167736H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000297632		LC	2016	10/15/2022	Recurring Cert	Active	NORTH POOL
MD167737H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000296987		LC	2016	10/15/2022	Recurring Cert	Active	NORTH POOL
MD167738H	left	Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000107795		ALC GOYINI	2019	10/15/2022	Recurring Cert	Active	SOUTH POOL

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167739H	MIDDLE	Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000107794		ALC GOYINI	2019	10/15/2022	Recurring Cert	Active	SOUTH POOL
MD167740H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000104881		ALC GOYINI	2019	10/15/2022	Recurring Cert	Active	SOUTH POOL
MD167741H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000326387		LC	2018	10/15/2022	Recurring Cert	Active	SOUTH POOL

Total Objects at this Location: 6

Location: LGIT - Poolesville/Public Works
Address: 18901 Fisher Ave - Poolesville, MD 20837
County: Montgomery **FIPS:** 24031
Primary Contact: Town of Poolesville - Phone: 301-428-8927
Billing Contact: - PO Box 158 Poolesville, MD 20837-0158 - Phone: 301-428-8927

Location ID: 724713
Phone:
NOB/SIC: Finance, taxation, and monetary policy

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150897V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000508399		Steel Fab	2008	10/13/2021	External Cert	Active	Sewage Treatment Plant
MD160203V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000428959		Morganton	2014	09/08/2021	Recurring Cert	Active	parks and rec bldg

Total Objects at this Location: 2

Location: LGIT - Takoma Park City/Govt Bldg
Address: 7500 Maple Ave - Takoma Park, MD 20912-4998
County: Montgomery **FIPS:** 24031
Primary Contact: John Lupari - Phone: 301-891-7627 - Email: johnl@takomaparkmd.gov
Billing Contact: John Lupari - 31 Oswego Ave Silver Spring, MD 20910-5107 - Phone: 301-891-7627 - Email: johnl@takomaparkmd.gov

Location ID: 707243
Phone: 301-370-6133
NOB/SIC: Finance, taxation, and monetary policy

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141379H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	556279-200609	KINGSLEY GROUP	2007	01/14/2022	External Cert	Active	Boiler Room
MD141388H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	555384-200608	KINGSLEY GROUP	2006	01/14/2022	External Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165879H	3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	766069-201811	BFC	2019	01/14/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 3

Location: LGIT - Takoma Park/Public Works Facility
Address: 31 Oswego Ave - Silver Spring, MD 20910-5107
County: Montgomery **FIPS:** 24031
Primary Contact: John Lupari - Phone: 301-891-7617 - Cell: 202-302-5766
Billing Contact: John Lupari - 31 Oswego Ave Silver Spring, MD 20910-5107 - Phone: 301-891-7617 - Cell: 202-302-5766

Location ID: 707241
Phone: 301-370-6133
NOB/SIC: Finance, taxation, and monetary policy

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141261H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000171312		Lochinvar	2010	01/14/2022	External Cert	Active	Boiler Rm
MD141262H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000086730		Bradford White	2009	01/14/2022	External Cert	Active	Admin Showers
MD141271V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000011041		Morganton	2008	01/14/2022	External Cert	Active	Garage

Total Objects at this Location: 3

Location: Library
Address: 8901 Colesville Rd - Silver Spring, MD 20910-4339
County: Montgomery **FIPS:** 24031
Primary Contact: Library
Billing Contact:

Location ID: 725000
Phone:
NOB/SIC: Libraries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066039V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000070629		Brunner	1987	11/02/2020	Recurring Cert	Active	Boiler Room
MD148618H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000055560		Hydrotherm	2003	11/02/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Life Time Fitness
Address: 1151 Seven Locks Rd - Potomac, MD 20854-2905
County: Montgomery **FIPS:** 24031
Primary Contact: Joel Schlossberg - Phone: 240-599-2967 - Email: jschlossberg@lt.life
Billing Contact:

Location ID: 3188408
Phone:
NOB/SIC: Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142083H	1	Electric (NOT HLW)	H - Steam Heat (Steam <= 15 psig)	000054313		Lattner Boiler Co	2008	02/01/2022	Recurring Cert	Active	PUMP Room
MD142084H	2	Electric (NOT HLW)	H - Steam Heat (Steam <= 15 psig)	000054314		Lattner Boiler Co	2008	02/01/2022	Recurring Cert	Active	PUMP Room
MD167726H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000147332		PVI Industries	2018	01/23/2022	Recurring Cert	Active	Pump Room
MD167727H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000150619		PVI Industries	2020	11/10/2022	Recurring Cert	Active	Pump Room

Total Objects at this Location: 4

Location: Life Time Fitness Inc.
Address: 10121 Washingtonian Blvd - Gaithersburg, MD 20878-7398
County: Montgomery **FIPS:** 24031
Primary Contact: Ken Corbett - Phone: 301-569-5167 - Email: KCorbett@lifetimefitness.com
Billing Contact: Heidi Overman - 2902 Corporate PI Chanhassen, MN 55317-4560 - Phone: 952-947-0000 - Email: hoverman@lifetimefitness.com

Location ID: 3726446
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156227H	Boiler #1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000141155	0116141155	Centauri	2015	10/11/2022	Recurring Cert	Active	blrm
MD156228H	Boiler #2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000141154	011614154	Centauri	2015	10/11/2022	Recurring Cert	Active	blrm
MD156229H	Boiler #3	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000141153	0116141153	Centauri	2015	10/11/2022	Recurring Cert	Active	blrm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156230V		Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000141293		PVI Industries	2015	10/11/2022	Recurring Cert	Active	blrm
MD156231V		Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000141294		PVI Industries	2015	10/11/2022	Recurring Cert	Active	blrm
Total Objects at this Location:				5							

Location: Lindsay Ford Dealership
Address: 11250 Veirs Mill Rd - Wheaton, MD 20902-2525
County: Montgomery **FIPS:** 24031
Primary Contact: Donna Leapley - Cell: 703-926-6199 - Email: dleapley@simpsondev.com
Billing Contact: Simpson Properties, LTD. c/o - PO Box 430 Alexandria, VA 22313-0430

Location ID: 713746
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106327V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000921688		Manchester	1999	04/29/2023	Recurring Cert	Active	Outside Service
MD106328V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000934345		Manchester	1999	04/29/2023	Recurring Cert	Active	Outside Service
MD122899V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000239350		Manchester	2003	04/29/2023	Recurring Cert	Active	Collision
MD123350V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000437974		Manchester	1996	04/29/2023	Recurring Cert	Active	Collision
MD150858V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000336057		Morganton	2013	04/29/2023	Recurring Cert	Active	Paint Shop
MD150859V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000336059		Morganton	2013	04/29/2023	Recurring Cert	Active	Paint Shop
MD150860V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000728022		Steel Fab	2013	04/29/2023	Recurring Cert	Active	Lower Shop
MD163447V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002076519		Manchester	2019	03/21/2023	Recurring Cert	Active	Used Cars Rear Shed
Total Objects at this Location:				8							

Location: Lofstrand Labs Limited
Address: 7961 Cessna Ave - Gaithersburg, MD 20879-4117
County: Montgomery **FIPS:** 24031
Primary Contact: Yuan-Tsang Ting - Phone: 301-330-0111 - Email: ting@lofstrand.com
Billing Contact: Yuan-Tsang Ting - 7961 Cessna Ave Gaithersburg, MD 20879-4117 - Phone: 301-330-0111 - Email: ting@lofstrand.com

Location ID: 716839
Phone: 301-330-0111
NOB/SIC: Nonclassifiable Establishments

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004175		Electric (NOT HLW)	S - Power-Electric Generation (Steam > 15 psig)	000017159		Electro-Steam	1987	09/07/2021	Recurring Cert	Active	Lab
MD090057V		Autoclave	V - Process-Sterilizing	000229349		Amsco	1956	09/07/2022	Recurring Cert	Active	Lab

Total Objects at this Location: 2

Location: Lotte International Food World
Address: 1902 Veirs Mill Rd - Rockville, MD 20851-1821
County: Montgomery **FIPS:** 24031
Primary Contact: Mr. Choi - Phone: 301-417-8678 - Cell: 703-501-7236 - Email: md700@lotteplaza.com
Billing Contact: - 1902 Veirs Mill Rd Rockville, MD 20851-1821

Location ID: 2210795
Phone: 301-445-6190
NOB/SIC: Grocery Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132951V	Rack A	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000287154		Standard	1991	08/03/2021	Recurring Cert	Active	Motor Room
MD132952V	Rack B	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000287152		Standard	1991	08/03/2021	Recurring Cert	Active	Motor Room
MD132953V	Rack C	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000287153		Standard	1991	08/03/2021	Recurring Cert	Active	Motor Room

Total Objects at this Location: 3

Location: MacroGenics (Roberts) **Location ID:** 4061461
Address: 9704 Medical Center Dr - Rockville, MD 20850-3343 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: MacroGenics (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000307759		CHART	2017	03/03/2023	Recurring Cert	Active	Outside Cage
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000307378		CHART	2017	03/03/2023	Recurring Cert	Active	Outside Cage
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000286775		CHART	2016	03/03/2023	Recurring Cert	Active	Outside Cage
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000307404		CHART	2017	03/03/2023	Recurring Cert	Active	Outside Cage
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000307403		CHART	2017	03/03/2023	Recurring Cert	Active	Outside Cage
Total Objects at this Location:				5							

Location: MacroGenics Inc - Roberts **Location ID:** 3646052
Address: 15235 Shady Grove Rd - Rockville, MD 20850-3234 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Health and Allied Services, NEC
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153951V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000272573		CHART	2015	04/28/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Madison Park Condominiums
Address: 5000 Battery Ln - Bethesda, MD 20814-2643
County: Montgomery **FIPS:** 24031
Location ID: 717155
Phone: 301-907-6703
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Chuck Holden - Phone: 301-907-6703 - Email: madisonpark@verizon.net
Billing Contact: Chuck Holden - 5000 Battery Ln Bethesda, MD 20814-2643 - Phone: 301-907-6703 - Email: madisonpark@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129715H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000016210		R B I	2006	03/13/2023	Recurring Cert	Active	Penthouse
MD157038H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000038895		R B I	2015	02/18/2023	Recurring Cert	Active	Penthouse

Total Objects at this Location: 2

Location: Manheim Auto
Address: 7920 Beechcraft Ave - Gaithersburg, MD 20879-1544
County: Montgomery **FIPS:** 24031
Location ID: 788008
Phone: (240) 477-7682
NOB/SIC: General Automotive Repair Shops
Primary Contact: Max Ashtiani - Phone: 301-252-2520
Billing Contact: Max Ashtiani - 7920 Beechcraft Ave Gaithersburg, MD 20879-1544 - Phone: 301-252-2520

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117478V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000694528		Manchester	1998	04/17/2021	Recurring Cert	Active	Comp Room

Total Objects at this Location: 1

Location: ManorCare Health Services-Bethesda #523 (MCHS)
Address: 6530 Democracy Blvd - Bethesda, MD 20817-1679
County: Montgomery **FIPS:** 24031
Location ID: 717285
Phone: 301-530-9000
NOB/SIC: Offices and Clinics of Doctors of Medicine
Primary Contact: ManorCare Health Services-Bethesda #523 (MCHS)
Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098709H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	0511163	H B Smith	1998	02/28/2022	Recurring Cert	Active	Mech Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098710H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	0511162	H B Smith	1998	02/28/2022	Recurring Cert	Active	BLRM
MD109412V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020311		A O Smith	2001	02/28/2022	Recurring Cert	Active	BLRM
MD109413V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020719		A O Smith	2001	02/28/2022	Recurring Cert	Active	BLRM
MD167720H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000306417		Lochinvar	2017	03/04/2022	Recurring Cert	Active	Blrm
MD167721H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000316700		Lochinvar	2017	03/04/2022	Recurring Cert	Active	Blrm

Total Objects at this Location: 6

Location: ManorCare Health Services-Chevy Chase #524 (MCHS)
Address: 8700 Jones Mill Rd - Chevy Chase, MD 20815-4729
County: Montgomery **FIPS:** 24031

Location ID: 717287
Phone: 301-657-8686
NOB/SIC: Health and Allied Services, NEC

Primary Contact: John Bangura - Phone: 301/657-8686

Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD003736H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	G106	American	1964	10/05/2022	Recurring Cert	Active	BLRM #2
MD074370H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005792		A O Smith	1989	10/05/2022	Recurring Cert	Active	BLRM #1
MD074371H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005795		A O Smith	1989	10/05/2022	Recurring Cert	Active	BLRM #1
MD074372H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005796		A O Smith	1989	10/05/2022	Recurring Cert	Active	BLRM #1
MD109700V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000017613		A O Smith	1999	10/05/2022	Recurring Cert	Active	BLRM #1
MD109701V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000017622		A O Smith	1999	10/05/2022	Recurring Cert	Active	BLRM #1
MD138675H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000C08070		A O Smith	2005	10/05/2022	Recurring Cert	Active	Boiler Room #2

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155889H		Water Tube Coiled (NOT Flueless Hi Efficiency)	160 psig, 210 F) H - Hot Water Supply (Water <= 160 psig, 210 F)	000C45750		A O Smith	2015	10/05/2022	Recurring Cert	Active	BLRM 2

Total Objects at this Location: 8

Location: ManorCare Health Services-Potomac #538 (MCHS) **Location ID:** 717278
Address: 10714 Potomac Tennis Ln - Potomac, MD 20854-4418 **Phone:** 301-299-2273
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Nursing and Personal Care Facilities, NEC
Primary Contact: Guy Smoot - Phone: 703-508-8809
Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152114H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000139690		PVI Industries	2015	06/28/2022	Recurring Cert	Active	MN BLRM
MD155220H	right	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000213111		A O Smith	2016	06/28/2022	Recurring Cert	Active	WMNRG Blrm
MD155222H	left	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000213102		A O Smith	2016	06/28/2022	Recurring Cert	Active	WMNRG Blrm

Total Objects at this Location: 3

Location: ManorCare Health Services-Wheaton #501 (MCHS) **Location ID:** 717279
Address: 11901 Georgia Ave - Wheaton, MD 20902-2001 **Phone:** 301-942-2500
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Nursing and Personal Care Facilities, NEC
Primary Contact: Bruce M. Helberg - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org
Billing Contact: Bruce M. Helberg - MSC:S29932 100 Madison Ave Toledo, OH 43604-1516 - Phone: 567-585-0292 - Cell: 419-389-3548 - Email: bruce.helberg@promedica.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD093460H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000044293		A O Smith	1995	05/20/2022	Recurring Cert	Active	BLRM 2
MD108915V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000017937		A O Smith	1999	05/20/2022	Recurring Cert	Active	BLRM 2

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157910H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000111821		Jet Glass	2015	05/20/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 3

Location: Marcellino Family LLC
Address: 8101 Schrider St - Silver Spring, MD 20910-4633
County: Montgomery **FIPS:** 24031
Location ID: 722702
Phone: 301-565-0990
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Frank J. Marcellino - Phone: (301) 565-0990 - Email: marcellinoj@aol.com
Billing Contact: Frank J. Marcellino - 943 Bonifant St Silver Spring, MD 20910-4574 - Phone: (301) 565-0990 - Email: marcellinoj@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD048726H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	RD-1175	Hydrotherm	1979	02/12/2023	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Marcellino Family LLC Apt
Address: 943 Bonifant St - Silver Spring, MD 20910-4574
County: Montgomery **FIPS:** 24031
Location ID: 2208035
Phone: 301-565-0990
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Frank J. Marcellino - Phone: (301) 565-0990 - Email: marcellinoj@aol.com
Billing Contact: Frank J. Marcellino - 943 Bonifant St Silver Spring, MD 20910-4574 - Phone: (301) 565-0990 - Email: marcellinoj@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127807H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	RB-1343	Hydrotherm	1979	02/12/2023	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: Marlene Apartments, LLC. **Location ID:** 717414
Address: 8608 Flower Ave - Takoma Park, MD 20912-6603 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Shailendra Singh - Phone: 703-725-9152 - Email: ssingh4@verizon.net
Billing Contact: Shailendra Singh - PO Box 2467 Merrifield, VA 22116-2467 - Phone: 703-725-9152 - Email: ssingh4@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115281H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64419933	Burnham	2002	11/17/2022	Recurring Cert	Active	BOILER ROOM
MD167798H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000258641		A O Smith	2019	09/18/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 2

Location: Martins Auto Service **Location ID:** 717553
Address: 8100 Beechcraft Ave - Gaithersburg, MD 20879-1546 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Dan Martin - Phone: 301-926-8977
Billing Contact: Dan Martin - 8100 Beechcraft Ave Gaithersburg, MD 20879-1546 - Phone: 301-926-8977

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114276V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001058193		Manchester	2000	03/31/2021	Recurring Cert	Active	SHOP

Total Objects at this Location: 1

Location: Marv & Mike Transmission & Auto Repair **Location ID:** 2931091
Address: 11500 Schuykill Rd - Rockville, MD 20852-2428 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Motor Vehicle Dealers (New and Used)
Primary Contact: Neda Enterprises, LLC
Billing Contact: - 5320 Trailway Dr Rockville, MD 20853-1573

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161815V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000127329		WESSELS	1972	10/25/2022	Recurring Cert	Active	COMP. STORAGE RM

Total Objects at this Location: 1

Location: Maryland Central Seventh Day Adventist Korean Chur
Address: 20101 Woodfield Rd - Gaithersburg, MD 20882-1229
County: Montgomery **FIPS:** 24031
Primary Contact: Nam Kim - Phone: 240-535-1823
Billing Contact: - 20101 Woodfield Rd Gaithersburg, MD 20882-1229 - Phone: 301-987-0366

Location ID: 717604
Phone:
NOB/SIC: Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108831H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1980	05/13/2021	Recurring Cert	Active	Boiler Rm

Total Objects at this Location: 1

Location: Matchbox (Arc3)
Address: 1699 Rockville Pike - Rockville, MD 20852-1619
County: Montgomery **FIPS:** 24031
Primary Contact: Matchbox (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3918922
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162932V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000011004		Taylor	1992	12/13/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Maxim Biomedical Inc.
Address: 1500 E Gude Dr Fl 2 Ste A - Rockville, MD 20850-5381
County: Montgomery **FIPS:** 24031
Primary Contact: Jessica Maa - Phone: 443 884 9825 - Email: jessica.maa@maximbio.com
Billing Contact: Sophie Maa - 1500 E Gude Dr Ste A Rockville, MD 20850-5381 - Phone: 301-251-0800 x10627 - Email: sophie@maxumbio.com

Location ID: 705723
Phone: 301-251-0800
NOB/SIC: Medical Laboratories

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121229V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000244256		Manchester	2003	05/15/2023	Recurring Cert	Active	room 223-B
MD150290		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam	000006823		Consolidated	2014	03/30/2022	Recurring Cert	Active	Sterilizer Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			> 15 psig)								
MD150291V		Autoclave	V - Process-Sterilizing	000006806		Consolidated	2014	05/15/2023	Recurring Cert	Active	Rm. 205
Total Objects at this Location:				3							

Location: McDonald's #21089
Address: 11564 Rockville Pike - Rockville, MD 20852-2702
County: Montgomery **FIPS:** 24031
Primary Contact: Store Manager - Phone: 301-230-9640
Billing Contact: Store Manager - 11564 Rockville Pike Rockville, MD 20852-2702 - Phone: 301-230-9640

Location ID: 3323039
Phone: 301-230-9640
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000335515		CHART	2020	04/19/2023	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: McDonald's #6120
Address: 15569 Old Columbia Pike - Burtonsville, MD 20866-1633
County: Montgomery **FIPS:** 24031
Primary Contact: Store Manager - Phone: 301-421-1598
Billing Contact:

Location ID: 3322809
Phone: 301-421-1598
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149550V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000252900		Carbomax	2014	06/04/2021	Recurring Cert	Active	closet
Total Objects at this Location:				1							

Location: McDonald's #1093
Address: 504 E Randolph Rd - Silver Spring, MD 20904-3202
County: Montgomery **FIPS:** 24031
Primary Contact: Store Manager - Phone: 301-384-1400
Billing Contact:

Location ID: 3322552
Phone: 301-384-1400
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152139V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000254024	31402006	CHART	2014	02/01/2021	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: McDonalds #1110
Address: 2741 University Blvd W - Kensington, MD 20895-1914
County: Montgomery **FIPS:** 24031
Primary Contact: Store Manager - Phone: 301-942-2412
Billing Contact: Store Manager - 2741 University Blvd W Kensington, MD 20895-1914 - Phone: 301-942-2412

Location ID: 3322551
Phone: 301-942-2412
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149008V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000255041	31404265	MVE Inc	2014	04/24/2021	Recurring Cert	Active	kitchen

Total Objects at this Location: 1

Location: MCG-Holiday Park Sr. Citizen Ctr.
Address: 3950 Ferrara Dr - Silver Spring, MD 20906-4708
County: Montgomery **FIPS:** 24031
Primary Contact: Alvin Crutcher - Phone: 240-777-5369 - Cell: 240-506-3412 - Email: Alvin.Crutcher@MontgomeryCountyMD.gov
Billing Contact: DFM- Dept. of Facility Maintenance - 1301 Seven Locks Rd Rockville, MD 20854-2908 - Phone: 240-777-7777 - Email: fmos@montgomerycountymd.gov

Location ID: 713927
Phone: 301-962-0820
NOB/SIC: Finance, taxation, and monetary policy

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167711H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000313714		Prestige	2018	02/01/2022	Recurring Cert	Active	Boiler Room 2

Total Objects at this Location: 1

Location: MCG/HOC-Holly Hall Apartments
Address: 10100 New Hampshire Ave - Silver Spring, MD 20903-1728
County: Montgomery **FIPS:** 24031
Primary Contact: Debra Newkirk - Phone: 240-627-9475 - Email: debra.newkirk@hocmc.org
Billing Contact: HOC Main Office - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9400 M-F 8:30-5 - Email: hrs@hocmc.org

Location ID: 713964
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094755H	BLR-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851764	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094756H	BLR-2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851755	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094757H	BLR-3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851756	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094758H	BLR-4	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851748	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094759H	BLR-5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851765	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD127128H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000070749		Jet Glass	2005	10/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: MCG/HOC-Holly Hall Apartments
Address: 10110 New Hampshire Ave - Silver Spring, MD 20903-1729
County: Montgomery **FIPS:** 24031
Primary Contact: Debra Newkirk - Phone: 240-627-9475 - Email: debra.newkirk@hocmc.org
Billing Contact: HOC Main Office - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9400 M-F 8:30-5 - Email: hrs@hocmc.org

Location ID: 713965
Phone: 301-439-0900
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094750H	BLR-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851750	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094751H	BLR-2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851747	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094752H	BLR-3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851758	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094753H	BLR-4	Cast Iron	160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2851757	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094754H	BLR-5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2951749	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD124378H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000070733	85733	Jet Glass	2005	10/10/2020	Recurring Cert	Active	Boiler Room
MD138600H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000083952		Bradford White	2008	10/10/2020	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				7							

Location: MCG/HOC-Holly Hall Apartments
Address: 10120 New Hampshire Ave - Silver Spring, MD 20903-1730
County: Montgomery **FIPS:** 24031
Primary Contact: Debra Newkirk - Phone: 240-627-9475 - Email: debra.newkirk@hocmc.org
Billing Contact: HOC Main Office - 10400 Detrick Ave Kensington, MD 20895-2440 - Phone: 240-627-9400 M-F 8:30-5 - Email: hrs@hocmc.org

Location ID: 713966
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094761H	BLR-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2848266	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094762H	BLR-2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2848260	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094763H	BLR-3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2848265	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094764H	BLR-4	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2848264	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD094765H	BLR-5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2848261	Weil-McLain	1994	10/10/2020	Recurring Cert	Active	Boiler Room
MD138601H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000063477		Jet Glass	2004	10/10/2020	Recurring Cert	Active	Boiler Room
MD138602H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000085605		Jet Glass	2008	10/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 7

Location: McGintys Public House
Address: 911 Ellsworth Dr - Silver Spring, MD 20910-4402
County: Montgomery **FIPS:** 24031
Primary Contact: McGintys Public House
Billing Contact:

Location ID: 3962282
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165575V	A954287	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000279486	31531288	CHART	2015	08/28/2021	Recurring Cert	Active	ELEVATOR STORE RM

Total Objects at this Location: 1

Location: MCS1-Highland View E.S. #0784
Address: 9010 Providence Ave - Silver Spring, MD 20901-4912
County: Montgomery **FIPS:** 24031
Primary Contact: Jeffrey L Fulford - Phone: 240-740-2522 - Cell: 202-480-0616 - Email: Jeffrey_L_Fulford@mcpsmd.org
Billing Contact: Rita Skolnik - 850 Hungerford Dr Rockville, MD 20850-1718 - Phone: 301-279-3264 - Cell: 301-279-3116 - Email: rita_p_skolnik@mcpsmd.org

Location ID: 713711
Phone:
NOB/SIC: Elementary and Secondary Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167776H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000006741	6741-HFTC	HFTC	2019	11/05/2022	Recurring Cert	Active	Boiler Room
MD167777H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000006671	6671-HFTC	HFTC	2019	11/05/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: MCS2- Sargent Shriver E.S.
Address: 12518 Greenly St - Silver Spring, MD 20906-4420
County: Montgomery **FIPS:** 24031
Primary Contact: Dale Kerns - Phone: 240-372-5160 - Cell: 301-343-7692 - Email: dale_r_kerns@mcpsmd.org
Billing Contact: Rita Skolnik - 850 Hungerford Dr Rockville, MD 20850-1718 - Phone: 301-279-3264 - Cell: 301-279-3116 - Email: rita_p_skolnik@mcpsmd.org

Location ID: 707813
Phone:
NOB/SIC: Elementary and Secondary Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <=	000006699		Fulton	2019	06/01/2020	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	000006304		Fulton	2019	06/01/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: MCS2-Kensington-Parkwood E.S. #0783 **Location ID:** 715562
Address: 4710 Saul Rd - Kensington, MD 20895-4251 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Stephen M. Russell - Phone: 301-469-1119 - Cell: 240-277-8452 - Email: Stephen_m_russell@mcpsmd.org
Billing Contact: Rita Skolnik - 850 Hungerford Dr Rockville, MD 20850-1718 - Phone: 301-279-3264 - Cell: 301-279-3116 - Email: rita_p_skolnik@mcpsmd.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW	Boiler #2	Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000078595	FO4962	PVI Industries	2017	06/01/2020	Recurring Cert	Active	Mechanical Room #16
NEW	Boiler #6	Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000004443	4443-HFTC	Fulton	2017	06/01/2020	Recurring Cert	Active	Mechanical Room #16
NEW	Boiler #5	Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000004435	4435-HFTC	Fulton	2017	06/01/2020	Recurring Cert	Active	Mechanical Room #16

Total Objects at this Location: 3

Location: MCS2-Maryvale Elementary School #0210 **Location ID:** 717931
Address: 1000 1st St - Rockville, MD 20850-1450 **Phone:** 301-469-1133
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Dale Kerns - Phone: 240-372-5160 - Cell: 301-343-7692 - Email: dale_r_kerns@mcpsmd.org
Billing Contact: Rita Skolnik - 850 Hungerford Dr Rockville, MD 20850-1718 - Phone: 301-279-3264 - Cell: 301-279-3116 - Email: rita_p_skolnik@mcpsmd.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166701H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000104835	19 WHTX 188 0291	AIC Goynia	2019	07/30/2022	Recurring Cert	Active	Fire Dept Sprinkler Rm #1018

Total Objects at this Location: 1

Location: MCS2-Tilden Middle & Rock Terrace School
Address: 6300 Tilden Ln - Rockville, MD 20852-3741
County: Montgomery **FIPS:** 24031
Location ID: 3987701
Phone:
NOB/SIC:
Primary Contact: Dale Kerns - Phone: 240-372-5160 - Cell: 301-343-7692 - Email: dale_r_kerns@mcpsmd.org
Billing Contact: - 10901 Westlake Dr Rockville, MD 20852-4554 - Phone: 301-469-1133

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166713H	B-1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007750	19-HE063311619	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166714H	B-1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007747	19-HE063281619	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166715H	B-1	Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007752	19-HE063331619	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166716H	B-1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007749	19-HE063301619	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166717H	B-2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008953	19-HE075342419	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166718H	B-2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008952	19-HE075332419	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166719H	B-2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008960	19-HE075412419	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166720H	B-2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008957	19-HE075382419	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166721H	B-3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007793	19-HE063741719	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166722H	B-3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007794	19-HE063751719	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166723H	B-3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007776	19-HE063571719	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166724H	B-3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007772	19-HE063531719	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166725H	B-4	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007312	19-HE058931319	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166726H	B-4	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007311	19-HE058921319	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166727H	B-4	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007314	19-HE058951319	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166728H	B-4	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007313	19-HE058941319	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166729H	B-5	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008495	19-HE070762119	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166730H	B-5	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008496	19-HE070772119	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166731H	B-5	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008497	19-HE070782119	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166732H	B-5	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008480	19-HE070612119	Reillo	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166733H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000256997	256997	A O Smith	2019	08/14/2022	Recurring Cert	Active	Mechanical Room
MD166734H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000229220	229220	A O Smith	2017	08/14/2022	Recurring Cert	Active	Mechanical Room

Total Objects at this Location: 22

Location: MCS3-Seneca Valley H.S. **Location ID:** 2940454
Address: 19401 Crystal Rock Drive - Germantown, MD 20874-1593 **Phone:** (301) 370-6521 x
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Elementary and Secondary Schools
Primary Contact: Craig Runyon - Phone: 240-740-4741 - Cell: 202-641-5019 - Email: Craig_f_Runyon@mspsmd.org
Billing Contact: Rita Skolnik - 850 Hungerford Dr Rockville, MD 20850-1718 - Phone: 301-279-3264 - Cell: 301-279-3116 - Email: rita_p_skolnik@mcpsmd.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167209H		Cast Aluminum	H - Hot Water Supply (Water <= 160 psig, 250 F)	000004384	7513666800324	Viessman	2018	06/30/2022	Recurring Cert	Active	Boiler Room
MD167210H		Cast Aluminum	H - Hot Water Supply (Water <= 160 psig, 250 F)	000004585	7513666800344	Viessman	2018	06/30/2022	Recurring Cert	Active	Boiler Room
MD167211H		Cast Aluminum	H - Hot Water Supply (Water <=	000004448	7513666800336	Viessman	2018	06/30/2022	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167212H		Water Heater (HLW)	160 psig, 250 F) H - Hot Water Supply (Water <= 160 psig, 210 F)	000148404	F010109	PVI	2019	06/30/2022	Recurring Cert	Active	Boiler Room
MD167213H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000148354	F010108	PVI	2019	06/30/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				5							

Location: Medimmune (Roberts Oxygen) **Location ID:** 3839667
Address: 1 Medimmune Way - Gaithersburg, MD 20878-2204 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Biological Products, Except Diagnostic Substances
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFRanovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFRanovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158588V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072246		CHART	2011	11/21/2021	Recurring Cert	Active	Outside
MD158589V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072214		CHART	2011	11/21/2021	Recurring Cert	Active	Outside
MD158590V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000077242		CHART	2011	11/21/2021	Recurring Cert	Active	Outside
MD158591V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000077243		CHART	2011	11/21/2021	Recurring Cert	Active	Outside
MD158592V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072251		CHART	2011	11/21/2021	Recurring Cert	Active	Outside
MD158593V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072259		CHART	2011	11/21/2021	Recurring Cert	Active	Outside
MD158594V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072241		CHART	2011	11/21/2021	Recurring Cert	Active	Outside
MD158595V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072240		CHART	2011	11/21/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				8							

Location: Megamart Supermart
Address: 1101 University Blvd E - Takoma Park, MD 20912-7444
County: Montgomery **FIPS:** 24031
Location ID: 2157736
Phone: 301-434-2777
NOB/SIC: Grocery Stores
Primary Contact: Carlos Miranda - Phone: 301-445-0100
Billing Contact: Carlos Miranda - 1101 University Blvd E Takoma Park, MD 20912-7444 - Phone: 301-445-0100

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161146V		Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000007180		Westermeyer Ind	2010	08/09/2022	Recurring Cert	Active	motor room
MD161147V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000007179		Westermeyer Ind	2010	08/09/2022	Recurring Cert	Active	motor rm
MD161148V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000006854		Westermeyer Ind	2010	08/09/2022	Recurring Cert	Active	motor rom
MD161149V	4	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000013788		Westermeyer Ind	2011	08/09/2022	Recurring Cert	Active	motor rm

Total Objects at this Location: 4

Location: Method Auto
Address: 16069 Frederick Rd - Rockville, MD 20855-2217
County: Montgomery **FIPS:** 24031
Location ID: 1724661
Phone:
NOB/SIC: General Automotive Repair Shops
Primary Contact: Mr. Yang
Billing Contact: Mr. Yang - 16069 Frederick Rd Rockville, MD 20855-2217

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157250V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000638680		Morganton	2017	06/20/2021	Recurring Cert	Active	Shop Mezz.

Total Objects at this Location: 1

Location: Metro Auto Services
Address: 8190 Beechcraft Ave - Gaithersburg, MD 20879-1586
County: Montgomery **FIPS:** 24031
Location ID: 703377
Phone: 301-330-1500
NOB/SIC: General Automotive Repair Shops
Primary Contact: Franklin Bienvides - Phone: 301-330-1168 - Email: fbenavides.mas@gmail.com
Billing Contact: Franklin Bienvides - 8190 Beechcraft Ave Gaithersburg, MD 20879-1586 - Phone: 301-330-1168 - Email: fbenavides.mas@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105838V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000782095		Buckeye	1987	03/23/2022	Recurring Cert	Active	Outback

Total Objects at this Location: 1

Location: Metro Executive Park I
Address: 15850 Crabbs Branch Way - Rockville, MD 20855-2622
County: Montgomery **FIPS:** 24031
Location ID: 718394
Phone:
NOB/SIC: Offices of Holding Companies, NEC
Primary Contact: Ozzie Acosta - Phone: 703-621-2567 - Cell: 240-832-0319
Billing Contact: Ozzie Acosta - 15850 Crabbs Branch Way Rockville, MD 20855-2622 - Phone: 703-621-2567 - Cell: 240-832-0319

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072722V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00082313E		Brunner	1988	10/18/2020	External Cert	Active	Mechanical Room

Total Objects at this Location: 1

Location: Mi Rancho (NuCo2) # 524451
Address: 1488 Rockville Pike - Rockville, MD 20852-1430
County: Montgomery **FIPS:** 24031
Location ID: 3632321
Phone:
NOB/SIC:
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160870V	A813293	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000254292	31402746	CHART	2014	03/19/2020	Recurring Cert	Active	Back Kitchen

Total Objects at this Location: 1

Location: Midas Auto Systems
Address: 11340 Amherst Ave - Wheaton, MD 20902-4608
County: Montgomery **FIPS:** 24031
Location ID: 718500
Phone:
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Terrence Boyce - Phone: 3019331200
Billing Contact: Terrence Boyce - 11340 Amherst Ave Wheaton, MD 20902-4608 - Phone: 3019331200

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106326V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000940700		Manchester	2000	12/22/2022	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Midas Auto Systems
Address: 1460 Rockville Pike - Rockville, MD 20852-1414
County: Montgomery **FIPS:** 24031
Location ID: 3550759
Phone: 301-424-6114
NOB/SIC: Gasoline Service Stations
Primary Contact: Russ Rotruck - Phone: 301-424-6114
Billing Contact: Russ Rotruck - 1460 Rockville Pike Rockville, MD 20852-1414 - Phone: 301-424-6114

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166688V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000786197		Morganton	2019	06/30/2022	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Midas Auto Systems
Address: 19550 Frederick Rd - Germantown, MD 20876-1356
County: Montgomery **FIPS:** 24031
Location ID: 718505
Phone:
NOB/SIC: Automotive repair, services, and parking
Primary Contact: Midas Muffler Shop - Phone: 301-355-1200
Billing Contact: - 19550 Frederick Rd Germantown, MD 20876-1356 - Phone: 301-355-1200

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD071220V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000937232		Buckeye	1989	02/12/2022	Recurring Cert	Active	SHOP
MD071221V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000937237		Buckeye	1989	02/12/2022	Recurring Cert	Active	SHOP

Total Objects at this Location: 2

Location: Midas Auto Systems **Location ID:** 718506
Address: 204 N Frederick Ave - Gaithersburg, MD 20877-2409 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Midas Muffler Shop - Phone: 3019480804
Billing Contact: Mark Powell - 1618 Trawler Ln Annapolis, MD 21409-3718 - Cell: 443-412-4420

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD062692V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000681637		Woods	1976	02/12/2022	Recurring Cert	Active	SHOP
MD143360V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000154227	~	Morganton	2011	02/12/2022	Recurring Cert	Active	SHOP

Total Objects at this Location: 2

Location: Miltenyi Biotec (Roberts) **Location ID:** 4061462
Address: 1201 Clopper Rd - Gaithersburg, MD 20878-4000 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Miltenyi Biotec (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168916V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000336341		CHART	2020	03/01/2023	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Mitch & Bill's Exxon **Location ID:** 730591
Address: 10127 River Rd - Potomac, MD 20854-4904 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Sean Ridge - Phone: 301-299-9228
Billing Contact: Sean Ridge - 10127 River Rd Potomac, MD 20854-4904 - Phone: 301-299-9228

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134073V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000389648		Steel Fab	2005	01/05/2022	Recurring Cert	Active	Storage Room

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	-------------------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

Total Objects at this Location: 1

Location: MNPPC- Wisconsin Place Rec. Ctr. **Location ID:** 3491063
Address: 5311 Friendship Blvd - Chevy Chase, MD 20815-7308 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership Sports and Recreation Clubs
Primary Contact: Donald A Collins - Phone: 240-882-1826 - Email: don.collins@montgomerycountymd.gov
Billing Contact: Donald A Collins - 1301 Seven Locks Rd Rockville, MD 20854-2908 - Phone: 240-882-1826 - Email: don.collins@montgomerycountymd.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142987H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000105832	BLR-1	Fulton	2008	08/09/2022	Recurring Cert	Active	Penthouse Mech/Blr Rm
MD142988H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000105830	BLR-2	Fulton	2008	08/09/2022	Recurring Cert	Active	Penthouse Mech/Blr Rm

Total Objects at this Location: 2

Location: Monami Cleaners **Location ID:** 726344
Address: 14444 Layhill Rd - Silver Spring, MD 20906-1911 **Phone:** 301-598-7878
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Garment Pressing, and Agents for Laundries and Drycleaners
Primary Contact: Mitchell - Phone: 301-974-4247
Billing Contact: Robert Kim - 14444 Layhill Rd Silver Spring, MD 20906-1911 - Phone: 240-274-3862 - Email: kim0927@gmail.com

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111213V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	0877622		Manchester	1999	07/30/2022	Recurring Cert	Active	Boiler Rm
MD157297		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000122105		Fulton	2016	07/28/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Monterrey Apartments
Address: 7927 Chicago Ave - Silver Spring, MD 20910-5249
County: Montgomery **FIPS:** 24031
Primary Contact: Darryl Shrock - Phone: 202-315-1112 - Email: dshrock@livenovo.com
Billing Contact: Darryl Shrock - 519 11th St SE Washington, DC 20003-2831 - Phone: 202-315-1112 - Email: dshrock@livenovo.com

Location ID: 718831
Phone: 301-588-3413
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145766H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000097201		Jet Glass	2011	01/20/2023	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Montgomery Co/Glen Echo Park
Address: 7300 MacArthur Blvd - Glen Echo, MD 20812-1200
County: Montgomery **FIPS:** 24031
Primary Contact: Emily Rodgers - Phone: 240-777-7777 - Cell: 301-634-2224
Billing Contact: DFM- Dept. of Facility Maintenance - 1301 Seven Locks Rd Rockville, MD 20854-2908 - Phone: 240-777-7777 - Email: fmos@montgomerycountymd.gov

Location ID: 994133
Phone:
NOB/SIC: Amusement and Recreation Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119765H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	01/18/2022	Recurring Cert	Active	boiler room
MD119766H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	01/18/2022	Recurring Cert	Active	boiler room
MD119767H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	01/18/2022	Recurring Cert	Active	boiler room
MD119768H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	01/18/2022	Recurring Cert	Active	boiler room
MD119769H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	01/18/2022	Recurring Cert	Active	boiler room

Total Objects at this Location: 5

Location: **Montgomery Country Club**
Address: 20808-20816 Fairway View Dr - Gaithersburg, MD 20882-1841
County: Montgomery **FIPS:** 24031
Location ID: 718861
Phone: 301-948-5323
NOB/SIC: Civic, Social, and Fraternal Associations
Primary Contact: Steve Newsome - Phone: 301-948-5323 - Email: snewsome@traditionclubs.com
Billing Contact: Licensing Dept. - c/o Addison Law Firm 5400 Lbj Fwy Ste 1325 Dallas, TX 75240-1021 - Phone: 972-341-8138 - Email: licensing@addisonlaw.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143894V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001658176		Campbell Hausfield	2010	02/09/2022	Recurring Cert	Active	Maintenance Shop
Total Objects at this Location:				1							

Location: **Montgomery County Volunteer Fire Co #14**
Address: 19801 Beallsville Rd - Beallsville, MD 20839-3307
County: Montgomery **FIPS:** 24031
Location ID: 718880
Phone:
NOB/SIC: Public Order and Safety, NEC
Primary Contact: June Evans - Phone: 240-777-2459
Billing Contact: June Evans - 100 Edison Park Dr FI 2 Gaithersburg, MD 20878-3210 - Phone: 240-777-2459

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165846V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000633545		Morganton	2017	01/28/2022	Recurring Cert	Active	Garage
Total Objects at this Location:				1							

Location: **Montgomery Gardens**
Address: 7517 Blair Rd - Silver Spring, MD 20912-4024
County: Montgomery **FIPS:** 24031
Location ID: 702952
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Peter Dean - Phone: 301-434-8888
Billing Contact: Peter Dean - 8500 New Hampshire Ave Ofc Rental Silver Spring, MD 20903-3345 - Phone: 301-434-8888

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066255H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1970	01/12/2022	Recurring Cert	Active	Bldg 7517
MD155277H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000113722	MH36594784	JETGLASS	2015	07/05/2022	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165876H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000130969		Bradford	2019	01/09/2022	Recurring Cert	Active	Boiler Room
MD165877H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126622		Bradford	2018	01/09/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 4

Location: Montgomery Mall
Address: 19110 Montgomery Village Ave Ste 300 - Gaithersburg, MD 20886-
County: Montgomery **FIPS:** 24031
Primary Contact: Dyrs Vedadi - Phone: 301-792-0415 - Email: casper@caspermgm.com
Billing Contact: Dyrs Vedadi - 19110 Montgomery Village Ave Ste 300 Gaithersburg, MD 20886-3703 - Phone: 301-792-0415 - Email: casper@caspermgm.com

Location ID: 718892

Phone:

NOB/SIC: Miscellaneous Retail Stores, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149577H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000065057		Prestige	2012	06/25/2022	Recurring Cert	Active	Penthouse
MD149578H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000065790		Prestige	2012	06/25/2022	Recurring Cert	Active	Penthouse

Total Objects at this Location: 2

Location: Montgomery Scrap Corporation
Address: 15000 Southlawn Ln - Rockville, MD 20850-1354
County: Montgomery **FIPS:** 24031
Primary Contact: Cristal Cole - Phone: 301-315-1528 - Email: ccole@scraparg.com
Billing Contact: Cristal Cole - 15000 Southlawn Ln Rockville, MD 20850-1354 - Phone: 301-315-1528 - Email: ccole@scraparg.com

Location ID: 718897

Phone: 301-424-3000

NOB/SIC: Primary Metal Products, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144398V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000025430		Brunner	1993	04/18/2022	Recurring Cert	Active	shop comp room
MD149933V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	A23708		Kargard	1981	04/18/2022	Recurring Cert	Active	Vezzani

Total Objects at this Location: 2

Location: **Montgomery Shell**
Address: 455 N Frederick Ave - Gaithersburg, MD 20877-2415
County: Montgomery **FIPS:** 24031
Primary Contact: Khalid Shaw - Phone: 3016789800
Billing Contact: Khalid Shaw - 455 N Frederick Ave Gaithersburg, MD 20877 - Phone: 3016789800

Location ID: 718898
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092368V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000100795		Buckeye	1991	12/05/2020	Recurring Cert	Active	Car Wash

Total Objects at this Location: 1

Location: **Montgomery Towers Apartments**
Address: 415 Silver Spring Ave - Silver Spring, MD 20910-4614
County: Montgomery **FIPS:** 24031
Primary Contact: Yaakov Benyowitz - Phone: 410-988-4440 - Email: yybenyowitz@gmail.com
Billing Contact: Yaakov Benyowitz - 6807 Park Heights Ave # 200 Baltimore, MD 21215-1645 - Phone: 410-988-4440 - Email: yybenyowitz@gmail.com

Location ID: 718902
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD074509V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000175986		Carrier	1989	12/01/2022	Recurring Cert	Active	Boiler Room
MD101137H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1996	12/01/2022	Recurring Cert	Active	Boiler Room
MD155116H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106518		JETGLASS	2014	12/01/2022	Recurring Cert	Active	Boiler Room
MD167794H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000257570		A O Smith	2019	01/15/2023	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 4

Location: **Montgomery Vault**
Address: 14901 Old Dover Rd - Rockville, MD 20850-1256
County: Montgomery **FIPS:** 24031
Location ID: 718903
Phone: 301-424-8534
NOB/SIC: Stone, clay, glass, and concrete products
Primary Contact: James Ward - Phone: 301-762-3988
Billing Contact: James Ward - 14901 Southlawn Ln PO Box 1707 Rockville, MD 20849-1707 - Phone: 301-762-3988

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163446V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000078914	78914	CPC, Inc.	1999	03/29/2021	Recurring Cert	Active	Shop(front bay)
Total Objects at this Location:				1							

Location: **Montgomery Village BP**
Address: 19304 Montgomery Village Ave - Gaithersburg, MD 20886-3027
County: Montgomery **FIPS:** 24031
Location ID: 718907
Phone:
NOB/SIC: Gasoline Service Stations
Primary Contact: Montgomery Village Amoco - Phone: (301)869-1600
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD109298V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000507679		Manchester	1994	07/12/2022	Recurring Cert	Active	Comp Room
Total Objects at this Location:				1							

Location: **Montgomery Village Car Wash**
Address: 19604 Club House Rd - Montgomery Village, MD 20886-3035
County: Montgomery **FIPS:** 24031
Location ID: 2978137
Phone: 301-519-2082
NOB/SIC: Automotive Services, Except Repair and Carwashes
Primary Contact: Chang Ha - Phone: 301-519-2082 - Cell: 703-438-7171
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141050V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000845306		Kargard	1977	08/26/2021	Recurring Cert	Active	Mech Room
Total Objects at this Location:				1							

Location: **Montgomery Village Shell**
Address: 19300 Montgomery Village Ave - Gaithersburg, MD 20886-3027
County: Montgomery **FIPS:** 24031
Location ID: 718910
Phone: 301-417-9220
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Hovik Kavtavi - Phone: 301-417-9220 - Email: avante.mvs@gmail.com
Billing Contact: Charles Burge - 19300 Montgomery Village Ave Gaithersburg, MD 20886-3027 - Phone: 301-417-9220 - Email: avante.mvs@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098620V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000058039		Dresser	1982	04/27/2022	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: **Montgomery White Oak Apartments**
Address: 11530 Lockwood Dr - Silver Spring, MD 20904-2420
County: Montgomery **FIPS:** 24031
Location ID: 718938
Phone: (301)680-3162
NOB/SIC: Operators of Apartment Buildings
Primary Contact: The Donaladson Group - Phone: (301)680-0111 - Email: mwo@thedonaldsongroup.com
Billing Contact: The Donaladson Group - 11550 Stewart Ln Apt 109 Silver Spring, MD 20904-2245 - Phone: (301)680-0111 - Email: mwo@thedonaldsongroup.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD003461H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000008134	BLR-2	York Shipley	1967	09/23/2021	Recurring Cert	Active	Boiler Room
MD003482H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000008135	BLR-1	York Shipley	1967	08/31/2021	Recurring Cert	Active	Boiler Room
MD076494V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000923		Weben-Jarco	1983	08/31/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				3							

Location: Mr Wash
Address: 3817 Dupont Ave Ste C - Kensington, MD 20895-2002
County: Montgomery **FIPS:** 24031
Primary Contact: Carlos Ventura - Phone: 301-933-4858
Billing Contact: Carlos Ventura - 3817 Dupont Ave Ste C Kensington, MD 20895-2002 - Phone: 301-933-4858

Location ID: 719183
Phone: 301-933-4858
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067513V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000833419		Buckeye	1988	06/03/2022	Recurring Cert	Active	Chemical Room
MD133926V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000732270		Melben	1998	06/03/2022	Recurring Cert	Active	Chemical room

Total Objects at this Location: 2

Location: Mr. Tire - 653
Address: 126 N Frederick Ave - Gaithersburg, MD 20877-2411
County: Montgomery **FIPS:** 24031
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 708231
Phone: 301-926-1399
NOB/SIC: Automotive Repair Shops, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129339V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000499201		Manchester	2005	08/31/2022	Recurring Cert	Active	Storage Room

Total Objects at this Location: 1

Location: Mr. Tire - 679
Address: 708 Rockville Pike - Rockville, MD 20852-1133
County: Montgomery **FIPS:** 24031
Primary Contact: Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Location ID: 3068018
Phone: 240-499-3700
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143869V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000371065		Manchester	2004	02/01/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Mr. Tire - 774 **Location ID:** 719156
Address: 15119 Frederick Road - Rockville, MD 20850-1109 **Phone:** 301-762-7627
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive repair, services, and parking
Primary Contact: Mr Tire - Phone: 3017627627
Billing Contact: Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152112V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001526565		Manchester	2014	10/20/2021	Recurring Cert	Active	Store Rm
MD152113V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001526551		Manchester	2014	10/20/2021	Recurring Cert	Active	Store Rm

Total Objects at this Location: 2

Location: Mr. Wash **Location ID:** 725015
Address: 7996 Georgia Ave - Silver Spring, MD 20910-4837 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Rigo Ventura - Phone: 202-570-5822 - Email: Rigobertventura@gmail.com
Billing Contact: Richard Brucker - 121 N Glebe Rd Arlington, VA 22203 - Phone: 202-437-5930 - Email: rbrucker@mrwash.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133931V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000105786		Manchester	2002	11/04/2021	Recurring Cert	Active	Compressor room
MD133932V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000980549		Manchester	2008	11/04/2021	Recurring Cert	Active	Washing area exit
MD133933H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000190423		Raypak	2002	11/04/2021	Recurring Cert	Active	Boiler room

Total Objects at this Location: 3

Location: MTI Global Stem **Location ID:** 728124
Address: 200 Perry Pkwy - Gaithersburg, MD 20877-2171 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Services, NEC
Primary Contact: Diane Galterio - Phone: 724-485-4871 - Cell: 412-916-4671 - Email: diane.galterio@am.jll.com
Billing Contact: Diane Galterio - 1000 Consol Energy Dr Canonsburg, PA 15317-6506 - Phone: 724-485-4871 - Cell: 412-916-4671 - Email: diane.galterio@am.jll.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117940H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000163497		Lochinvar	2004	01/29/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Murphy Brothers Automotive **Location ID:** 719333
Address: 10517 Metropolitan Ave - Kensington, MD 20895-2607 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Automotive Dealers, NEC
Primary Contact: Murphy Brothers Automotive - Phone: 3019493500
Billing Contact: - 10517 Metropolitan Ave Kensington, MD 20895-2607 - Phone: 3019493500

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107398V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000853384		Manchester	1999	12/05/2022	Recurring Cert	Active	SHOP
Total Objects at this Location:				1							

Location: N Bethesda Marriot (Arc3) **Location ID:** 3915201
Address: 5701 Marinelli Rd - Rockville, MD 20852-2785 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Hotels and Motels
Primary Contact: N Bethesda Marriot (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162583V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000149992		CHART	2003	12/14/2022	Recurring Cert	Active	Loading Dock
Total Objects at this Location:				1							

Location: Nando's (Arc3) **Location ID:** 3974766
Address: 922 Rose Ave - Rockville, MD 20852-8687 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165578V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000113541		MVE Inc	1999	10/02/2021	Recurring Cert	Active	KITCHEN

Total Objects at this Location: 1

Location: Nando's of Bethesda (Arc3) **Location ID:** 3974088
Address: 4839 Bethesda Ave - Bethesda, MD 20814-5240 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165165V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142624		CHART	2002	10/02/2021	Recurring Cert	Active	Outside Rear

Total Objects at this Location: 1

Location: Nando's Peri Peri (Arc3) **Location ID:** 3918904
Address: 224 Boardwalk PI - Gaithersburg, MD 20878-7343 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Nando's Peri Peri (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162901V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000094357		MVE	1998	12/13/2022	Recurring Cert	Active	Loading Dock

Total Objects at this Location: 1

Location:

Address:

County:

Primary Contact:

Billing Contact:

Nando's Peri Peri (Arc3)

924 Ellsworth Dr - Silver Spring, MD 20910-4401

Montgomery

Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID:

Phone:

NOB/SIC:

3989307

Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165594V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000184028		CHART	2007	11/07/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location:		National 4 H Council				Location ID:		719408			
Address:		7100 Connecticut Ave - Chevy Chase, MD 20815-4934				Phone:					
County:		Montgomery		FIPS: 24031		NOB/SIC:		Operators of Nonresidential Buildings			
Primary Contact:		National 4 H Council - Phone: 3019612801									
Billing Contact:		- 7100 Connecticut Ave Chevy Chase, MD 20815-4934 - Phone: 3019612801									
Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164325H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2018	07/18/2021	Recurring Cert	Active	B Bldg.
MD164326H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000311896		LC	2017	07/18/2021	Recurring Cert	Active	B Bldg.
MD164327H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000311895		LC	2017	07/18/2021	Recurring Cert	Active	B Bldg.
Total Objects at this Location:				3							

Location: National Auto Body
Address: 12300 Parklawn Dr - Rockville, MD 20852-1726
County: Montgomery **FIPS:** 24031
Primary Contact: Terry Tossounian - Phone: (301) 881-8200
Billing Contact:

Location ID: 719415
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123689V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001022445		Buckeye	1991	02/26/2023	Recurring Cert	Active	Outside Shed
MD142908V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000627300		Manchester	2006	02/26/2023	Recurring Cert	Active	Outside Shed

Total Objects at this Location: 2

Location: National Ready-Mix Concrete Assoc.
Address: 721 Ellsworth Drive - Silver Spring, MD 20910-4435
County: Montgomery **FIPS:** 24031
Primary Contact: Patty O'Brien - Phone: 240-485-1133 - Email: PO'Brien@NRMCA.org
Billing Contact: Patty O'Brien - 900 Spring St Silver Spring, MD 20910-4015 - Phone: 2404851133

Location ID: 719409
Phone:
NOB/SIC: Concrete Block and Brick

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081370H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Buder Us	1987	02/02/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: National Ready-Mix Concrete Assoc.
Address: 900 Spring St - Silver Spring, MD 20910-4017
County: Montgomery **FIPS:** 24031
Primary Contact: Patty O'Brien - Phone: 240-485-1133 - Email: PO'Brien@NRMCA.org
Billing Contact: Patty O'Brien - 900 Spring St Silver Spring, MD 20910-4015 - Phone: 2404851133

Location ID: 719410
Phone:
NOB/SIC: Concrete Products, Except Block and Brick

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD006592H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1704670	Peerless	1964	02/02/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Nationwide Tire and Auto (NTA) of Rockville Mobile
Address: 890 Rockville Pike - Rockville, MD 20852-1215
County: Montgomery **FIPS:** 24031
Primary Contact: Greg - Phone: 703-839-0938
Billing Contact: Greg - 4008 Genesee Pl Ste 101 Woodbridge, VA 22192-8306 - Phone: 703-839-0938

Location ID: 729331
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153903V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001615321		Manchester	2015	02/17/2022	Recurring Cert	Active	OUTSIDE SHED

Total Objects at this Location: 1

Location: New Hampshire Ave. Gospel Chapel
Address: 12608 New Hampshire Ave - Silver Spring, MD 20904-3042
County: Montgomery **FIPS:** 24031
Primary Contact: Armentag Caroglanian - Phone: 301-622-3837
Billing Contact: Pheng T. Tan - 12608 New Hampshire Ave Silver Spring, MD 20904-3042 - Phone: 301-2992203

Location ID: 719568
Phone:
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD048264H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	TA-36A	Crane Pacific	1962	10/16/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: New Hampshire Car Wash
Address: 7551 New Hampshire Ave - Takoma Park, MD 20912-6969
County: Montgomery **FIPS:** 24031
Primary Contact: Thai Nguyen - Phone: 301-434-1251
Billing Contact: Thai Nguyen - 7551 New Hampshire Ave Takoma Park, MD 20912-6969 - Phone: 301-434-1251

Location ID: 719569
Phone:
NOB/SIC: Manufacturing Industries, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD025737V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000431930		P.S.T.	1958	07/17/2021	Recurring Cert	Active	Machine Room
MD101555V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000621114	009132	Melben	1996	07/17/2021	Recurring Cert	Active	Mach Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD101556H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000069678	G01172	Rheem/Ruud	1995	07/17/2021	Recurring Cert	Active	Machine Rm
Total Objects at this Location:				3							

Location: North Bethesda Place I
Address: 11400 Rockville Pike - Rockville, MD 20852-3004
County: Montgomery **FIPS:** 24031
Primary Contact: Natacha Luster - Phone: 571-685-9491 - Cell: 202-255-1068 - Email: natachal@empireleasing.net
Billing Contact: Victoria Vander-Heiden - 1627 K St NW Washington, DC 20006-1702 - Phone: 571-218-8628 - Cell: 202-257-1175 - Email: victoriav@empireleasing.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD032165H	BLR-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	210-9555	Peerless	1971	03/28/2022	Recurring Cert	Active	Penthouse
MD032166H	BLR-2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	210-9554	Peerless	1971	03/28/2022	Recurring Cert	Active	Penthouse
MD072601V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000492429		John Wood	1970	03/28/2022	Recurring Cert	Active	Penthouse
MD099095V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015068		Brunner	1995	03/28/2022	Recurring Cert	Active	Penthouse
Total Objects at this Location:				4							

Location: North Bethesda Place II
Address: 5515 Security Lane - Rockville, MD 20852-5007
County: Montgomery **FIPS:** 24031
Primary Contact: Natacha Luster - Phone: 571-685-9491 - Cell: 202-255-1068 - Email: natachal@empireleasing.net
Billing Contact: Victoria Vander-Heiden - 1627 K St NW Washington, DC 20006-1702 - Phone: 571-218-8628 - Cell: 202-257-1175 - Email: victoriav@empireleasing.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099096H	BLR-2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	28-11	H B Smith	1980	03/28/2022	Recurring Cert	Active	Penthouse
MD099097H	BLR-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	28-11	H B Smith	1980	03/28/2022	Recurring Cert	Active	Penthouse

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116909V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000072806		Brunner	2002	03/28/2022	Recurring Cert	Active	Penthouse
Total Objects at this Location:				3							

Location: **NTB #584**
Address: 15609 Frederick Rd - Rockville, MD 20855-2109
County: Montgomery **FIPS:** 24031
Primary Contact: Ericka Kies - Phone: 561-383-3000 x 2515 - Email: opspermits@tirekingdom.com
Billing Contact: EHS Dept. - 4280 Professional Center Dr Ste 400 Palm Beach Gardens, FL 33410-4280 - Phone: 561-383-3000 x2515 - Email: opspermits@tirekingdom.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123799V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000457456		Trinity	2004	04/24/2021	Recurring Cert	Active	Comp Shed
MD133522V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000513970		Trinity	2005	04/24/2021	Recurring Cert	Active	Comp Shed
Total Objects at this Location:				2							

Location: **O'Donnells Restaurant**
Address: 311 Kentlands Blvd - Gaithersburg, MD 20878-5447
County: Montgomery **FIPS:** 24031
Primary Contact: Kentlands 311, LLC.
Billing Contact: - 7501 Wisconsin Ave Ste 1500 Bethesda, MD 20814-6522

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098740H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000051623		Lochinvar	1995	08/11/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Oak Grove Center ("Shady Grove Corp Park")
Address: 15825 Shady Grove Rd - Rockville, MD 20850-4008
County: Montgomery **FIPS:** 24031
Primary Contact: Yahya Moussaoui - Phone: 301-748-0810
Billing Contact: Yahya Moussaoui - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850 - Phone: 301-748-0810

Location ID: 728192
Phone:
NOB/SIC: Offices of Bank Holding Companies

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD061137H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000317		A O Smith	1986	04/29/2021	Recurring Cert	Active	Penthouse
MD061138H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000316		A O Smith	1986	04/29/2021	Recurring Cert	Active	Penthouse
MD061139H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000318		A O Smith	1986	04/29/2021	Recurring Cert	Active	Penthouse
MD142298V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000052842		McQuay	2011	04/29/2021	Recurring Cert	Active	Penthouse
MD142569V		Other w/comment	O - Other (PV Use) w/comment	000051476		McQuay	2010	04/29/2021	Recurring Cert	Active	Penthouse

Total Objects at this Location: 5

Location: Oakfield Apartments
Address: 2020 Georgian Woods PI - Wheaton, MD 20902-1856
County: Montgomery **FIPS:** 24031
Primary Contact: Igor Mijatovic - Cell: 240-204-1140
Billing Contact: Ana Delarosa Pena - 2217 Georgian Way Wheaton, MD 20902-1801 - Phone: 301-946-1636

Location ID: 1930037
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	Unknown	1921114992718	AO SMITH	2019	03/19/2021	Recurring Cert	Active	Basement Level Mech. Rm
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	Unknown	1921114992721	AO SMITH	2019	03/19/2021	Recurring Cert	Active	Basement Level Mech. Rm

Total Objects at this Location: 2

Location: Oakview Rehabilitation & Nursing Center
Address: 2700 Barker St - Silver Spring, MD 20910-1001
County: Montgomery **FIPS:** 24031
Primary Contact: Michael Skaist - Phone: 301-565-0300 - Email: mskaist@oakviewrnc.com
Billing Contact: Michael Skaist - 2700 Barker St Silver Spring, MD 20910-1001 - Phone: 301-565-0300 - Email: mskaist@oakviewrnc.com

Location ID: 710956
Phone: 301-565-0300
NOB/SIC: Nursing and Personal Care Facilities, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120230H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000058206	73206	Bradford White	2002	07/14/2020	Recurring Cert	Active	Boiler Room
MD162013H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000116445		Bradford White	2016	08/05/2020	Recurring Cert	Active	High Voltage Mech Rm

Total Objects at this Location: 2

Location: Olney Sunoco
Address: 3100 Olney Sandy Spring Rd - Olney, MD 20832-1408
County: Montgomery **FIPS:** 24031
Primary Contact: Carey Brincefield - Phone: 301-785-4639
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 3244676
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167186V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002221726		Manchester	2020	08/25/2022	Recurring Cert	Active	Car Wash
MD167187V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	21466		Taylor	1995	10/01/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 2

Location: One Bethesda Center
Address: 4800 Hampden Ln - Bethesda, MD 20814-2930
County: Montgomery **FIPS:** 24031
Location ID: 720267
Phone:
NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Ernest Venable - Phone: 301-656-0491 - Cell: 202-658-6921 - Email: ernest.venable@cis.cushwake.com
Billing Contact: Ernest Venable - 4800 Hampden Ln Bethesda, MD 20814-2930 - Phone: 301-656-0491 - Cell: 202-658-6921 - Email: ernest.venable@cis.cushwake.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD024958V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000764190		Brunner	1985	10/18/2022	External Cert	Active	Penthouse
Total Objects at this Location:				1							

Location: One Rockledge Center
Address: 6705 Rockledge Dr - Bethesda, MD 20817-1814
County: Montgomery **FIPS:** 24031
Location ID: 720293
Phone: 301-897-9550
NOB/SIC: Department Stores
Primary Contact: One Rockledge Center
Billing Contact: - 14700 Ducktan Loop Gainesville, VA 20155-4832

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD061392V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000401720		Manchester	1984	06/30/2020	Recurring Cert	Active	Mech Rm 6705
MD061393V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000401719		Manchester	1984	06/30/2020	Recurring Cert	Active	Mech Rm - 6705
MD142502V	chiller #1	Heat Exchanger - Shell and Tube	V - Storage (NOT Cryogenic)	000199448	199448	Trane	2011	06/30/2022	Recurring Cert	Active	Mech Rm 6705
MD142503V	chiller #2	Heat Exchanger - Shell and Tube	V - Storage (NOT Cryogenic)	000199452	199448	Trane	2011	06/30/2022	Recurring Cert	Active	Mech Rm 6705
Total Objects at this Location:				4							

Location: Our Lady Of The Woods Academy
Address: 6801 Greentree Rd - Bethesda, MD 20817-2210
County: Montgomery **FIPS:** 24031
Location ID: 720401
Phone:
NOB/SIC: Elementary and Secondary Schools
Primary Contact: Don Clubbs - Phone: 301-365-3080
Billing Contact: Don Clubbs - 6801 Greentree Rd Bethesda, MD 20817-2210 - Phone: 301-365-3080

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD067840H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000887	BLR-1	Federal	1988	10/14/2022	Recurring Cert	Active	BLRM
MD119790H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000110	BLR-2	Hurst	2002	10/14/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 2

Location: Oxford Square Apartments
Address: 11902 Parklawn Pl - Rockville, MD 20852-5206
County: Montgomery **FIPS:** 24031
Location ID: 2252613
Phone: 301 770 5888
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Carl Schurg - Phone: 301-284-6000 - Cell: 240-393-2052 - Email: cschurg@lerner.com
Billing Contact: Carl Schurg - 2000 Tower Oaks Blvd Fl 8 Rockville, MD 20852-4284 - Phone: 301-284-6000 - Email: cschurg@lerner.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167787H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000130285		Jet Glass	2019	01/12/2023	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Oxford Square Apartments
Address: 11903 Parklawn Pl - Rockville, MD 20852-5212
County: Montgomery **FIPS:** 24031
Location ID: 720502
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Carl Schurg - Phone: 301-284-6000 - Cell: 240-393-2052 - Email: cschurg@lerner.com
Billing Contact: Carl Schurg - 2000 Tower Oaks Blvd Fl 8 Rockville, MD 20852-4284 - Phone: 301-284-6000 - Email: cschurg@lerner.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143522H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000151104		A O Smith	2010	12/02/2022	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150259H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100827		Bradford/White	2012	12/02/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Oxford Square Apartments
Address: 5102 Parklawn Ter - Rockville, MD 20852-5218
County: Montgomery **FIPS:** 24031
Primary Contact: Carl Schurg - Phone: 301-284-6000 - Cell: 240-393-2052 - Email: cschurg@lerner.com
Billing Contact: Carl Schurg - 2000 Tower Oaks Blvd Fl 8 Rockville, MD 20852-4284 - Phone: 301-284-6000 - Email: cschurg@lerner.com

Location ID: 2252612
Phone: 301-770-5888
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162561H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000122877		Jet Glass	2017	11/30/2022	Recurring Cert	Active	Boiler Room
MD167786H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000132523		Bradford White	2019	01/12/2023	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Oxford Square Apartments
Address: 5112 Parklawn Ter - Rockville, MD 20852-5229
County: Montgomery **FIPS:** 24031
Primary Contact: Carl Schurg - Phone: 301-284-6000 - Cell: 240-393-2052 - Email: cschurg@lerner.com
Billing Contact: Carl Schurg - 2000 Tower Oaks Blvd Fl 8 Rockville, MD 20852-4284 - Phone: 301-284-6000 - Email: cschurg@lerner.com

Location ID: 720503
Phone: 301- 770- 5888
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143523H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000089661		Jet Glass	2009	12/02/2022	Recurring Cert	Active	Boiler Room
MD162562H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092764		Bradford White	2010	11/30/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Pan American Motors Inc
Address: 811 Burlington Ave - Silver Spring, MD 20910-4827
County: Montgomery **FIPS:** 24031
Primary Contact: Aldo Sotil - Phone: 301 578 8779
Billing Contact: - 934 Philadelphia Ave Silver Spring, MD 20910-4912 - Phone: 702+592-1925

Location ID: 1865731
Phone:
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153397V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022176		Manchester	1977	08/24/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Parenteral Drug Assoc.
Address: 4350 E West Hwy Ste 600 - Bethesda, MD 20814-4495
County: Montgomery **FIPS:** 24031
Primary Contact: Parenteral Drug Assoc.
Billing Contact: - 4350 E West Hwy Ste 600 Bethesda, MD 20814-4495

Location ID: 3618588
Phone: 301-656-5900
NOB/SIC: Business Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150442		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000152160		SUSSMAN	2014	02/23/2020	Recurring Cert	Active	Blrm
MD150443V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000115925		MTE	2005	03/27/2021	Recurring Cert	Active	Blrm
MD150444V		Autoclave	V - Process-Sterilizing	000000321		Fedegari	2007	03/27/2021	Recurring Cert	Active	Autoclave Rm

Total Objects at this Location: 3

Location: Park Montgomery Apartments
Address: 8860 Piney Branch Rd - Silver Spring, MD 20903-3547
County: Montgomery **FIPS:** 24031
Primary Contact: Ashley Young - Phone: 301-439-4446 - Email: ayoung@rhomecommunities.com
Billing Contact: Ashley Young - 8860 Piney Branch Rd Silver Spring, MD 20903-3547 - Phone: 301-439-4446 - Email: ayoung@rhomecommunities.com

Location ID: 720734
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146302H	#1	Water Heater (HLW)	H - Hot Water Supply (Water <=	000166017	00000	A.O. Smith	2012	06/10/2021	Recurring Cert	Active	Pent House

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146303H	#2	Water Heater (HLW)	160 psig, 250 F) H - Hot Water Supply (Water <= 160 psig, 250 F)	000171655	00000	A.O. Smith	2012	06/10/2021	Recurring Cert	Active	Pent House
MD157268H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000217641		A O Smith	2016	06/10/2021	Recurring Cert	Active	penthouse
Total Objects at this Location:				3							

Location: Parklawn Liberty
Address: 5400 Randolph Rd - Rockville, MD 20852-2616
County: Montgomery **FIPS:** 24031
Primary Contact: Jay Collars - Phone: 301-602-7786/301-770-4595
Billing Contact: Jay Collars - 5400 Randolph Rd Rockville, MD 20852-2616 - Phone: 301-602-7786/301-770-4595

Location ID: 718951
Phone: 301-770-4596
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108222V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000725732		Manchester	1998	08/05/2022	Recurring Cert	Active	Comp Room
Total Objects at this Location:				1							

Location: Paul Seyfrit Engine (Model)
Address: 10121 Durango Dr - Damascus, MD 20872-2360
County: Montgomery **FIPS:** 24031
Primary Contact: Paul Seyfrit - Phone: 301-253-6309
Billing Contact: Paul Seyfrit - 10121 Durango Dr Damascus, MD 20872-2360 - Phone: 301-253-6309

Location ID: 786552
Phone: 301-253-6309
NOB/SIC: Membership Sports and Recreation Clubs

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152689		Other w/comment	M - Model w/comment	Model	252	Ridge Locomotive	2015	04/05/2022	Recurring Cert	Active	PORTABLE
Total Objects at this Location:				1							

Location: Pauls Automotive
Address: 54 Cessna Ct - Gaithersburg, MD 20879-4145
County: Montgomery **FIPS:** 24031
Primary Contact: Pauls Automotive
Billing Contact:

Location ID: 788005
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117475V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000081243		Melben	1984	06/02/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Peppertree Farm Apartments
Address: 3500 Pear Tree Ct - Silver Spring, MD 20906-2555
County: Montgomery **FIPS:** 24031
Primary Contact: Stephanie Harney - Phone: 301-598-2220
Billing Contact: Stephanie Harney - 14120 Weeping Willow Dr Silver Spring, MD 20906-2538 - Phone: 301-598-2220

Location ID: 707156
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165188H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000126990		Bradford White	2018	08/05/2021	Recurring Cert	Active	3500 PEAR TREE

Total Objects at this Location: 1

Location: Peran Building
Address: 9431 Georgia Ave - Silver Spring, MD 20910-1435
County: Montgomery **FIPS:** 24031
Primary Contact: 9433, LLC
Billing Contact: Alejandro Bello - 7906 Georgia Ave Ste 103 Silver Spring, MD 20910-4877 - Phone: 301-589-6670

Location ID: 2942854
Phone:
NOB/SIC: Hobby, Toy, and Game Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138642H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1965	06/11/2021	Recurring Cert	Active	Heater room

Total Objects at this Location: 1

Location: Percontee Inc
Address: 11900 Tech Rd - Silver Spring, MD 20904-1910
County: Montgomery **FIPS:** 24031
Location ID: 721154
Phone:
NOB/SIC: Heavy Construction, NEC
Primary Contact: Ed Tyler - Phone: 301-622-0100 ext 22 - Cell: 301-367-7912 - Email: etyler@percontee.com
Billing Contact: Ed Tyler - 11900 Tech Rd Silver Spring, MD 20904-1910 - Phone: 301-622-0100 ext 22 - Cell: 301-367-7912 - Email: etyler@percontee.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105718V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000556331		Melben	1995	07/15/2021	Recurring Cert	Active	Maint Shop

Total Objects at this Location: 1

Location: PF Changs (NuCO2) # 323527
Address: 5406 Wisconsin Ave Ste B - Chevy Chase, MD 20815-3572
County: Montgomery **FIPS:** 24031
Location ID: 3633077
Phone:
NOB/SIC: Industrial Gases
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160941V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000213644	SN-31011116	CHART	2010	11/01/2021	Recurring Cert	Active	Inside Kitchen

Total Objects at this Location: 1

Location: Picca Chicken (Arc3)
Address: 13000 Middlebrook Rd - Germantown, MD 20874-2617
County: Montgomery **FIPS:** 24031
Location ID: 3993047
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: Picca Chicken (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165896V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000130783		CHART	2001	11/19/2021	Recurring Cert	Active	Outside rear

Total Objects at this Location: 1

Location: Planet Fitness
Address: 255 Muddy Branch Rd - Gaithersburg, MD 20878-3003
County: Montgomery **FIPS:** 24031
Primary Contact: Tyler Walker - Phone: 301-327-7701 - Email: tyler.walker@pfofmd.com
Billing Contact: - 212 W Padonia Rd Timonium, MD 21093-2107

Location ID: 2451356
Phone:
NOB/SIC: Variety Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159932H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000049188		A O Smith	2017	04/18/2022	Recurring Cert	Active	blr. rm.

Total Objects at this Location: 1

Location: Pleasant Construction Co.
Address: 24024 Frederick Rd - Clarksburg, MD 20871-9718
County: Montgomery **FIPS:** 24031
Primary Contact: Amy Newlin - Phone: 301-428-0800 x1091 - Cell: 301-252-6705 - Email: anewlin@pleasants.org
Billing Contact: Amy Newlin - 24024 Frederick Rd Clarksburg, MD 20871-9718 - Phone: 301-428-0800 x1091 - Cell: 301-252-6705 - Email: anewlin@pleasants.org

Location ID: 721525
Phone: 301-424-0822
NOB/SIC: Manufacturing Industries, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154661V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000764865		Steel Fab	2015	10/12/2022	Recurring Cert	Active	Outside Shed
MD161789V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004419		MI-T-M Corp	2018	09/23/2022	Recurring Cert	Active	Outside Shed

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums
Address: 718 College Pkwy - Rockville, MD 20850-1929
County: Montgomery **FIPS:** 24031
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Location ID: 721551
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145770H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000088075		Bradford White	2009	09/22/2021	Recurring Cert	Active	Bldg 718

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721550
Address: 728 College Pkwy - Rockville, MD 20850-1929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149259H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000097549		Jet Glass	2011	09/22/2021	Recurring Cert	Active	Bldg 728

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721552
Address: 738 College Pkwy - Rockville, MD 20850-1929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145771H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000091223		Bradford White	2010	09/22/2021	Recurring Cert	Active	Bldg 738

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721553
Address: 758 College Pkwy - Rockville, MD 20850-1929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159285H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111098		Jet Glass	2015	10/23/2021	Recurring Cert	Active	2015

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721554
Address: 762 Princeton PI - Rockville, MD 20850-1102 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159287H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000116771		Jet Glass	2016	10/02/2021	Recurring Cert	Active	Bldg 762

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721548
Address: 770 Princeton PI - Rockville, MD 20850-1102 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159288H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000113413		Jet Glass	2015	10/02/2021	Recurring Cert	Active	Bldg 770

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 3645977
Address: 798 Princeton PI - Rockville, MD 20850-1102 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155129H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000109626		Jet Glass	2014	09/15/2021	Recurring Cert	Active	Bldg 798

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721559
Address: 804 College Pkwy - Rockville, MD 20850-1931 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145769H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000091079		Bradford White	2010	09/22/2021	Recurring Cert	Active	Bldg 804

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721560
Address: 806 College Pkwy - Rockville, MD 20850-1931 **Phone:** 301-924-4050
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149260H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000103804		Jet Glass	2013	09/15/2021	Recurring Cert	Active	bldg 806

Total Objects at this Location: 1

Location: Plymouth Woods Condominiums **Location ID:** 721561
Address: 854 College Parkway - Rockville, MD 20850-1934 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153953H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111092		Jet Glass	2015	09/15/2021	Recurring Cert	Active	Bldg 854
MD165186H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000127094		Bradford White	2018	09/05/2021	Recurring Cert	Active	Basement 854

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums **Location ID:** 721562
Address: 862 College Pkwy - Rockville, MD 20850-1938 **Phone:** 301-924-4050
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159474H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119680		Jet Glass	2016	10/02/2021	Recurring Cert	Active	Bldg 862
MD159475H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111789		Jet Glass	2015	10/02/2021	Recurring Cert	Active	Bldg 862

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums **Location ID:** 721563
Address: 872 College Pkwy - Rockville, MD 20850-1943 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149261H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000098506		JETGLASS	2012	09/23/2021	Recurring Cert	Active	Bldg 872
MD149262H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000098505		JETGLASS	2012	09/23/2021	Recurring Cert	Active	bldg 872

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums **Location ID:** 721564
Address: 882 College Parkway - Rockville, MD 20850-1948 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149264H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000089835		Bradford White	2010	09/23/2021	Recurring Cert	Active	Bldg 882
MD159289H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000121330		Jet Glass	2017	10/23/2021	Recurring Cert	Active	Blrm 882

Total Objects at this Location: 2

Location: Plymouth Woods Condominiums **Location ID:** 721565
Address: 888 College Parkway - Rockville, MD 20850-1931 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Ralph Caudle - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com
Billing Contact: Ralph Caudle - 3416 Olandwood Ct Ste 210 Olney, MD 20832-1373 - Phone: 301-924-4050 - Email: rcaudle@ikocommunitymanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165185H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000130850		Bradford White	2019	09/05/2021	Recurring Cert	Active	Bldg 888

Total Objects at this Location: 1

Location: PMS Inc **Location ID:** 720553
Address: 1107 Spring St - Silver Spring, MD 20910-4027 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Ron Johnson - Phone: 240-821-1969 - Cell: 301-357-0337 - Email: RJohnson@unither.com
Billing Contact: Tony Bryk - 1107 Spring St Silver Spring, MD 20910-4027 - Phone: 3015870800

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072721H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Hydrotherm	1984	05/14/2021	Recurring Cert	Active	1107 Boiler Room

Total Objects at this Location: 1

Location: Popeyes(Arc3) **Location ID:** 4048336
Address: 3410 Olney Laytonsville Rd - Olney, MD 20832-1734 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167742V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000009540		Taylor	1992	11/24/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Potomac BP **Location ID:** 730582
Address: 10140 River Rd - Potomac, MD 20854-4903 **Phone:** 301-299-8400
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gas and Other Services Combined
Primary Contact: Brian Hannam - Phone: 301-299-8400 - Email: potomacbp1@comcast.net
Billing Contact: Brian Hannam - 10140 River Rd Potomac, MD 20854-4903 - Phone: 301-299-8400 - Email: potomacbp1@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114746V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001112947		Manchester	1993	03/24/2023	Recurring Cert	Active	Storage Room

Total Objects at this Location: 1

Location: Potomac Oaks Condominiums **Location ID:** 2520394
Address: 766 Quince Orchard Blvd - Gaithersburg, MD 20878-1506 **Phone:** 301-987-0071
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Michael Smith - Phone: 301-982-9797/301-987-0071 - Cell: 240 620 7503 - Email: potomacoakscondos@gmail.com
Billing Contact: Michael Smith - 766 Quince Orchard Blvd Rm Boiler Gaithersburg, MD 20878-1506 - Phone: 301-982-9797/301-987-0071 - Cell: 240 620 7503 - Email: potomacoakscondos@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD002212H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000040270		Cleaver Brooks	1969	11/05/2022	Recurring Cert	Active	Bldg 766-The Boiler Room
MD040760V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000023364		A O Smith	1988	04/08/2023	Recurring Cert	Active	Building 700

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD165115H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000339660		Lochinvar	2019	08/15/2023	Recurring Cert	Active	Boiler Room
MD165116H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000338106		Lochinvar	2019	08/15/2023	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				4							

Location: Potomac Oaks Condominiums **Location ID:** 721742
Address: 878 Quince Orchard Blvd - Gaithersburg, MD 20878-1707 **Phone:** 301-987-0073
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Michael Smith - Phone: 301-982-9797/301-987-0071 - Cell: 240 620 7503 - Email: potomacoakscondos@gmail.com
Billing Contact: Michael Smith - 780 Quince Orchard Blvd Rm Boiler Gaithersburg, MD 20878-1506 - Phone: 301-982-9797/301-987-0071 - Cell: 240 620 7503 - Email: potomacoakscondos@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD002213H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000012114		Superior Boiler Works	1970	04/08/2023	Recurring Cert	Active	Boiler Room 878
MD147645H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000032185		R B I	2012	04/08/2021	Recurring Cert	Active	Bldg 878
MD147646H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000032186		R B I	2012	04/08/2021	Recurring Cert	Active	Bldg 878
MD167219H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000050807		R B I	2020	08/26/2022	Recurring Cert	Active	Bldg 878
MD167220H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000050806		R B I	2020	08/26/2022	Recurring Cert	Active	Bldg 878
Total Objects at this Location:				5							

Location: Potomac Swimming & Recreation
Address: 10531 Oaklyn Dr - Potomac, MD 20854-3903
County: Montgomery **FIPS:** 24031
Location ID: 721753
Phone: 301-983-0390
NOB/SIC: Membership Sports and Recreation Clubs
Primary Contact: Tom Salcetti - Phone: 240-498-2583 - Email: potomacswimandtennis@gmail.com
Billing Contact: Tom Salcetti - 10531 Oaklyn Dr Potomac, MD 20854-3903 - Phone: 240-498-2583 - Email: potomacswimandtennis@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149209H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000355408	130435508	Ray-Pak	2012	08/27/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Precision Auto Care
Address: 11921 Chapman Ave - Rockville, MD 20852-2684
County: Montgomery **FIPS:** 24031
Location ID: 3332523
Phone: 301-770-4939
NOB/SIC: General Automotive Repair Shops
Primary Contact: Joseph Rashti - Phone: 301-943-9999
Billing Contact: Joseph Rashti - 11921 Maple Ave Rockville, MD 20852-2670 - Phone: 301-943-9999

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148282V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000230074	239487	Morganton	2012	02/17/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Preferred Automotive Group
Address: 12356 Wilkins Ave - Rockville, MD 20852-1828
County: Montgomery **FIPS:** 24031
Location ID: 721822
Phone: 301-881-8530
NOB/SIC: General Automotive Repair Shops
Primary Contact: Michael McKee - Phone: 301-881-8530
Billing Contact: Michael McKee - 12356 Wilkins Ave Rockville, MD 20852-1828 - Phone: 301-881-8530

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128073V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000261841		Kargard	1967	08/02/2022	Recurring Cert	Active	Shop
MD155248V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001375224		Manchester	2013	08/02/2022	Recurring Cert	Active	Trailer

Total Objects at this Location: 2

Location: Premier Auto Collision Center
Address: 12320 Wilkins Ave - Rockville, MD 20852-1828
County: Montgomery **FIPS:** 24031
Location ID: 1339955
Phone: 301-822-4730
NOB/SIC: Automotive Repair Shops, NEC
Primary Contact: Juan Fuentes - Phone: 301-822-4730
Billing Contact: Gustavo Romano - 12320 Wilkins Ave Rockville, MD 20852-1828 - Phone: 301-822-4730 - Cell: 240-286-7543

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD031822V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000139907		John Wood	1953	07/17/2021	Recurring Cert	Active	Rear Building Under Steps
MD157279V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000350115		MAT Industries	2015	07/17/2021	Recurring Cert	Active	Rear Building Under Steps

Total Objects at this Location: 2

Location: Prestige Cleaners
Address: 9420 Georgia Ave - Silver Spring, MD 20910-1434
County: Montgomery **FIPS:** 24031
Location ID: 709766
Phone: 301-588-0333
NOB/SIC: Power Laundries, Family and Commercial
Primary Contact: Mitchell Gordon - Phone: 301-588-0333
Billing Contact: Anthony Walker - 9420 Georgia Ave Silver Spring, MD 20910-1434 - Phone: 301-588-0333

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167001		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000125086		Fulton	2019	03/31/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Pro Auto Body
Address: 1621 E Gude Dr - Rockville, MD 20850-1348
County: Montgomery **FIPS:** 24031
Location ID: 996921
Phone:
NOB/SIC: Top, Body, and Upholstery Repair Shops and Paint Shops
Primary Contact: Liz Avile - Phone: 240-855-4435
Billing Contact: Liz Avile - 1621 E Gude Dr Rockville, MD 20850-1348 - Phone: 240-855-4435

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000235021		Morganton	2012	03/30/2023	Recurring Cert	Active	Shop - Rear

Total Objects at this Location: 1

Location: ProMetric BioTherapeutics
Address: 1330 Piccard Dr Ste 201 - Rockville, MD 20850-4352
County: Montgomery **FIPS:** 24031
Location ID: 3743416
Phone: 301-917-6320
NOB/SIC: Biological Products, Except Diagnostic Substances
Primary Contact: Tom Jameson - Phone: 301-917-6333 - Email: T.Jameson@prometic.com
Billing Contact: Linda Clarke - 1330 Piccard Dr Ste 201 Rockville, MD 20850-4352 - Phone: 301-917-6340 - Email: L.Clarke@Prometic.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148256V		Autoclave	V - Process-Sterilizing	000003223		Getinge	2002	04/08/2022	Recurring Cert	Active	Room 140

Total Objects at this Location: 1

Location: PS Business Parks
Address: 15400 Calhoun Dr - Rockville, MD 20855-2735
County: Montgomery **FIPS:** 24031
Location ID: 2649671
Phone: C07675053-64
NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Judith D Lun - Phone: 301-896-9098
Billing Contact: Judith D Lun - 7529 Standish Pl Suite 350 Rockville, MD 20855 - Phone: 301-896-9098

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD068459V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000131758		Manchester	1986	08/13/2021	External Cert	Active	1st Floor Mechanical

Total Objects at this Location: 1

Location: PS Business Parks
Address: 7361 Calhoun Pl - Rockville, MD 20855-2765
County: Montgomery **FIPS:** 24031
Location ID: 727021
Phone: C07675053-60
NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Tom Croker - Phone: (301) 340-0901 x0050 - Cell: 240-876-1203 - Email: tcrocker@lpc.com
Billing Contact: Tom Croker - 7529 Standish Pl Ste 115 Rockville, MD 20855-2733 - Phone: (301) 340-0901 x0050 - Cell: 240-876-1203 - Email: tcrocker@lpc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD068458V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0000430297		Manchester	1986	08/13/2021	External Cert	Active	Penthouse

Total Objects at this Location: 1

Location: Quality Tune Up
Address: 8537 Piney Branch Rd - Silver Spring, MD 20901-3920
County: Montgomery **FIPS:** 24031
Primary Contact: Raul Castro - Phone: 301-585-8887
Billing Contact:

Location ID: 722146
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155145V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000593970		Morganton	2016	12/01/2022	Recurring Cert	Active	Storage Room

Total Objects at this Location: 1

Location: Quebec Terrace Apts
Address: 1006 Quebec Ter - Silver Spring, MD 20903-3106
County: Montgomery **FIPS:** 24031
Primary Contact: Chris Willis - Phone: 202-337-5080
Billing Contact: Chinyere Opaigbeogu - 10890 Mariner Dr Ft Washington, MD 20744-5850 - Phone: 202-337-5080 - Cell: 240-838-6143 - Email: ouchechi@verizon.net

Location ID: 986930
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118276H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2002	12/09/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Quick Lube
Address: 18824 Woodfield Rd Unit C - Gaithersburg, MD 20879-4715
County: Montgomery **FIPS:** 24031
Primary Contact: Sevan Gregorian - Phone: 301-254-0116 - Email: sevang@verizon.net
Billing Contact: Sevan Gregorian - 18824 Woodfield Rd Unit C Gaithersburg, MD 20879-4715 - Phone: 301-254-0116 - Email: sevang@verizon.net

Location ID: 702252
Phone: 301-254-0116
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149311V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000275963		Mat Indust	2012	05/12/2022	Recurring Cert	Active	Storage rm

Total Objects at this Location: 1

Location: Quincy Bar & Grill (Roberts) **Location ID:** 4002543
Address: 616 Quince Orchard Rd - Gaithersburg, MD 20878-1410 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Quincy Bar & Grill (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165866V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000019902		Taylor	1994	12/10/2021	Recurring Cert	Active	Outside rear
Total Objects at this Location:				1							

Location: Radisson **Location ID:** 722137
Address: 3 Research Ct - Rockville, MD 20850-3211 **Phone:** 301-840-0200
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Rooming and Boarding Houses
Primary Contact: H. Negash - Phone: 301-840-0200
Billing Contact: H. Negash - 3 Research Ct Rockville, MD 20850-3211 - Phone: 301-840-0200

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099929H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000083649		Lochinvar	1998	03/18/2022	Recurring Cert	Active	BLRM
MD099930H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000082585		Lochinvar	1997	03/18/2022	Recurring Cert	Active	BLRM
MD106804H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2000	03/18/2022	Recurring Cert	Active	BLRM
Total Objects at this Location:				3							

Location: Rain Bow Laundromat
Address: 8735 Flower Ave - Silver Spring, MD 20901-4035
County: Montgomery **FIPS:** 24031
Primary Contact: Nok Kim - Cell: 703-624-1980
Billing Contact: Nok Kim - 8735 Flower Ave Silver Spring, MD 20901-4035 - Cell: 703-624-1980

Location ID: 725489
Phone:
NOB/SIC: Apparel and other textile products

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117557H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000006675	080229107	R B I	2002	10/31/2020	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Real Estate Equities Inc
Address: 1550 E Gude Dr - Rockville, MD 20850-1339
County: Montgomery **FIPS:** 24031
Primary Contact: Hayro Zelaya - Phone: 301-947-0904 - Email: hzelaya@are.com
Billing Contact: Hayro Zelaya - 946 Clopper Rd Gaithersburg, MD 20878-1301 - Phone: 301-947-0904 - Email: hzelaya@are.com

Location ID: 724863
Phone: 410-591-4728
NOB/SIC: Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108802V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000340170		Silvan	2000	03/18/2021	Recurring Cert	Active	Main Mech Rm
MD108803		Horizontal Water Tube	S - Power-Other w/comment (Stm > 15 psig)	000045989		Bryan	2000	03/09/2021	Recurring Cert	Active	GMP Mech Rm
MD108804		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000044801		R & R Metal	2000	03/09/2021	Recurring Cert	Active	GMP Mech Rm
MD108805V		Heat Exchanger - Steam Generator	V - Process-Sterilizing	000051464		Cemline	2000	03/18/2021	Recurring Cert	Active	GMP Mech Rm

Total Objects at this Location: 4

Location: Red Mill Cleaners
Address: 7242 Muncaster Mill Rd - Derwood, MD 20855-1215
County: Montgomery **FIPS:** 24031
Primary Contact: Young Kim - Phone: 301-330-2131
Billing Contact: Gil Soo Lee - 7242 Muncaster Mill Rd Derwood, MD 20855-1215 - Phone: 301-330-2131

Location ID: 885470
Phone:
NOB/SIC: Power Laundries, Family and Commercial

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135270V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001036437		Manchester	2000	09/24/2021	Recurring Cert	Active	BOILER ROOM
MD137711		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000110871		Fulton	2010	08/29/2021	Recurring Cert	Active	BOILER ROOM

Total Objects at this Location: 2

Location: Regency Care of Silver Spring
Address: 9101 Second Ave - Silver Spring, MD 20910-2152
County: Montgomery **FIPS:** 24031
Primary Contact: Bob Broadhurst - Phone: 301-588-5544 ext 9867
Billing Contact: Bob Broadhurst - 9101 Second Ave Silver Spring, MD 20910-2152 - Phone: 301-588-5544 ext 9867

Location ID: 992869
Phone: 301-588-5544
NOB/SIC: Intermediate Care Facilities

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142143H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	0020323	120748269	R B I	2007	08/21/2021	Recurring Cert	Active	blrm
MD142144H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	0020344		R B I	2007	08/21/2021	Recurring Cert	Active	blrm

Total Objects at this Location: 2

Location: Regenx Bio
Address: 9804 Medical Center Dr - Rockville, MD 20850
County: Montgomery **FIPS:** 24031
Primary Contact: Peter Milewski - Phone: 240 319 0315 - Email: pmilewski@proair-inc.com
Billing Contact:

Location ID: 4069621
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <=	000007226	EDR-2000	Fulton	2020	05/26/2021	Recurring Cert	Active	BOILER ROOM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	000007203	EDR 2000	Fulton	2020	05/26/2021	Recurring Cert	Active	BOILER ROOM
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000007225	EDR-2000	Fulton	2020	05/26/2021	Recurring Cert	Active	BOILER ROOM
Total Objects at this Location:				3							

Location: Research Center Office
Address: 2301 Research Blvd - Rockville, MD 20850-3204
County: Montgomery **FIPS:** 24031
Primary Contact: Natalie McCullough - Phone: 301-407-1858 - Email: nmccullough@lpc.com
Billing Contact: - 15245 Shady Grove Rd Ste 385 Rockville, MD 20850-7207 - Phone: 301-407-1858 - Email: nmccullough@lpc.com

Location ID: 719503
Phone: 301-407-1858
NOB/SIC: Operators of Nonresidential Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD047636H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000096535		Electro pak	1973	01/12/2023	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: RHD Gaithersburg, LLC DBA Rosenthal Acura
Address: 623 N Frederick Ave - Gaithersburg, MD 20879-3306
County: Montgomery **FIPS:** 24031
Primary Contact: Fred Fees - Phone: 703-409-6199 - Email: ffees@rosenthalauto.com
Billing Contact: Ben Calvitti - 623 N Frederick Ave Gaithersburg, MD 20879-3306 - Phone: 301-840-9333

Location ID: 723393
Phone: 301-840-9333
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD062719V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000879932		Wood	1986	02/24/2022	Recurring Cert	Active	PARTS STORAG
MD142802V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000006735		Air Comp	2005	02/22/2022	Recurring Cert	Active	PARTS STORAG
Total Objects at this Location:				2							

Location: Richman Design Inc
Address: 8905 Brookville Rd - Silver Spring, MD 20910-1806
County: Montgomery **FIPS:** 24031
Primary Contact: Richman Design Inc
Billing Contact:

Location ID: 3599843
Phone:
NOB/SIC: Nonclassifiable Establishments

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142210V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000531194		Melben	1995	05/28/2021	Recurring Cert	Active	8905 Shop

Total Objects at this Location: 1

Location: Rio Grande Cafe
Address: 231 Rio Blvd - Gaithersburg, MD 20878-7312
County: Montgomery **FIPS:** 24031
Primary Contact: April West - Phone: 972-554-3624 - Email: permits@unclejulios.com
Billing Contact: Leslie Douglass - 1101 N Union Bower Rd Ste 160 Irving, TX 75061-5850 - Phone: 1-214-616-0668 - Email: Leslie.Douglass@unclejulios.com

Location ID: 722813
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162044H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000122399		Bradford White	2017	10/01/2022	Recurring Cert	Active	sprinkler rm
MD167732H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000132596		Bradford White	2019	11/19/2022	Recurring Cert	Active	Sprinkler rm
MD167733V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000164124		CHART	2005	11/19/2022	Recurring Cert	Active	Loading Dock

Total Objects at this Location: 3

Location: Riviera Of Chevy Chase
Address: 4242 East West Highway - Bethesda, MD 20815-5934
County: Montgomery **FIPS:** 24031
Primary Contact: Fred Coley - Phone: 3016572211 - Cell: 3017172342
Billing Contact: Phillip Palmer - 4242 E West Hwy Bethesda, MD 20815-5934 - Phone: 301-657-2211

Location ID: 722985
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092144H	01	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000074118		Fulton	1995	08/26/2021	Recurring Cert	Active	Penthouse
MD092145H	02	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000074297		Fulton	1995	08/26/2021	Recurring Cert	Active	Penthouse
MD092146H	03	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000074340		Fulton	1995	08/26/2021	Recurring Cert	Active	Penthouse
MD092147H	04	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000074292		Fulton	1995	08/26/2021	Recurring Cert	Active	Penthouse
MD092148V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000035637		Trane	1995	08/26/2021	Recurring Cert	Active	Penthouse
Total Objects at this Location:				5							

Location: Roanoke Apartments
Address: 8206 Roanoke Ave - Takoma Park, MD 20912-6225
County: Montgomery **FIPS:** 24031
Primary Contact: Craig Lenkin - Phone: 301-315-0075
Billing Contact: Craig Lenkin - PO Box 1948 Rockville, MD 20849-1948 - Phone: 301-315-0075

Location ID: 723001
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD012414H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	SER 8-44	National Radiator	1954	03/22/2020	Recurring Cert	Active	8206 BLRM
Total Objects at this Location:				1							

Location: Robern Automotive Service
Address: 6323 New Hampshire Ave - Takoma Park, MD 20912-4701
County: Montgomery **FIPS:** 24031
Primary Contact: Robern Automotive Service - Phone: 3012706444
Billing Contact: Roberto Mena - 6323 New Hampshire Ave Takoma Park, MD 20912-4701 - Phone: 3012706444

Location ID: 723009
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104852V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000968956		Buckeye	1990	04/20/2021	Recurring Cert	Active	Comp Rm
Total Objects at this Location:				1							

Location: Rock Bottom Restaurant
Address: 7900 Norfolk Ave # C - Bethesda, MD 20814-2502
County: Montgomery **FIPS:** 24031
Primary Contact: Jose Fernandez - Phone: 301-652-1311 - Email: jfernandez@rockbottom.com
Billing Contact: Jose Fernandez - 7900 Norfolk Ave # C Bethesda, MD 20814-2502 - Phone: 301-652-1311 - Email: jfernandez@rockbottom.com

Location ID: 723076
Phone: 301-652-1311
NOB/SIC: Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135726H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000141456		A O Smith	2009	01/08/2021	Recurring Cert	Active	Basement
MD135727H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000135616		A O Smith	2009	01/08/2021	Recurring Cert	Active	Basement
Total Objects at this Location:				2							

Location: Rock Creek Terrace Apartments
Address: 12512 Veirs Mill Rd - Rockville, MD 20853-3517
County: Montgomery **FIPS:** 24031
Primary Contact: Gwendolyn Newberry, COS - Phone: 301-946-0363
Billing Contact: Gwendolyn Newberry, COS - 12512 Veirs Mill Rd Rockville, MD 20853-3517 - Phone: 301-946-0363

Location ID: 723086
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143520H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000147644		State Industries	2010	07/16/2021	External Cert	Active	12512 Viers Mill Road

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149208H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000102697		Bradford White	2013	07/16/2021	Recurring Cert	Active	12512 Viers Mill Road

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments
Address: 12524 Veirs Mill Rd - Rockville, MD 20853-3527
County: Montgomery **FIPS:** 24031
Primary Contact: Ruby Palmer - Phone: 301-946-0393 - Email: rcterrace@comcast.net
Billing Contact: Ruby Palmer - 12630 Veirs Mill Rd Rockville, MD 20853-3562 - Phone: 301-946-0393 - Email: rcterrace@comcast.net

Location ID: 2157219
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154853H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000107216	122216	Jet glass	2014	07/16/2021	Recurring Cert	Active	Utility room
MD164311H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000032085	47085	American	1994	07/16/2021	Recurring Cert	Active	Utility room

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments
Address: 12602 Veirs Mill Rd - Rockville, MD 20853-3535
County: Montgomery **FIPS:** 24031
Primary Contact: Ruby Palmer - Phone: 301-946-0393 - Email: rcterrace@comcast.net
Billing Contact: Ruby Palmer - 12630 Veirs Mill Rd Rockville, MD 20853-3562 - Phone: 301-946-0393 - Email: rcterrace@comcast.net

Location ID: 723088
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143517H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000099513	110513	Bradford White	2011	07/16/2021	External Cert	Active	12602 Viers Mill Road
MD155126H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000107213	122213	Bradford white	2014	08/16/2021	Recurring Cert	Active	3 red floor mech

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments
Address: 12612 Veirs Mill Rd - Rockville, MD 20853-3543
County: Montgomery **FIPS:** 24031
Primary Contact: Ruby Palmer - Phone: 301-946-0393 - Email: rcterrace@comcast.net
Billing Contact: Ruby Palmer - 12630 Veirs Mill Rd Rockville, MD 20853-3562 - Phone: 301-946-0393 - Email: rcterrace@comcast.net

Location ID: 723089
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155576H	right	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111924	126924	JETGLASS	2015	07/09/2021	Recurring Cert	Active	2nd Flr Rm
MD155577H	left	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106134	121134	Jet glass	2013	07/09/2021	Recurring Cert	Active	2nd Flr Rm

Total Objects at this Location: 2

Location: Rock Creek Terrace Apartments
Address: 12630 Veirs Mill Rd - Rockville, MD 20853-3566
County: Montgomery **FIPS:** 24031
Primary Contact: Ruby Palmer - Phone: 301-946-0393 - Email: rcterrace@comcast.net
Billing Contact: Ruby Palmer - 12630 Veirs Mill Rd Rockville, MD 20853-3562 - Phone: 301-946-0393 - Email: rcterrace@comcast.net

Location ID: 723090
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001082H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000024558		Cleaver Brooks	1971	08/26/2021	Recurring Cert	Active	BOILER ROOM
MD001083H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000023967		Cleaver Brooks	1971	08/26/2021	Recurring Cert	Active	Boiler Room
MD131900H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000071508	86508	Bradford White	2006	07/16/2021	Recurring Cert	Active	Boiler Room
MD131901H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000066192	81192	Bradford White	2004	07/16/2021	Recurring Cert	Active	Boiler Room
MD131902H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000066191	81191	Bradford White	2004	07/16/2021	Recurring Cert	Active	Boiler Room
MD131903H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000071507	86507	Bradford White	2006	07/16/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: Rockingham Construction
Address: 19200 Woodfield Rd - Gaithersburg, MD 20879-4721
County: Montgomery **FIPS:** 24031
Primary Contact: Rockingham Construction
Billing Contact: Matt Weaver - 19200 Woodfield Rd Gaithersburg, MD 20879-4721

Location ID: 3923386
Phone:
NOB/SIC: General Contractors-Industrial Buildings and Warehouses

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163410V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002048445		Manchester	2018	03/19/2021	Recurring Cert	Active	Shop Mezz

Total Objects at this Location: 1

Location: Rockville Auto Repair
Address: 649 Southlawn Ln Ste F-G - Rockville, MD 20850-1482
County: Montgomery **FIPS:** 24031
Primary Contact: Rockville Auto Repair - Phone: 301-294-6069
Billing Contact: - 649 Southlawn Ln Ste F-G Rockville, MD 20850-1482 - Phone: 301-294-6069

Location ID: 714088
Phone:
NOB/SIC: General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107716V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000424917		Manchester	1996	11/30/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Rockville Exxon
Address: 11433 Rockville Pike - Rockville, MD 20852-3023
County: Montgomery **FIPS:** 24031
Primary Contact: Shoney Ponda - Phone: 301-230-5650
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 723145
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113077V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000055838		Brunner	1995	10/07/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Rockville Metals
Address: 801 E Gude Dr - Rockville, MD 20850-1331
County: Montgomery **FIPS:** 24031
Primary Contact: James R. Figliozi - Phone: 301-424-6577 - Email: Jimfig46@gmail.com
Billing Contact: James R. Figliozi - 801 E Gude Dr Rockville, MD 20850-1331 - Phone: 301-424-6577 - Email: Jimfig46@gmail.com

Location ID: 703345
Phone: 301-424-6577
NOB/SIC: Automotive Dealers, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161835V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002045498		Twin Lakes Tank	2018	10/03/2022	Recurring Cert	Active	Shop Floor
Total Objects at this Location:				1							

Location: Rockville Pike Shell - MD 719
Address: 1911 Rockville Pike - Rockville, MD 20852-1625
County: Montgomery **FIPS:** 24031
Primary Contact: Mike Khadivi - Phone: 301-881-6481
Billing Contact: Alonso Gonzalez - 14016 Sullyfield Cir. Ste E Chantilly, VA 20151 - Phone: 703-489-2291 - Email: retailaccounting@eandcma.com

Location ID: 723157
Phone: 301-881-6481
NOB/SIC: Automotive Repair Shops, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133498V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000705345		Manchester	2006	07/14/2021	Recurring Cert	Active	Car Wash
Total Objects at this Location:				1							

Location: Rockville Printing and Graphics
Address: 736 Rockville Pike - Rockville, MD 20852-1133
County: Montgomery **FIPS:** 24031
Primary Contact: Bill French - Phone: 301-251-0001 - Email: bfrench@rockvilleprinting.com
Billing Contact: Bill French - 736 Rockville Pike Rockville, MD 20852-1133 - Phone: 301-251-0001 - Email: bfrench@rockvilleprinting.com

Location ID: 3268294
Phone:
NOB/SIC: Commercial Printing, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167793V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001214004		Manchester	2001	08/17/2022	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Rockville Steel & Mfg Co Inc
Address: 7411 Lindbergh Dr Ste G - Gaithersburg, MD 20879-5416
County: Montgomery **FIPS:** 24031
Primary Contact: Joseph Steffes - Phone: 301-548-7400
Billing Contact: Joseph Steffes - 7411 Lindbergh Dr Ste G Gaithersburg, MD 20879-5416 - Phone: 301-548-7400

Location ID: 723166
Phone:
NOB/SIC: Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD109288V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000883850		Melben	2000	07/16/2021	Recurring Cert	Active	MEZZANINE
MD143734V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000339834		Steel Fab	2003	07/16/2021	Recurring Cert	Active	REAR SHOP
Total Objects at this Location:				2							

Location: Rockville Tire & Auto
Address: 16077 Frederick Rd - Rockville, MD 20855-2217
County: Montgomery **FIPS:** 24031
Primary Contact: Rockville Tire & Auto
Billing Contact:

Location ID: 718502
Phone: 240-386-8617
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD071217V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000889237		Buckeye	1989	05/31/2022	Recurring Cert	Active	Shop
MD071218V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000884654		Buckeye	1988	05/31/2022	Recurring Cert	Active	Shop
Total Objects at this Location:				2							

Location: Rose Condos of Bethesda
Address: 930 Rose Ave - Rockville, MD 20852-8713
County: Montgomery **FIPS:** 24031
Location ID: 3890916
Phone:
NOB/SIC:
Primary Contact: Joe Mosli - Phone: 301-770-3502 - Cell: 202-664-0535
Billing Contact: Joe Mosli - 930 Rose Ave North Bethesda, MD 20852-8713 - Phone: 301-770-3502 - Cell: 202-664-0535

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160182H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000226015	2809206233835	State Industries	2017	11/27/2021	Recurring Cert	Active	Roof Mech. Rm
MD160183H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000224789	170510487987	State Industries	2017	11/27/2021	Recurring Cert	Active	Roof Mech. Rm

Total Objects at this Location: 2

Location: Rubin & Rubin, P.C.
Address: 8404 Georgia Ave - Silver Spring, MD 20910-4424
County: Montgomery **FIPS:** 24031
Location ID: 723506
Phone: 301-585-3822
NOB/SIC: Legal Services
Primary Contact: Lawrence Rubin - Phone: 301-585-3822 - Email: lawrence.rubin@rubinpc.com
Billing Contact: Lawrence Rubin - 8404 Georgia Ave Silver Spring, MD 20910-4424 - Phone: 301-585-3822 - Email: lawrence.rubin@rubinpc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141037H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	NA	2310V01018	ECR International	2011	03/02/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Ruby Tuesday (NuCo2) # 225478
Address: 701 Russell Ave - Gaithersburg, MD 20877-2631
County: Montgomery **FIPS:** 24031
Location ID: 3453643
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154750V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000099765	CCUD99B19C	MVE Inc	1999	06/21/2020	Recurring Cert	Active	NUCO2

Total Objects at this Location: 1

Location: Ruby Tuesday - 3644 **Location ID:** 723522
Address: 701 Russell Ave Ste D223 - Gaithersburg, MD 20877-2652 **Phone:** 301-216-2772
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and drinking places
Primary Contact: Ivana Bogejevic - Phone: 301-216-2772
Billing Contact: - PO Box 78119 Wichita, KS 67278 - Phone: 703-415-4055 - Email: rt.licensing@issvc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165117H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000129555		Bradford White	2018	09/05/2021	Recurring Cert	Active	Heater Room
Total Objects at this Location:				1							

Location: Rumba Y Carbon(NuCo2) #529350 **Location ID:** 3633915
Address: 11222 Grandview Ave - Silver Spring, MD 20902-4602 **Phone:** (301) 962-6262
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161088V	A915452	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000051758	CCFC96F301	MVE Inc	1996	06/28/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Saint Jane Frances De Chantal Church **Location ID:** 723842
Address: 9601 Old Georgetown Rd - Bethesda, MD 20814-1725 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Membership Organizations, NEC
Primary Contact: Don Mays - Phone: 301-530-1550 - Cell: 240-994-2664 - Email: deacondcmmays@gmail.com
Billing Contact: Don Mays - 9701 Old Georgetown Rd Bethesda, MD 20814-1727 - Phone: 301-530-1550 - Cell: 240-994-2664 - Email: deacondcmmays@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD114566H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		H B Smith	2001	03/29/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Saint Mary Magdelene Episcopal Church
Address: 3820 Aspen Hill Rd - Silver Spring, MD 20906-2904
County: Montgomery **FIPS:** 24031
Primary Contact: Saint Mary Magdalene Church - Phone: 3018717660
Billing Contact:

Location ID: 724029
Phone: 301-871-7660
NOB/SIC: Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158750H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2001	07/17/2021	Recurring Cert	Active	Blrm

Total Objects at this Location: 1

Location: Sakura Japanese Steak (Arc3)
Address: 11502 Middlebrook Rd - Germantown, MD 20876-2709
County: Montgomery **FIPS:** 24031
Primary Contact: Sakura Japanese Steak (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3993043
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165897V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000106664		MVE	1999	11/19/2021	Recurring Cert	Active	Outside Cage

Total Objects at this Location: 1

Location: Sam's Club - 6653
Address: 610 N Frederick Ave - Gaithersburg, MD 20877-2527
County: Montgomery **FIPS:** 24031
Primary Contact: APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com
Billing Contact: Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Location ID: 2976914
Phone:
NOB/SIC: Department Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140829V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000042652		Standard	2002	04/07/2023	Recurring Cert	Active	Outside/Bldg
MD140831V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000042571		Standard	2002	04/07/2023	Recurring Cert	Active	Outside/Bldg

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148377V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000710750		Steel Fab	2012	04/07/2023	Recurring Cert	Active	Tire Shop/Outside
Total Objects at this Location:				3							

Location: Sandy Spring National Bank Of Maryland
Address: 17801 Georgia Ave - Olney, MD 20832-2233
County: Montgomery **FIPS:** 24031
Primary Contact: Paul Malengo - Phone: 301-774-8449 - Email: pmalengo@sandyspringbank.com
Billing Contact: Paul Malengo - 17801 Georgia Ave Olney, MD 20832-2233 - Phone: 301-774-8449 - Email: pmalengo@sandyspringbank.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098945H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	K85-67	H B Smith	1983	09/08/2021	Recurring Cert	Active	Mech Room
Total Objects at this Location:				1							

Location: Sardi's Fusion (Arc3)
Address: 3418 Olney Laytonsville Rd - Olney, MD 20832-1734
County: Montgomery **FIPS:** 24031
Primary Contact: Sardi's Fusion (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167190V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000269865		CHART	2015	08/25/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: **Sardi's Pollo (Arc3)** **Location ID:** 3993041
Address: 430 N Frederick Ave - Gaithersburg, MD 20877-2416 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Sardi's Pollo (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166668V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000023563		Taylor	1995	11/19/2021	Recurring Cert	Active	Basement

Total Objects at this Location: 1

Location: **Sardi's Pollo A La Brasa (Arc3)** **Location ID:** 3989297
Address: 1159 University Blvd E - Takoma Park, MD 20912-7444 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166090V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004264		Taylor-Wharton	1990	11/07/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: **Saunders & Schmieler** **Location ID:** 724368
Address: 8225 Georgia Ave - Silver Spring, MD 20910-5731 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Direct Selling Establishments
Primary Contact: Law Offices of Saunders c/o Jeffery R Schmieler, Rev. Trust - Phone: 301-588-7717
Billing Contact: - 5405 Twin Knolls Rd Ste 5 Columbia, MD 21045-3258

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111028H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2001	04/19/2022	Recurring Cert	Active	Bsmt

Total Objects at this Location: 1

Location: Sears Store #1424
Address: 7103 Democracy Boulevard - Bethesda, MD 20817-1007
County: Montgomery **FIPS:** 24031
Location ID: 724536
Phone: 301-469-4000
NOB/SIC: Department Stores
Primary Contact: Ronald King - Phone: 301-469-4147 - Email: esalin0@searshc.com
Billing Contact: Ronald King - 7103 Democracy Blvd Bethesda, MD 20817-1007 - Phone: 301-469-4147 - Email: esalin0@searshc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138604V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001569547		Campbell Hausfield	2009	01/27/2022	External Cert	Active	Boiler Room
MD149184H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	16-88	Weil-McLain	2013	01/27/2022	External Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: SEC Properties, LLC.
Address: 8201 Schrider St - Silver Spring, MD 20910-4637
County: Montgomery **FIPS:** 24031
Location ID: 710129
Phone: 571-233-2931
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jay Crowder - Phone: 703-720-2680 - Email: jaycrowder@cox.net
Billing Contact: Jay Crowder - 6720 Bunkers Ct Clifton, VA 20124-2556 - Phone: 703-720-2680 - Email: jaycrowder@cox.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166681H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SMITH	2018	07/16/2021	Recurring Cert	Active	Blrm

Total Objects at this Location: 1

Location: Seibel's Restaurant (Arc3)
Address: 15540 Old Columbia Pike - Burtonsville, MD 20866-1634
County: Montgomery **FIPS:** 24031
Location ID: 3964695
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: Seibel's Restaurant (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164654V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000018067		Taylor	1994	07/16/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Selective Hauling LLC
Address: 8040 Queenair Dr - Gaithersburg, MD 20879-4104
County: Montgomery **FIPS:** 24031
Primary Contact: Selective Hauling, LLC.
Billing Contact: - 8040 Queenair Dr Gaithersburg, MD 20879-4104

Location ID: 713748
Phone:
NOB/SIC: Sawmills and Planing Mills, General

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148954V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000099581		Manchester	2005	06/04/2022	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: Semmes & Company
Address: 10220 River Rd - Potomac, MD 20854-4916
County: Montgomery **FIPS:** 24031
Primary Contact: Semmes & Company - Phone: 3012995200
Billing Contact: - 10220 River Road Attn - Harry Semmes Potomac, MD 20854 - Phone: 3012995200

Location ID: 724584
Phone:
NOB/SIC: Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043456H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000015414		CAM	1978	07/01/2021	Recurring Cert	Active	Bsmt Pump Room

Total Objects at this Location: 1

Location: Seneca Village
Address: 704 Clopper Road - Gaithersburg, MD 20878-1348
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 2154497
Phone: 301-948-9188
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127801H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090026		Rheem/Ruud	2002	09/20/2022	Recurring Cert	Active	704 Clopper
MD127802H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000091233		Rheem/Ruud	2002	09/20/2022	Recurring Cert	Active	704 Clopper

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
160 psig, 210 F)											
Total Objects at this Location:				2							

Location: Seneca Village
Address: 706 Clopper Rd - Gaithersburg, MD 20878-1346
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 2146220
Phone: 301-948-9188
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127803H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000058826		Jetglas	2002	09/20/2022	Recurring Cert	Active	706 Clopper
MD145994H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000087763		Jet Glass	2009	09/20/2022	Recurring Cert	Active	bldg 706
Total Objects at this Location:				2							

Location: Seneca Village
Address: 712 Clopper Rd - Gaithersburg, MD 20878-1340
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 2181886
Phone: 301-948-9188
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156094H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000041065		R B I	2016	09/20/2022	Recurring Cert	Active	BSMT 712
MD156095H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000041067		R B I	2016	09/21/2022	Recurring Cert	Active	160
Total Objects at this Location:				2							

Location: Seneca Village
Address: 722 Clopper Rd - Gaithersburg, MD 20878-1329
County: Montgomery **FIPS:** 24031
Location ID: 722242
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: - 711 Gorman Ave Attn: Katie Blake Laurel, MD 20707-3905 - Phone: 301-776-9677

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153071H	1 (right)	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000038170		R B I	2015	12/07/2021	Recurring Cert	Active	BASEMENT 722
MD153072H	2 (left)	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000038216		R B I	2015	12/07/2021	Recurring Cert	Active	BASEMENT 722
Total Objects at this Location:				2							

Location: Seneca Village
Address: 728 Clopper Rd - Gaithersburg, MD 20878-1324
County: Montgomery **FIPS:** 24031
Location ID: 2146118
Phone: 301 948 9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163114H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000042545		R B I	2014	02/25/2023	Recurring Cert	Active	728 Clopper Rd
MD163115H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000040579		R B I	2014	02/25/2023	Recurring Cert	Active	728 Clopper Rd
Total Objects at this Location:				2							

Location: Seneca Village
Address: 730 Clopper Rd - Gaithersburg, MD 20878-1322
County: Montgomery **FIPS:** 24031
Location ID: 722223
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145990H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000027408		R B I	2012	02/27/2021	Recurring Cert	Active	bldg 730
MD145991H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000027409		R B I	2009	02/27/2021	Recurring Cert	Active	bldg 730

Total Objects at this Location: 2

Location: Seneca Village
Address: 740 Clopper Rd - Gaithersburg, MD 20878-1312
County: Montgomery **FIPS:** 24031
Location ID: 722224
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156096H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000035036		R B I	2014	09/21/2022	Recurring Cert	Active	BSMT 740
MD156097H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000035035		R B I	2014	09/21/2022	Recurring Cert	Active	BSMT 740

Total Objects at this Location: 2

Location: Seneca Village
Address: 746 Clopper Rd - Gaithersburg, MD 20878-1306
County: Montgomery **FIPS:** 24031
Location ID: 722225
Phone: 301-948-9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145992H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000027746		R B I	2010	08/23/2021	Recurring Cert	Active	bldg 746
MD145993H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000027744		R B I	2010	08/23/2021	Recurring Cert	Active	bldg 746
Total Objects at this Location:				2							

Location: Seneca Village
Address: 767 Quince Orchard Blvd - Gaithersburg, MD 20878-1669
County: Montgomery **FIPS:** 24031
Location ID: 722226
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161193H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000279357		Laars	2018	07/26/2022	Recurring Cert	Active	Bldg. 767
MD161194H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000280941		Laars	2018	07/26/2022	Recurring Cert	Active	767 building
Total Objects at this Location:				2							

Location: Seneca Village
Address: 771 Quince Orchard Blvd - Gaithersburg, MD 20878-1651
County: Montgomery **FIPS:** 24031
Location ID: 722227
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145997H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000029461		R B I	2010	08/03/2021	Recurring Cert	Active	building 771
MD145998H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000027365		R B I	2010	08/03/2021	Recurring Cert	Active	building 771
Total Objects at this Location:				2							

Location: Seneca Village
Address: 775 Quince Orchard Blvd - Gaithersburg, MD 20878-1668
County: Montgomery **FIPS:** 24031
Location ID: 722228
Phone: 301 948 9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131970H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000080324		Bradford White	2008	02/28/2021	Recurring Cert	Active	Bsmt of 775 Quince
MD145279H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000089665		Jet Glass	2009	02/28/2021	Recurring Cert	Active	bldg 775
Total Objects at this Location:				2							

Location: Seneca Village
Address: 783 Quince Orchard Blvd - Gaithersburg, MD 20878-1649
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722229
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150874H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000033158		R B I	2015	08/24/2021	Recurring Cert	Active	basement
MD150875H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000037116	11569852	R B I	2015	08/24/2021	Recurring Cert	Active	basement

Total Objects at this Location: 2

Location: Seneca Village
Address: 787 Quince Orchard Blvd - Gaithersburg, MD 20878-1645
County: Montgomery **FIPS:** 24031
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Location ID: 722230
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168862H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000299240		Laars	2019	01/13/2023	Recurring Cert	Active	BASEMENT 787
MD168863H		Vertical Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000299241		Laars	2019	01/13/2023	Recurring Cert	Active	BASEMENT 787

Total Objects at this Location: 2

Location: Seneca Village
Address: 797 Quince Orchard Blvd - Gaithersburg, MD 20878-1635
County: Montgomery **FIPS:** 24031
Location ID: 722231
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188 ext 601 - Email: glens@orlo.com
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188 ext 601 - Email: glens@orlo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161126H	Boiler 1	Horizontal Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000288007		Laars	2018	07/13/2022	Recurring Cert	Active	Basement Boiler Rm
MD161127H	Boiler 2	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000288006		Laars	2018	07/13/2022	Recurring Cert	Active	Basement Boiler Rm

Total Objects at this Location: 2

Location: Seneca Village
Address: 803 Quince Orchard Blvd - Gaithersburg, MD 20878-1629
County: Montgomery **FIPS:** 24031
Location ID: 722232
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152107H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000037607	051570752	R B I	2015	08/13/2021	Recurring Cert	Active	Boiler Room - 803
MD152108H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000037886		R B I	2015	08/03/2021	Recurring Cert	Active	Boiler Room - 803

Total Objects at this Location: 2

Location: Seneca Village
Address: 809 Quince Orchard Blvd - Gaithersburg, MD 20878-1622
County: Montgomery **FIPS:** 24031
Location ID: 722233
Phone: 301 948 9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163104H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000281004		Laars	2018	02/25/2023	Recurring Cert	Active	Basement
MD163107H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000288860		Laars	2018	02/25/2023	Recurring Cert	Active	Basement
Total Objects at this Location:				2							

Location: Seneca Village
Address: 811 Quince Orchard Blvd - Gaithersburg, MD 20878-1620
County: Montgomery **FIPS:** 24031
Location ID: 2208038
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143885H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092696		B & W	2010	02/28/2021	Recurring Cert	Active	Basement
MD143886H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086221		Jet Glass	2009	02/28/2021	Recurring Cert	Active	BASEMENT
Total Objects at this Location:				2							

Location: Seneca Village
Address: 817 Quince Orchard Blvd - Gaithersburg, MD 20878-1666
County: Montgomery **FIPS:** 24031
Location ID: 722236
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127806H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000068554		State Industries	2000	09/21/2022	Recurring Cert	Active	bsmt 746 Clopper Road
MD156098H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 250 F)	000187019		A O Smith	2013	09/21/2022	Recurring Cert	Active	BSMT 817
Total Objects at this Location:				2							

Location: Seneca Village
Address: 827 Quince Orchard Blvd - Gaithersburg, MD 20878-1605
County: Montgomery **FIPS:** 24031
Location ID: 722237
Phone: 301 948-9188
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Glen Supit - Phone: 301-948-9188
Billing Contact: Glen Supit - 750 Clopper Rd Gaithersburg, MD 20878-1304 - Phone: 301-948-9188

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155150H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000029460		R B I	2008	12/22/2022	Recurring Cert	Active	Blr rm
MD155151H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000029694		R B I	2008	12/22/2022	Recurring Cert	Active	BLR rm
Total Objects at this Location:				2							

Location: SeraCare Life Sciences **Location ID:** 715793
Address: 910 Clopper Rd S Building Ste 105 - Gaithersburg, MD 20878-1361 **Phone:** 301-948-7755
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Biological Products, Except Diagnostic Substances
Primary Contact: Debi Fitzwilliam - Phone: 301-591-8209 - Cell: 301-717-5338 - Email: dfitzwilliam@seracare.com
Billing Contact: Debi Fitzwilliam - 910 Clopper Rd Ste 105S Gaithersburg, MD 20878-1361 - Phone: 301-591-8209 - Cell: 301-717-5338 - Email: dfitzwilliam@seracare.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142777		Electric (NOT HLW)	S - Power-Electric Generation (Steam > 15 psig)	000004678	SEB50-188	Consolidated	2005	04/18/2022	Recurring Cert	Active	Autoclave Rm II rm 70
MD142783V		Autoclave	V - Process-Sterilizing	000004703	5901-93	Consolidated	2006	04/29/2023	Recurring Cert	Active	Autoclave Rm II
MD142784V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000581643		Manchester	2006	04/29/2023	Recurring Cert	Active	Comp Rm
Total Objects at this Location:				3							

Location: Shady Grove Center **Location ID:** 724732
Address: 9701 Medical Center Dr - Rockville, MD 20850-3326 **Phone:** 301-315-1993
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Skilled Nursing Care Facilities
Primary Contact: Gary Greene - Phone: 301-315-1993 - Cell: 304-820-8322
Billing Contact: Gary Greene - 9701 Medical Center Dr Rockville, MD 20850-3326 - Phone: 301-315-1993 - Cell: 304-820-8322

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD064861V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000870265		Wood	1985	02/17/2022	Recurring Cert	Active	Boiler Room
MD064862H	BLR-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7FDA-4870	Peerless	1985	02/17/2022	Recurring Cert	Active	Boiler Room
MD064863H	BLR-2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7FDA-4869	Peerless	1985	02/17/2022	Recurring Cert	Active	Boiler Room
MD157246H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000121822	136822	Bradford white	2017	02/17/2022	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				4							

Location: Shady Grove Corp Park **Location ID:** 713668
Address: 4 Choke Cherry Rd - Rockville, MD 20850-4024 **Phone:** 301-255-0856
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Holding and other investment offices
Primary Contact: Chris Ogle - Phone: 240 205 6233
Billing Contact: Chris Ogle - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850-4056 - Phone: 240 205 6233

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004200H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	PO 175	Kewanee	1973	04/29/2021	Recurring Cert	Active	BLRM
MD082588V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000367409		Melben	1992	04/29/2021	External Cert, Recurring Cert	Active	BLRM
Total Objects at this Location:				2							

Location: Shady Grove Corp. Park **Location ID:** 713667
Address: 2 Choke Cherry Rd - Rockville, MD 20850-4063 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Investors, NEC
Primary Contact: Chris Ogle - Phone: 240 205 6233
Billing Contact: Chris Ogle - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850-4056 - Phone: 240 205 6233

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD060807V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000424877		Buckeye	1983	04/29/2021	External Cert, Recurring Cert	Active	BLRM
MD077632H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000127759	127759	Columbia Boiler Co	1990	04/29/2021	External Cert, Recurring Cert	Active	BLRM
Total Objects at this Location:				2							

Location: Shady Grove Exxon
Address: 16705 Crabbs Branch Way - Derwood, MD 20855-2220
County: Montgomery **FIPS:** 24031
Location ID: 3656975
Phone:
NOB/SIC: Gasoline Service Stations
Primary Contact: Shady Grove Exxon
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153845V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000119075		MVE	2000	04/26/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Shady Grove Portfolio
Address: 2092 Gaither Rd - Rockville, MD 20850-4011
County: Montgomery **FIPS:** 24031
Location ID: 3352789
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Yahya Moussaoui - Phone: 301-748-0810
Billing Contact: Yahya Moussaoui - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850 - Phone: 301-748-0810

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100137H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000020572		CAM	1981	04/29/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Shady Grove Portfolio
Address: 2096 Gaither Rd - Rockville, MD 20850-4014
County: Montgomery **FIPS:** 24031
Location ID: 3339136
Phone:
NOB/SIC: Operators of Nonresidential Buildings
Primary Contact: Yahya Moussaoui - Phone: 301-748-0810
Billing Contact: Yahya Moussaoui - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850 - Phone: 301-748-0810

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100136H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003199		Precision	1983	04/29/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Shady Grove Portfolio **Location ID:** 993594
Address: 2098 Gaither Rd - Rockville, MD 20850-4017 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Nonclassifiable Establishments
Primary Contact: Yahya Moussaoui - Phone: 301-748-0810
Billing Contact: Yahya Moussaoui - 4 Choke Cherry Rd Ste 150 Rockville, MD 20850 - Phone: 301-748-0810

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100133H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000020764		CAM INDUST	1982	04/29/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Shalom Strictly Kosher Meats, Inc. **Location ID:** 711954
Address: 1361 Lamberton Drive - Silver Spring, MD 20902-3415 **Phone:** 301-946-6500
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Food stores
Primary Contact: Elissa Weisblatt - Phone: 301-946-6500 - Email: elissa@theshalomgroup.com
Billing Contact: Larry Dekelbaum - 1361 Lamberton Dr Wheaton, MD 20902-3415 - Phone: 301-946-6500 - Cell: 240-832-5079 - Email: larry@theshalomgroup.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066536V		Heat Exchanger - Other w/comment	V - Storage (Cryogenic)	000245402		Standard	1988	06/22/2022	Recurring Cert	Active	Mech rm
MD066537V		Heat Exchanger - Other w/comment	V - Storage (Cryogenic)	000211208		Standard	1985	06/22/2022	Recurring Cert	Active	MECH RM
MD066538V		Heat Exchanger - Other w/comment	V - Storage (Cryogenic)	000240629		Standard	1987	06/22/2022	Recurring Cert	Active	MECH ROOM
MD066539V		Heat Exchanger - Other w/comment	V - Storage (Cryogenic)	000240626		Standard	1987	06/22/2022	Recurring Cert	Active	MECH ROOM
MD074459V		Heat Exchanger - Other w/comment	V - Storage (Cryogenic)	000260001		Standard	1989	06/22/2022	Recurring Cert	Active	MECH ROOM

Total Objects at this Location: 5

Location: Shoppers Food Warehouse #2370 **Location ID:** 724893
Address: 5110 Nicholson Ln - Kensington, MD 20895-1046 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Food stores
Primary Contact: Glenn Mowery - Phone: 301-881-0170
Billing Contact: Glenn Mowery - 5110 Nicholson Ln Kensington, MD 20895-1046 - Phone: 301-881-0170

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113059V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029051		Standard	2000	03/11/2020	Recurring Cert	Active	Motor Room
MD113060V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032413		Standard Refrig. Co.	2000	03/11/2020	Recurring Cert	Active	Motor Room
MD113061V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000029054		Standard	2000	03/11/2020	Recurring Cert	Active	Motor Room
MD113062V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000032412		Standard Refrig. Co.	2000	03/11/2020	Recurring Cert	Active	Comp Room

Total Objects at this Location: 4

Location: ShopRite #544 (Village) **Location ID:** 3052700
Address: 12028 Cherry Hill Rd - Silver Spring, MD 20904-1985 **Phone:** 301-572-2085
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Grocery Stores
Primary Contact: Neil Marra - Phone: 301-572-2085
Billing Contact: John J. Sumas - 733 Mountain Ave Springfield, NJ 07081-3223 - Phone: 973-467-2200 x260

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142983V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012837	RACK C/D	Standard	1997	03/17/2022	Recurring Cert	Active	Roof Top Mechanical Rm
MD142984V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012852	RACK A/B	Standard	1997	03/17/2022	Recurring Cert	Active	Roof Top Mechanic Rm

Total Objects at this Location: 2

Location: Siems Properties
Address: 1000 Quebec Ter - Silver Spring, MD 20903-3101
County: Montgomery **FIPS:** 24031
Primary Contact: Elcira Diaz
Billing Contact: Elcira Diaz - 1002 Quebec Ter Ofc 102 Silver Spring, MD 20903-3110

Location ID: 986928
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118275H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP4683949	Weil-McLain	2003	04/27/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Silver Branch Brewery
Address: 8401 Colesville Rd - Silver Spring, MD 20910-3312
County: Montgomery **FIPS:** 24031
Primary Contact: Christian Layke
Billing Contact: Christian Layke - 8401 Colesville Rd Silver Spring, MD 20910-3312

Location ID: 3922586
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162373		Vertical Tubeless	H - Heating-Cooking (Steam <= 15 psig)	000058028		Lattner Boiler Co	2017	01/31/2023	Recurring Cert	Active	Blrm

Total Objects at this Location: 1

Location: Silver Branch Brewing Co (Arc3)
Address: 8401 Colesville Rd Ste 150 - Silver Spring, MD 20910-3487
County: Montgomery **FIPS:** 24031
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3992599
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165818V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000323836		CHART	2019	11/25/2021	Recurring Cert	Active	Store Room
MD165819V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000294207		CHART	2017	11/25/2021	Recurring Cert	Active	Store Room

Total Objects at this Location: 2

Location: Silver Diner
Address: 12276 Rockville Pike - Rockville, MD 20852-1664
County: Montgomery **FIPS:** 24031
Primary Contact: Bennigans - Phone: 3017762594
Billing Contact: - 12276 Rockville Pike Rockville, MD 20852-1664 - Phone: 3017762594

Location ID: 704326
Phone:
NOB/SIC: Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168889H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000263719		A O Smith	2019	01/28/2023	Recurring Cert	Active	WTR HTR RM

Total Objects at this Location: 1

Location: Silver Diner (Roberts)
Address: 9811 Washingtonian Blvd - Gaithersburg, MD 20878-7306
County: Montgomery **FIPS:** 24031
Primary Contact: Silver Diner (Roberts)
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Location ID: 4048918
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168864V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000320104		CHART	2018	11/30/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Silver Spring House
Address: 555 Thayer Ave - Silver Spring, MD 20910-5361
County: Montgomery **FIPS:** 24031
Primary Contact: Ms. Kimberly Judge - Phone: 301-587-3436
Billing Contact: Ms. Kimberly Judge - 555 Thayer Ave Rental Office Silver Spring, MD 20910-5361 - Phone: 301-587-3436

Location ID: 724998
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094716H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1278	Weil-McLain	1996	11/16/2021	Recurring Cert	Active	BLRM
MD094717H	02	Cast Iron	H - Hot Water Heat (Water <=	CI		Weil-McLain	1996	11/16/2021	Recurring Cert	Active	BLRM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 250 F)								
MD094718H	03	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000066598	H968372	Lochinvar	1996	11/16/2021	Recurring Cert	Active	BLRM
MD140685V	Upper Section of Chiller	Vertical Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000041277		Carrier	2010	11/16/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 4

Location: Silver Spring Ophthalmology
Address: 8630 Fenton St Ste 800 - Silver Spring, MD 20910-3821
County: Montgomery **FIPS:** 24031
Primary Contact: Silver Spring Ophthalmology
Billing Contact:

Location ID: 4030690
Phone: 301-585-8880
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000014257	23023	Wiegand Industrial Div.	1998	06/30/2021	Recurring Cert	Active	Sub-Sterile I
NEW		Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000017265	25571	Chromalox	2001	06/30/2021	Recurring Cert	Active	Sub-Sterile II
NEW		Autoclave	V - Process-Sterilizing	000048669		Amsco	1984	06/30/2022	Recurring Cert	Active	Sub-Sterile II
NEW		Autoclave	V - Process-Sterilizing	000057441		Amsco	1988	06/30/2022	Recurring Cert	Active	Sub-Sterile I

Total Objects at this Location: 4

Location: Site Reality Group
Address: 2141 Industrial Pkwy - Silver Spring, MD 20904-1988
County: Montgomery **FIPS:** 24031
Primary Contact: Aneta Cobbs - Phone: 301-622-9300 x121 - Email: acobbs@siterealitygroup.com
Billing Contact: Aneta Cobbs - 2141 Industrial Pkwy Silver Spring, MD 20904-1988 - Phone: 301-622-9300 x121 - Email: acobbs@siterealitygroup.com

Location ID: 714513
Phone:
NOB/SIC: Operators of Nonresidential Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145276H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000236281		Lochinvar	2012	06/04/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Sky Properties Apts **Location ID:** 716521
Address: 8324 Roanoke Ave - Takoma Park, MD 20912-6208 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Terri Bradshaw - Phone: 301-588-1109 - Cell: 443-682-2023 - Email: tbradshaw@promarkpartners.com
Billing Contact: Facility Manager - 451 Hungerford Dr Ste 700 Rockville, MD 20850-5121 - Phone: 301-795-1400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111885H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2001	07/10/2020	Recurring Cert	Active	Boiler Room
MD111886H	05	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2001	07/10/2020	Recurring Cert	Active	Boiler Room
MD111887H	03	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2001	07/10/2020	Recurring Cert	Active	Boiler Room
MD111888H	02	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2001	07/10/2020	Recurring Cert	Active	Boiler Room
MD111889H	04	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2001	07/10/2020	Recurring Cert	Active	Boiler Room
MD111890H	06	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		WILLIAMSON	2001	07/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: Sky Properties Apts. **Location ID:** 987715
Address: 710 Hudson Ave - Takoma Park, MD 20912-6816 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Terri Bradshaw - Phone: 301-588-1109 - Cell: 443-682-2023 - Email: tbradshaw@promarkpartners.com
Billing Contact: Facility Manager - 451 Hungerford Dr Ste 700 Rockville, MD 20850-5121 - Phone: 301-795-1400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132966H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	07/10/2020	Recurring Cert	Active	Boiler Room
MD132967H	#4	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	07/10/2020	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132968H	#6	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	07/10/2020	Recurring Cert	Active	Boiler Room
MD132969H	#5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	07/10/2020	Recurring Cert	Active	Boiler Room
MD132970H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	07/10/2020	Recurring Cert	Active	Boiler Room
MD132971H	#3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2003	07/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: Sky Properties Apts. **Location ID:** 712308
Address: 8302 Flower Ave - Takoma Park, MD 20912-6742 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Terri Bradshaw - Phone: 301-588-1109 - Cell: 443-682-2023 - Email: tbradshaw@promarkpartners.com
Billing Contact: Facility Manager - 451 Hungerford Dr Ste 700 Rockville, MD 20850-5121 - Phone: 301-795-1400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111043H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	BLR-2	Enerjet Corp.	1999	07/10/2020	Recurring Cert	Active	Boiler Room
MD111044H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	BLR-4	Enerjet Corp.	1999	07/10/2020	Recurring Cert	Active	Boiler Room
MD111045H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	BLR-1	Enerjet Corp.	1999	07/10/2020	Recurring Cert	Active	Boiler Room
MD111046H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	BLR-3	Enerjet Corp.	1999	07/10/2020	Recurring Cert	Active	Boiler Room
MD111047H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	BLR-5	Enerjet Corp.	1999	07/10/2020	Recurring Cert	Active	Boiler Room
MD111048H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	BLR-6	Enerjet Corp.	1999	07/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: Sky Properties Apts. **Location ID:** 2228071
Address: 8308 Roanoke Ave - Takoma Park, MD 20912-6216 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Terri Bradshaw - Phone: 301-588-1109 - Cell: 443-682-2023 - Email: tbradshaw@promarkpartners.com
Billing Contact: Facility Manager - 451 Hungerford Dr Ste 700 Rockville, MD 20850-5121 - Phone: 301-795-1400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128092H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	17094169	Burnham	1980	07/10/2020	Recurring Cert	Active	Boiler Room
MD128093H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1709179	Burnham	1980	07/10/2020	Recurring Cert	Active	Boiler Room
MD128094H	#3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1709148	Burnham	1980	07/10/2020	Recurring Cert	Active	Boiler Room
MD128096H	#5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1909077	Burnham	1980	07/10/2020	Recurring Cert	Active	Boiler Room
MD128097H	#6	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1909087	Burnham	1980	07/10/2020	Recurring Cert	Active	Boiler Room
MD141600H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65232215	Burnham	2010	07/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: Sky Properties Apts. **Location ID:** 2228024
Address: 8318 Roanoke Ave - Takoma Park, MD 20912-6211 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Terri Bradshaw - Phone: 301-588-1109 - Cell: 443-682-2023 - Email: tbradshaw@promarkpartners.com
Billing Contact: Facility Manager - 451 Hungerford Dr Ste 700 Rockville, MD 20850-5121 - Phone: 301-795-1400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128086H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128087H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128088H	#3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128089H	#4	Cast Iron	160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128090H	#5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128091H	#6	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: Sky Properties Apts. **Location ID:** 2228019
Address: 8322 Roanoke Ave - Takoma Park, MD 20912-6209 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Terri Bradshaw - Phone: 301-588-1109 - Cell: 443-682-2023 - Email: tbradshaw@promarkpartners.com
Billing Contact: Facility Manager - 451 Hungerford Dr Ste 700 Rockville, MD 20850-5121 - Phone: 301-795-1400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128074H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128075H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128076H	#3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128077H	#4	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128078H	#5	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room
MD128079H	#6	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Enerjet	1995	07/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: Sky Properties Apts. **Location ID:** 2228023
Address: 8326 Roanoke Ave - Takoma Park, MD 20912-6207 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Terri Bradshaw - Phone: 301-588-1109 - Cell: 443-682-2023 - Email: tbradshaw@promarkpartners.com
Billing Contact: Facility Manager - 451 Hungerford Dr Ste 700 Rockville, MD 20850-5121 - Phone: 301-795-1400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128080H	#1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Teledyne Laars	1990	07/10/2020	Recurring Cert	Active	Boiler Room
MD128081H	#2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Teledyne Laars	1990	07/10/2020	Recurring Cert	Active	Boiler Room
MD128082H	#3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Teledyne Laars	1990	07/10/2020	Recurring Cert	Active	Boiler Room
MD128083H	#4	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Teledyne Laars	1990	07/10/2020	Recurring Cert	Active	Boiler Room
MD128084H	#5	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Teledyne Laars	1990	07/10/2020	Recurring Cert	Active	Boiler Room
MD128085H	#6	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Teledyne Laars	1990	07/10/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 6

Location: Slapfish Rockville (Arc3) **Location ID:** 3918924
Address: 12033 Rockville Pike - Rockville, MD 20852-1603 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Slapfish Rockville (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162944V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000080792		MVE	1998	12/13/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Sligo Creek (Genesis Healthcare) **Location ID:** 728395
Address: 7525 Carroll Ave - Takoma Park, MD 20912-5715 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Health services
Primary Contact: Jose Pastora - Cell: 301-891-4635 - Email: jose.pawtora@genesishcc.com
Billing Contact: Jose Pastora - 7525 Carroll Ave Takoma Park, MD 20912-5715 - Cell: 301-891-4635 - Email: jose.pawtora@genesishcc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD064086V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000037408		Adamson	1968	10/26/2021	Recurring Cert	Active	Boiler Room
MD120114H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000067975		A O Smith	2002	10/26/2021	Recurring Cert	Active	Boiler Room
MD141277V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000030264	3607U30264	Carrier	2007	10/26/2021	Recurring Cert	Active	Boiler Room
MD141280H	59795	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008285	65059795	Thermal Solutions	2008	10/26/2021	Recurring Cert	Active	Boiler Room
MD141281H	59794	Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000008238		Thermal Solutions	2008	10/26/2021	Recurring Cert	Active	Boiler Room
MD158811H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000041741	1428M1002392	A O Smith	2014	10/13/2021	Recurring Cert	Active	boiler room

Total Objects at this Location: 6

Location: Sniders Supermarket **Location ID:** 725147
Address: 1936 Seminary Pl - Silver Spring, MD 20910-1345 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Food stores
Primary Contact: Alex Xenochristos - Phone: 301-589-3240 X 806 - Email: sniderfoods@hotmail.com
Billing Contact: Alex Xenochristos - 1936 Seminary Pl Silver Spring, MD 20910-1345 - Phone: 301 589 3240/ 301-588-3885

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080710V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000283900	RACK-A	Standard Refrig. Co.	1990	08/03/2021	Recurring Cert	Active	Roof Shed
MD080711V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000287147	RACK-B	Standard Refrig. Co.	1991	08/03/2021	Recurring Cert	Active	Roof Shed

Total Objects at this Location: 2

Location: Solaire Apartments
Address: 1150 Ripley St - Silver Spring, MD 20910-3475
County: Montgomery **FIPS:** 24031
Primary Contact: Solaire Apartments
Billing Contact:

Location ID: 4068323
Phone: 591-221-9867
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000151931	F015452	PVI Industries	2020	04/13/2021	Recurring Cert	Active	Penthouse Boiler Room
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000151929	F015951	PVI Industries	2020	04/13/2021	Recurring Cert	Active	Penthouse Boiler Room
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000151620	F105448	PVI Industries	2020	04/13/2021	Recurring Cert	Active	Penthouse Boiler Room
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000151923	F015447	PVI Industries	2020	04/13/2021	Recurring Cert	Active	Penthouse Boiler Room

Total Objects at this Location: 4

Location: SOM-MDOT/SHA/State Hwy/Silver Spring
Address: 12020 Plum Orchard Dr - Silver Spring, MD 20904-7857
County: Montgomery **FIPS:** 24031
Primary Contact: Greg Keenan - Phone: 410-582-5585 - Email: gkeenan@mdot.maryland.gov
Billing Contact: Greg Keenan - 7491 Connelley Dr Bldg 1 Hanover, MD 21076-1701 - Phone: 410-582-5585 - Email: gkeenan@mdot.maryland.gov

Location ID: 1503946
Phone:
NOB/SIC: General Government, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123025V	2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000535902		Manchester	1997	11/03/2022	Recurring Cert	Active	Main Shop
MD123026V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000535904		Manchester	1997	11/03/2022	Recurring Cert	Active	Main Shop
MD123027V	4	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000535903	00000	Manchester	1997	11/03/2022	Recurring Cert	Active	Welding Shop
MD123028V	3	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000535891		Manchester	1997	11/03/2022	Recurring Cert	Active	Welding Shop

Total Objects at this Location: 4

Location: SOM-UMD Shady Grove **Location ID:** 3954813
Address: 9631 Gudesky Dr - Rockville, MD 20850 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Woodrow Mills, Jr - Phone: 301-738-6355 - Cell: 240-882-0229 - Email: wmills@umd.edu
Billing Contact: Woodrow Mills, Jr - 9630 Gudelsky Dr Rockville, MD 20850-3481 - Phone: 301-738-6355 - Cell: 240-882-0229 - Email: wmills@umd.edu

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163267H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	00077078		AIC GOYNIA	2017	06/06/2021	Recurring Cert	Active	South Penthouse Boiler Room
MD163268H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	00077074		AIC GOYNIA	2017	06/06/2021	Recurring Cert	Active	South Penthouse Boiler Room
MD163269H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	00077075		AIC GOYNIA	2017	06/06/2021	Recurring Cert	Active	South Penthouse Boiler Room
MD163270H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	00077813		AIC GOYNIA	2017	06/06/2021	Recurring Cert	Active	South Penthouse Boiler Room
MD163271H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	00077809		AIC GOYNIA	2017	06/06/2021	Recurring Cert	Active	South Penthouse Boiler Room
MD163272H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	00077811		AIC GOYNIA	2017	06/06/2021	Recurring Cert	Active	South Penthouse Boiler Room

Total Objects at this Location: 6

Location: SOM-UMD/Univ of MD-Shady Grove/ BSE Bldg. 4 **Location ID:** 3905054
Address: 9631 Gudelsky Dr - Rockville, MD 20850 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Woody Mills - Phone: 301-738-6302 - Cell: 301-738-6355 - Email: wmills@umd.edu
Billing Contact: - 9636 Gudelsky Dr Rockville, MD 20850-3481 - Phone: 301-738-6302

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166657V	#1	Autoclave	V - Process-Sterilizing	000021033		Steris Corp	2019	01/23/2022	Recurring Cert	Active	Room 2120
MD166658	#1	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000020773		Steris Corp	2019	01/23/2021	Recurring Cert	Active	Room 2120
MD166659V	#2	Autoclave	V - Process-Sterilizing	000021055		Steris Corp	2019	01/23/2022	Recurring Cert	Active	Room 2120

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166660	#2	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000020936		Steris Corp	2019	01/23/2021	Recurring Cert	Active	Room 2120
MD166661V	#3	Autoclave	V - Process-Sterilizing	000021263		Chromalox	2019	01/23/2022	Recurring Cert	Active	Room 4330
MD166662	#3	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000010349		Chromalox	2019	01/23/2021	Recurring Cert	Active	Room 4330
MD166663V	#2	Autoclave	V - Process-Sterilizing	000021250		Chromalox	2019	01/23/2022	Recurring Cert	Active	Room 4330
MD166664	#1	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000010298		Chromalox	2019	01/23/2021	Recurring Cert	Active	Room 4330
MD166665V	#1	Autoclave	V - Process-Sterilizing	000021290		Chromalox	2019	01/23/2022	Recurring Cert	Active	Room 4330
MD166666	#1	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000010337		Chromalox	2019	01/23/2021	Recurring Cert	Active	Room 4330

Total Objects at this Location: 10

Location: Somerset House II Condo Assoc.
Address: 5610 Wisconsin Ave - Chevy Chase, MD 20815-4415
County: Montgomery **FIPS:** 24031
Location ID: 725217
Phone: 301-656-5610
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Monica J Casper - Phone: 301-656-5610 - Cell: 301-968-0575 - Email: manager@somerset2.net
Billing Contact: Monica J Casper - 5610 Wisconsin Ave Chevy Chase, MD 20815-4415 - Phone: 301-656-5610 - Cell: 301-968-0575 - Email: manager@somerset2.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165565H	Air Hnd Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000102983	BLR-1	AIC SA	2019	10/25/2021	Recurring Cert	Active	Penthouse
MD165566H	Air Hnd Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000110079	BLR-2	AIC SA	2019	10/25/2021	Recurring Cert	Active	Penthouse
MD165567H	Air Hnd Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000102982	BLR-3	AIC SA	2019	10/25/2021	Recurring Cert	Active	Penthouse
MD165568H	Air Hnd Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000106918	BLR-4	AIC SA	2019	10/25/2021	Recurring Cert	Active	Penthouse
MD165569H	Ht Pmp Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000106919	BLR-5	AIC SA	2019	10/25/2021	Recurring Cert	Active	Penthouse
MD165570H	Ht Pmp Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000110080	BLR-6	AIC SA	2019	10/25/2021	Recurring Cert	Active	Penthouse

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 250 F)								
MD165571H	Ht Pmp Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000110069	BLR-7	AIC SA	2019	10/25/2021	Recurring Cert	Active	Penthouse
MD165572H	Ht Pmp Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000093676	BLR-8	AIC SA	2018	10/25/2021	Recurring Cert	Active	Penthouse
MD165573H	Ht Pmp Loop	Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000101510	BLR-9	AIC SA	2019	10/25/2021	Recurring Cert	Active	Penthouse
Total Objects at this Location:				9							

Location: Southlawn Auto Recycling
Address: 15101 Southlawn Ln - Rockville, MD 20850-1324
County: Montgomery **FIPS:** 24031
Primary Contact: Billy Shifflett - Phone: 301-340-8733 - Email: southlawnbilly@hotmail.com
Billing Contact: Billy Shifflett - 15101 Southlawn Ln Rockville, MD 20850-1324 - Phone: 301-340-8733 - Email: southlawnbilly@hotmail.com

Location ID: 3301050
Phone:
NOB/SIC: Auto and Home Supply Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156303V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000461276		Morganton	2015	01/04/2021	Recurring Cert	Active	Compressor Shed
Total Objects at this Location:				1							

Location: Spring Ridge Apartments
Address: 374 N Summit Ave - Gaithersburg, MD 20877-3116
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 725537
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158623H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111925		Jet Glass	2015	11/16/2022	Recurring Cert	Active	BLDG 374
Total Objects at this Location:				1							

Location: Spring Ridge Apartments
Address: 376 N Summit Ave - Gaithersburg, MD 20877-3115
County: Montgomery **FIPS:** 24031
Location ID: 725541
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146670H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000096176		Bradford White	2011	11/16/2022	Recurring Cert	Active	BLDG 376

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 378 N Summit Ave - Gaithersburg, MD 20877-3114
County: Montgomery **FIPS:** 24031
Location ID: 3211062
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162300H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000241298		A O Smith	2018	10/19/2022	Recurring Cert	Active	BLDG 378

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 380 N Summit Ave - Gaithersburg, MD 20877-3113
County: Montgomery **FIPS:** 24031
Location ID: 3211052
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162528H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000125206		Jet Glass	2014	12/03/2022	Recurring Cert	Active	BLDG 380

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 382 N Summit Ave - Gaithersburg, MD 20877-3112
County: Montgomery **FIPS:** 24031
Location ID: 725543
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162534H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000112891		State	2015	10/19/2022	Recurring Cert	Active	BLDG 382

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 384 N Summit Ave - Gaithersburg, MD 20877-3111
County: Montgomery **FIPS:** 24031
Location ID: 3211072
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119366H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000075683		State Industries	2002	11/16/2022	Recurring Cert	Active	BLDG 384

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 386 N Summit Ave - Gaithersburg, MD 20877-3110
County: Montgomery **FIPS:** 24031
Location ID: 1866203
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155161H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000214955		A O Smith	2016	11/16/2022	Recurring Cert	Active	BLDG 386

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 388 N Summit Ave - Gaithersburg, MD 20877-3109
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 725544
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168904H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000130849		Bradford White	2019	10/26/2022	Recurring Cert	Active	BLDG 388

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 390 N Summit Ave - Gaithersburg, MD 20877-3108
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 1865724
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162298H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109640		Jet Glass	2014	10/19/2022	Recurring Cert	Active	BLDG 390

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 392 N Summit Ave - Gaithersburg, MD 20877-3107
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 725545
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162533H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000121868		State	2017	10/19/2022	Recurring Cert	Active	BLDG 392

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 394 N Summit Ave - Gaithersburg, MD 20877-3106
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 2547907
Phone: 301-921-9100
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155159H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000117407		Jet Glass	2016	11/16/2022	Recurring Cert	Active	BLDG 394

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 396 N Summit Ave - Gaithersburg, MD 20877-3105
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 3211066
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119365H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000075602		State Industries	2002	11/16/2022	Recurring Cert	Active	BLDG 396

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 398 N Summit Ave - Gaithersburg, MD 20877-3104
County: Montgomery **FIPS:** 24031
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Location ID: 3211057
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155158H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000110620		Jet Glass	2014	11/16/2022	Recurring Cert	Active	BLDG 398

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 400 N Summit Ave - Gaithersburg, MD 20877-3227
County: Montgomery **FIPS:** 24031
Location ID: 725546
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138506H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000077967		Bradford	2007	11/16/2022	Recurring Cert	Active	BLDG 400

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 402 N Summit Ave - Gaithersburg, MD 20877-3226
County: Montgomery **FIPS:** 24031
Location ID: 3211064
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD119364H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000076639		State Industries	2002	11/16/2022	Recurring Cert	Active	BLDG 402

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 404 N Summit Ave - Gaithersburg, MD 20877-3225
County: Montgomery **FIPS:** 24031
Location ID: 725538
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162535H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000119995		State Industries	2016	10/19/2022	Recurring Cert	Active	BLDG 404

Total Objects at this Location: 1

Location: Spring Ridge Apartments
Address: 406 N Summit Ave - Gaithersburg, MD 20877-3224
County: Montgomery **FIPS:** 24031
Location ID: 725539
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Spring Ridge Apartments - Phone: 301-921-9200
Billing Contact: Reyna Romero - 374 N Summit Ave Ste 104 Gaithersburg, MD 20877-3141 - Phone: 301-921-9100 - Email: springridgeapts@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146672H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000091937		Bradford White	2010	11/16/2022	Recurring Cert	Active	BLDG 406
Total Objects at this Location:				1							

Location: Stepping Stones Shelter Inc
Address: 1070 Copperstone Ct - Rockville, MD 20852-1144
County: Montgomery **FIPS:** 24031
Location ID: 3840577
Phone:
NOB/SIC:
Primary Contact: Quincey White - Phone: 434 227 0027
Billing Contact: Quincey White - PO Box 712 Rockville, MD 20848-0712 - Phone: 434 227 0027

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160869H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1988	12/07/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Stratford Terrace Apartments
Address: 9061 Manchester Rd - Silver Spring, MD 20901-4132
County: Montgomery **FIPS:** 24031
Location ID: 725832
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Robelio Salbedor - Phone: 202-423-7910
Billing Contact: Mike Hugill - 5950 Ager Rd Hyattsville, MD 20782-2663 - Phone: 3019495000

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154364H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000062110		PMU	2012	12/03/2021	Recurring Cert	Active	BLRM
Total Objects at this Location:				1							

Location: Striner Building **Location ID:** 725895
Address: 9439 Georgia Ave - Silver Spring, MD 20910-1435 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Nonresidential Buildings
Primary Contact: Sid Menkis Menkis Real Estate - Phone: 301-946-4050 - Email: info@menkis.net
Billing Contact: Sid Menkis Menkis Real Estate - 10410 Kensington Pkwy Ste 109 Kensington, MD 20895-2947 - Phone: 301-946-4050 - Email: info@menkis.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD048310H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000091661		A O Smith	1979	07/08/2021	External Cert, Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Suburban Towers **Location ID:** 725934
Address: 8600 16th St - Silver Spring, MD 20910-2259 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Suburban Towers
Billing Contact: Rick Miller - 4800 Montgomery Ln Fl 10 Bethesda, MD 20814-3472 - Email: rmiller@dreyfuss.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120723H	01	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2003-30	HB Smith	2003	04/19/2022	Recurring Cert	Active	BLRM
MD120724H	02	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2003-28	HB Smith	2003	04/19/2022	Recurring Cert	Active	BLRM
MD120725H	03	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	2003-29	H B Smith	2003	04/19/2022	Recurring Cert	Active	boiler room
Total Objects at this Location:				3							

Location: Subway (NuCo2) # 480929 **Location ID:** 3634784
Address: 18010 Mateny Rd - Germantown, MD 20874-2112 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com
Billing Contact: - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160909V	A845934	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000034459	444-049-N8	Taylor-Wharton	1997	04/07/2022	Recurring Cert	Active	KITCHEN

Total Objects at this Location: 1

Location: Summit Crest Apartments **Location ID:** 3660154
Address: 24 N Summit Dr - Gaithersburg, MD 20877-3040 **Phone:** 301-948-0774
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: Manager on Duty - Phone: 301-948-0774
Billing Contact: Manager on Duty - 38 N Summit Dr Gaithersburg, MD 20877-3009 - Phone: 301-948-0774

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154641H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000269230		Laars	2015	10/27/2022	Recurring Cert	Active	Laundry

Total Objects at this Location: 1

Location: Summit Hall **Location ID:** 725989
Address: 15A Water St - Gaithersburg, MD 20877-1938 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Operators of Apartment Buildings
Primary Contact: David Reyes - Phone: 301 674 0395
Billing Contact: David Reyes - 15A Water St Gaithersburg, MD 20877-1938 - Phone: 301 674 0395

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161622H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000078162	106726002AT2 9090019	Navien American	2017	04/05/2022	Recurring Cert	Active	Blrm Bldg A
MD161623H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000077549	106726002AT2 3090171	Navien American	2017	04/05/2022	Recurring Cert	Active	Blrm Bldg A

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161624H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000078156	06726002AT29090013	Navien American	2017	04/05/2022	Recurring Cert	Active	Blrm Bldg A

Total Objects at this Location: 3

Location: Summit Hall
Address: 15B Water St - Gaithersburg, MD 20877-1939
County: Montgomery **FIPS:** 24031
Primary Contact: David Reyes - Phone: 301 674 0395
Billing Contact: David Reyes - 15B Water St Gaithersburg, MD 20877-1939 - Phone: 301 674 0395

Location ID: 3094451

Phone:

NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161625H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000078152	106726002AT29090009	Navien American	2017	04/05/2022	Recurring Cert	Active	Blrm Bldg B
MD161626H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000078155	106726002AT29070012	Navien American	2017	04/05/2022	Recurring Cert	Active	Blrm Bldg B
MD161627H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	000078157	106726002AT29090014	Navien American	2017	04/05/2022	Recurring Cert	Active	Blrm Bldg B

Total Objects at this Location: 3

Location: Sunbelt Rentals - 156
Address: 18900 Earhart Ct - Montgomery Vlg, MD 20879-5509
County: Montgomery **FIPS:** 24031
Primary Contact: Kim Cook - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com
Billing Contact: Kim Cook - PO Box 410928 Charlotte, NC 28241-0928 - Phone: 803-578-5921 - Email: kcook@sunbeltrentals.com

Location ID: 2910450

Phone: 301-948-8808

NOB/SIC: Construction Machinery and Equipment

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143733V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000377752		Melben	1992	03/12/2023	Recurring Cert	Active	shop

Total Objects at this Location: 1

Location: Sunoco #0716-8529 (Sunoco) **Location ID:** 3992231
Address: 971 Quince Orchard Rd - Gaithersburg, MD 20878-1906 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Sunoco #0716-8529 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165821V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000969143		Buckeye	1990	11/19/2021	Recurring Cert	Active	Car Wash
Total Objects at this Location:				1							

Location: Sunoco - 0394-4857 **Location ID:** 4049131
Address: 4100 Aspen Hill Rd - Rockville, MD 20853-2802 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Sunoco - 0394-4857
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167754V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000656334		Steel Fab	2011	11/30/2022	Recurring Cert	Active	Outside Closet
MD167755V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001164736		Manchester	2001	11/30/2022	Recurring Cert	Active	Car Wash
Total Objects at this Location:				2							

Location: Sunoco - 4753 **Location ID:** 4044836
Address: 14031 Georgia Ave - Silver Spring, MD 20906-2929 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169335V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000030211		Brunner	1987	10/13/2022	Recurring Cert	Active	Store Room

Total Objects at this Location:

1

Location: Sunrise Brighton Gardens at Tuckerman Lane
Address: 5550 Tuckerman Ln - Rockville, MD 20852-4683
County: Montgomery **FIPS:** 24031
Location ID: 705101
Phone: 301-897-8566
NOB/SIC: Intermediate Care Facilities
Primary Contact: David Leary - Phone: 301-370-9140 - Email: tuckerman.mc@sunriseseniorliving.com
Billing Contact: David Leary - 5550 Tuckerman Ln Rockville, MD 20852-4683 - Phone: 301-370-9140 - Email: tuckerman.mc@sunriseseniorliving.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD108303H	PTOHGH	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	BLR-1	Peerless	1997	06/09/2023	Recurring Cert	Active	Mechanical Room
MD108306V		Vertical Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000068524		A O Smith	1997	06/09/2023	Recurring Cert	Active	Mechanical Room
MD108309H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000039828		A O Smith	1997	06/09/2023	Recurring Cert	Active	Mechanical Room
MD108310V		Vertical Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000069688		A O Smith	1997	02/11/2023	Recurring Cert	Active	Mechanical Room
MD108311H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000039818		A O Smith	1997	06/09/2023	Recurring Cert	Active	Mechanical Room
MD132984H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000006363		A O Smith	2005	06/09/2023	Recurring Cert	Active	Mechanical Room
MD152149H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C43322		A O Smith	2015	06/02/2023	Recurring Cert	Active	Mechanical Room
MD152150V		Vertical Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000194969		A O Smith	2014	02/11/2022	Recurring Cert	Active	Mechanical Room
MD164298H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000005495		Fulton	2018	05/20/2023	Recurring Cert	Active	Mechanical Room
NEW		Vertical Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000109895		Niles	2019	03/09/2023	Recurring Cert	Active	Mechanical Room

Total Objects at this Location:

10

Location: Taco Bell
Address: 13830 Georgia Ave - Silver Spring, MD 20906-2924
County: Montgomery **FIPS:** 24031
Location ID: 3635107
Phone: 301-871-9286
NOB/SIC:
Primary Contact: Manager on Duty - Phone: 301-871-9286
Billing Contact: Manager on Duty - 13830 Georgia Ave Silver Spring, MD 20906-2924 - Phone: 301-871-9286

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163225V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000052877		MVE Inc	1996	06/05/2021	Recurring Cert	Active	Outside Shed
Total Objects at this Location:				1							

Location: Tacos Tortas & Tequila (Arc3)
Address: 8407 Ramsey Ave - Silver Spring, MD 20910-3324
County: Montgomery **FIPS:** 24031
Location ID: 3989309
Phone:
NOB/SIC: Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165593V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000122850		MVE Inc	2000	11/07/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: Takoma Academy Preparatory School
Address: 8300 Carroll Ave - Takoma Park, MD 20912-7344
County: Montgomery **FIPS:** 24031
Location ID: 725093
Phone: 301-434-1417
NOB/SIC: Elementary and Secondary Schools
Primary Contact: Tustian James - Phone: 301-422-3858
Billing Contact: Tustian James - 8300 Carroll Ave Takoma Park, MD 20912-7344 - Phone: 301-422-3858

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118861V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00022518M		Brunner	2000	08/31/2020	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Target
Address: 12000 Cherry Hill Rd - Silver Spring, MD 20904-1985
County: Montgomery **FIPS:** 24031
Primary Contact: Target
Billing Contact:

Location ID: 3635208
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163223V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000203285		CHART	2009	06/05/2021	Recurring Cert	Active	food avenue

Total Objects at this Location: 1

Location: Target
Address: 20900 Frederick Rd - Germantown, MD 20876-4119
County: Montgomery **FIPS:** 24031
Primary Contact: Manager on Duty - Phone: 301-515-6882
Billing Contact: - 20900 Frederick Rd Germantown, MD 20876-4119

Location ID: 3635203
Phone: 301-515-6882
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163218V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000154148	CCQP04F115	CHART	2004	06/04/2021	Recurring Cert	Active	Break Rm closet

Total Objects at this Location: 1

Location: Target
Address: 25 Grand Corner Ave - Gaithersburg, MD 20878-7305
County: Montgomery **FIPS:** 24031
Primary Contact: Manager on Duty - Phone: 301-721-1760
Billing Contact: - 25 Grand Corner Ave Gaithersburg, MD 20878-7305

Location ID: 3635213
Phone: 301-721-1760
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163220V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000044380		Taylor	1999	06/04/2021	Recurring Cert	Active	Front ludoor Storage Rm

Total Objects at this Location: 1

Location: Taylor Denchfield Properties
Address: 905 Fairview Ave - Takoma Park, MD 20912-5963
County: Montgomery **FIPS:** 24031
Location ID: 707919
Phone: 703-201-1095
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Taylor Denchfield - Phone: 301-559-7500 - Email: taylor@alanmanagement.com
Billing Contact: Taylor Denchfield - 5920 Ager Rd Hyattsville, MD 20782-2663 - Phone: 301-559-7500 - Email: taylor@alanmanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153490H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000083689	7971-20150213-1048	Navien	2015	01/15/2022	Recurring Cert	Active	Laundry Room
Total Objects at this Location:				1							

Location: Temple Emanuel
Address: 10101 Connecticut Ave - Kensington, MD 20895-3803
County: Montgomery **FIPS:** 24031
Location ID: 726417
Phone:
NOB/SIC: Membership organizations
Primary Contact: Temple Emanuel - Phone: 3019422000
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165146H	left	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Dunkirk	1995	08/30/2021	Recurring Cert	Active	Equipment Rm
MD165147H	right	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Dunkirk	1995	08/30/2021	Recurring Cert	Active	Equipment Rm
MD165148H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000065856		A O Smith	2001	08/30/2021	Recurring Cert	Active	Equipment Rm
Total Objects at this Location:				3							

Location: The Big Greek Cafe (Arc3) **Location ID:** 3974083
Address: 4806 Rugby Ave - Bethesda, MD 20814-3012 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165192V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000130045		CHART	2001	10/02/2021	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: The Capital Grille **Location ID:** 3964325
Address: 5310 Western Ave - Chevy Chase, MD 20815-3775 **Phone:** 301-718-7812
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Manager on Duty - Phone: 301-718-7812
Billing Contact: Manager on Duty - 5310 Western Ave Chevy Chase, MD 20815-3775 - Phone: 301-718-7812

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164648H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000251826		A O Smith	2019	07/24/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: The Encore at Wheaton Station **Location ID:** 728943
Address: 10901 Amherst Ave - Wheaton, MD 20902-4367 **Phone:** 301-933-1130
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Rooming and Boarding Houses
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141073H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000151369		A O Smith	2010	06/08/2022	Recurring Cert	Active	Building 10901
MD141074H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000150737		A O Smith	2010	06/08/2022	Recurring Cert	Active	Building 10901

Total Objects at this Location: 2

Location: The Encore at Wheaton Station
Address: 10902 Bucknell Dr - Silver Spring, MD 20902-4360
County: Montgomery **FIPS:** 24031
Location ID: 728953
Phone: 301.933.1130
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141406H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000150547		A O Smith	2010	06/08/2022	Recurring Cert	Active	BLDG 10902
MD141407H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000150095		A O Smith	2010	06/08/2022	Recurring Cert	Active	BLDG 10902

Total Objects at this Location: 2

Location: The Encore at Wheaton Station
Address: 10906 Bucknell Dr - Silver Spring, MD 20902-4392
County: Montgomery **FIPS:** 24031
Location ID: 728954
Phone: 301 933 1130
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141070H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000150382		A O Smith	2010	06/08/2022	Recurring Cert	Active	BLDG 10906
MD141408H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000135893		A O Smith	2009	06/08/2022	Recurring Cert	Active	BLDG 10906
MD141409H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000133380		A O Smith	2008	06/08/2022	Recurring Cert	Active	BLDG 10906

Total Objects at this Location: 3

Location: The Encore at Wheaton Station
Address: 10909 Amherst Ave - Wheaton, MD 20902-4371
County: Montgomery **FIPS:** 24031
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

Location ID: 728949
Phone: 301-933-1130
NOB/SIC: Rooming and Boarding Houses

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141075H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000151366		A O Smith	2010	06/08/2022	Recurring Cert	Active	Building 10909
MD141076H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000151368		A O Smith	2010	06/08/2022	Recurring Cert	Active	Building 10909
MD141077H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000151386		A O Smith	2010	06/08/2022	Recurring Cert	Active	Building 10909
Total Objects at this Location:				3							

Location: The Encore at Wheaton Station
Address: 10913 Amherst Ave - Wheaton, MD 20902-4373
County: Montgomery **FIPS:** 24031
Primary Contact: Tonia Cherry-Virachittevin - Phone: 301-933-1130
Billing Contact: Tonia Cherry-Virachittevin - 10898 Bucknell Dr Silver Spring, MD 20902-4324 - Phone: 301-933-1130

Location ID: 728951
Phone: 301-933-1130
NOB/SIC: Rooming and Boarding Houses

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141071H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000151371		A O Smith	2010	06/08/2022	Recurring Cert	Active	BLDG 10913
MD141072H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000151387		A O Smith	2010	06/08/2022	Recurring Cert	Active	BLDG 10913
Total Objects at this Location:				2							

Location: The Gateway
Address: 933 Clopper Rd - Gaithersburg, MD 20878-1228
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720323
Phone: 301-948-2580
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150878H		Water Heater (HLW)	O - Other (Blr Use) w/comment	000107220		Bradford White	2014	07/29/2021	Recurring Cert	Active	Storage/Water Heater Rm 933
Total Objects at this Location:				1							

Location: The Gateway
Address: 939 Clopper Rd - Gaithersburg, MD 20878-1225
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720324
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140823H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000091206	106206	Bradford White	2010	07/29/2021	Recurring Cert	Active	bldg 939 Storage/Water Heater Rm
Total Objects at this Location:				1							

Location: The Gateway
Address: 943 Clopper Road - Gaithersburg, MD 20878-1223
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720325
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139506H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000089651	104651	Bradford White	2009	07/29/2021	Recurring Cert	Active	Bldg 943 Storage & Wtr Htr Room
MD157209H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000217852	217852	Bradford	2016	07/29/2021	Recurring Cert	Active	Bldg 943 Storage/Wtr Htr Rm
Total Objects at this Location:				2							

Location: The Gateway
Address: 949 Clopper Rd - Gaithersburg, MD 20878-1220
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 2129689
Phone: 301-948-2580
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127841H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000065737	80737	Bradford White	2004	07/29/2021	Recurring Cert	Active	Bldg 949 Storage/Wtr Htr Rm
MD152105H		Cast Iron	H - Hot Water Supply (Water <= 160 psig, 210 F)	000106141	121141	Bradford White	2013	07/29/2021	Recurring Cert	Active	Bldg 949 Storage/water heater room

Total Objects at this Location: 2

Location: The Gateway
Address: 959 Clopper Road - Gaithersburg, MD 20878-1215
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720326
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145976H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000165088	165088	A O Smith	2011	07/29/2021	Recurring Cert	Active	Bldg 959 Storage/Wtr Htr Rm
MD156548H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000226906		A O Smith	2017	07/29/2021	Recurring Cert	Active	Bldg 959 Wtr Htr Room

Total Objects at this Location: 2

Location: The Gateway
Address: 961 Clopper Rd - Gaithersburg, MD 20878-1214
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720327
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140825H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092699	107699	Bradford White	2010	07/29/2021	Recurring Cert	Active	Bldg 961 Storage/Wtr Htr Room
MD152104H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000103818	118818	Bradford White	2013	07/29/2021	Recurring Cert	Active	Bldg 961 Storage/Water Heater rm
Total Objects at this Location:				2							

Location: The Gateway
Address: 971 Clopper Road - Gaithersburg, MD 20878-1209
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720328
Phone: 301-948-2580
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145977H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000095466	110466	Bradford White	2011	07/29/2021	Recurring Cert	Active	Bldg 971 Storage/Wtr Htr Rm
MD152103H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000106136	121136	Bradford White	2013	07/29/2021	Recurring Cert	Active	Bldg 971 Storage/Wtr Htr Rm
Total Objects at this Location:				2							

Location: The Gateway
Address: 977 Clopper Rd - Gaithersburg, MD 20878-1206
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720329
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152102H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000103834	0118834	Bradford White	2013	07/29/2021	Recurring Cert	Active	Bldg 977 Storage/Wtr Htr Rm

Total Objects at this Location: 1

Location: The Gateway
Address: 983 Clopper Rd - Gaithersburg, MD 20878-1203
County: Montgomery **FIPS:** 24031
Primary Contact: The Gateway - Phone: 301-948-2580
Billing Contact: - 925 Clopper Rd Ste A Gaithersburg, MD 20878-1200 - Phone: 301-948-2580

Location ID: 720330
Phone: 301-948-2580
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142773H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090729	105729	Bradford White	2010	07/29/2021	Recurring Cert	Active	Bldg 983 Storage/Wtr Htr Room
MD150879H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000110642	125642	Bradford White	2015	07/29/2021	Recurring Cert	Active	Storage/Water Heater Rm

Total Objects at this Location: 2

Location: The Greens
Address: 15101 Interlachen Dr - Silver Spring, MD 20906-5601
County: Montgomery **FIPS:** 24031
Primary Contact: Vince Turner - Phone: 301 598 1505 - Email: mutual20A@verizon.net
Billing Contact: Vince Turner - 15107A Interlachen Dr Silver Spring, MD 20906-5601 - Phone: 301 598 1505 - Email: mutual20A@verizon.net

Location ID: 712699
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157294H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000303480		Lochinvar	2017	08/08/2021	Recurring Cert	Active	Boiler Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157295H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000302705		Lochinvar	2017	08/08/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: The Greens at Leisure World II
Address: 15100 Interlachen Dr - Silver Spring, MD 20906-5611
County: Montgomery **FIPS:** 24031
Primary Contact: Robert Brunelle - Phone: 301-598-1530 - Email: greenstwo@lwmc.com
Billing Contact: Robert Brunelle - 15100 Interlachen Dr Apt 106 Silver Spring, MD 20906-5602 - Phone: 301-598-1530 - Email: greenstwo@lwmc.com

Location ID: 712702

Phone:

NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110325H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000061670		A O Smith	2001	10/02/2021	Recurring Cert	Active	Boiler Room
MD110326H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000060177		A O Smith	2000	10/02/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: The Greens at Leisure World II
Address: 15115 Interlachen Dr - Silver Spring, MD 20906-5636
County: Montgomery **FIPS:** 24031
Primary Contact: Robert Brunelle - Phone: 301-598-1530 - Email: greenstwo@lwmc.com
Billing Contact: Robert Brunelle - 15100 Interlachen Dr Apt 106 Silver Spring, MD 20906-5602 - Phone: 301-598-1530 - Email: greenstwo@lwmc.com

Location ID: 716446

Phone:

NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110329H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000061792		A O Smith	2001	10/02/2021	Recurring Cert	Active	Boiler Room
MD110330H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000061782		A O Smith	2001	10/02/2021	Recurring Cert	Active	15115 Boiler Room

Total Objects at this Location: 2

Location: The Monterey Apartments
Address: 5901 Montrose Rd - North Bethesda, MD 20852-4753
County: Montgomery **FIPS:** 24031
Primary Contact: Bilawa
Billing Contact: Bilawa - 5901 Montrose Rd North Bethesda, MD 20852-4753

Location ID: 720978
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107729V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000196955		Carrier	1995	09/22/2021	External Cert	Active	Blrm
MD107730V		Heat Exchanger - Shell and Tube	V - Storage (Cryogenic)	000196938		Carrier	1995	09/22/2021	External Cert	Active	Blrm
MD117905H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)		003315211	Dedietrich	2002	09/22/2021	External Cert	Active	Blrm
MD117906H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)		003315212	Dedietrich	2002	09/22/2021	External Cert	Active	Blrm
MD117907H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)		003315213	Dedietrich	2002	09/22/2021	External Cert	Active	Blrm
MD117908H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)		3315214	Dedietrich	2002	09/22/2021	External Cert	Active	Blrm
Total Objects at this Location:				6							

Location: The Point at Silver Spring
Address: 8715 1st Ave - Silver Spring, MD 20910-3556
County: Montgomery **FIPS:** 24031
Primary Contact: Anthony Quebral - Phone: 301-563-1010 - Cell: 301-221-0935 - Email: aquebral@panocomgt.com
Billing Contact: Anthony Quebral - 8750 Georgia Ave Silver Spring, MD 20910-3603 - Phone: 301-563-1010 - Cell: 301-221-0935 - Email: aquebral@panocomgt.com

Location ID: 3491616
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001903H	3	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003580		Superior Boiler Works	1966	03/01/2022	External Cert	Active	Boiler Room CD
MD001904H	4	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003579		Superior Boiler Works	1966	03/01/2022	External Cert	Active	Boiler Room CD
Total Objects at this Location:				2							

Location: The Point at Silver Spring
Address: 8750 Georgia Ave - Silver Spring, MD 20910-3603
County: Montgomery **FIPS:** 24031
Location ID: 711892
Phone: 301-563-1010
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Anthony Quebral - Phone: 301-563-1010 - Cell: 301-221-0935 - Email: aquebral@panocomgt.com
Billing Contact: Anthony Quebral - 8750 Georgia Ave Silver Spring, MD 20910-3603 - Phone: 301-563-1010 - Cell: 301-221-0935 - Email: aquebral@panocomgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD001901H	1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003581		Superior Boiler Works	1966	03/01/2022	External Cert	Active	Boiler Room AB
MD001902H	2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000003582		Superior Boiler Works	1966	03/01/2022	External Cert	Active	Boiler Room AB
Total Objects at this Location:				2							

Location: The Point At Watkins Mill
Address: 113 Watkins Station Cir - Gaithersburg, MD 20879-3357
County: Montgomery **FIPS:** 24031
Location ID: 718889
Phone: 301-977-0007
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153780H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000110918	123918	Bradford White	2015	02/08/2022	Recurring Cert	Active	Maintenance/Boiler Room
Total Objects at this Location:				1							

Location: The Point At Watkins Mill
Address: 121 Watkins Station Cir - Gaithersburg, MD 20879-3353
County: Montgomery **FIPS:** 24031
Location ID: 3486590
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166735H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000235918	235918	A O Smith	2018	03/10/2022	Recurring Cert	Active	Maintenance/Boiler Room

Total Objects at this Location: 1

Location: The Point At Watkins Mill
Address: 133 Watkins Station Cir - Gaithersburg, MD 20879-3347
County: Montgomery **FIPS:** 24031
Location ID: 3486591
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153794H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000110307	125307	Bradford White	2014	02/08/2022	Recurring Cert	Active	Maintenance/Boiler Room
Total Objects at this Location:				1							

Location: The Point At Watkins Mill
Address: 141 Watkins Station Cir - Gaithersburg, MD 20879-3343
County: Montgomery **FIPS:** 24031
Location ID: 3486592
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153795H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000195136	195936	A O Smith	2014	02/08/2022	Recurring Cert	Active	Maintenance/Boiler Room
Total Objects at this Location:				1							

Location: The Point At Watkins Mill
Address: 166 Watkins Station Circle - Gaithersburg, MD 20879-3331
County: Montgomery **FIPS:** 24031
Location ID: 3210256
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Adon Sandoval - Cell: 703-401-1403 - Email: asandoval@pancomgt.com
Billing Contact: Darrell Carter - 180 Watkins Station Cir Gaithersburg, MD 20879-3311 - Phone: 301-997-0007 - Cell: 202-607-5590

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142131H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000088288	103288	Bradford White	2009	02/08/2022	Recurring Cert	Active	Maintenance/Boiler Room
Total Objects at this Location:				1							

Location: The Victoria
Address: 10416 Fawcett St - Kensington, MD 20895-3338
County: Montgomery **FIPS:** 24031
Primary Contact: Matthwe Kirvan - Cell: 301-512-8928
Billing Contact: Matthwe Kirvan - PO Box 76 Kensington, MD 20895-0076 - Cell: 301-512-8928

Location ID: 726485
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155246H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000327320		Lochinvar	2014	01/12/2022	Recurring Cert	Active	BOILER ROOM

Total Objects at this Location: 1

Location: The Warwick Apartments
Address: 1131 University Blvd W - Silver Spring, MD 20902-3357
County: Montgomery **FIPS:** 24031
Primary Contact: Chantise Batts - Phone: 301-649-3100 - Email: chantise@bdmere.com
Billing Contact: Jay Silver - 115 Sudbrook Ln Ste 200 Baltimore, MD 21208-3878 - Cell: 410-218-2266 - Email: Jay@BDMGRE.com

Location ID: 728375
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148359H	Boiler 1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000032935		R B I	2013	04/18/2022	External Cert	Active	Boiler Room
MD148360H	Boiler 2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000032952		R B I	2013	04/18/2022	External Cert	Active	Boiler Room
MD148361H	Boiler 3	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000033094		R B I	2013	04/18/2022	External Cert	Active	Boiler Room
MD148362H	Boiler 4	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000033067		R B I	2013	04/18/2022	External Cert	Active	Boiler Room
MD148363H	Boiler #6	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000033050		R B I	2013	04/18/2022	External Cert	Active	Boiler Room

Total Objects at this Location: 5

Location: Tires Plus - 240633 **Location ID:** 2974385
Address: 861 Russell Ave - Gaithersburg, MD 20879-3505 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Tire Retreading and Repair Shops
Primary Contact: Store Manager - Phone: 301-637-8155
Billing Contact: Store Manager - 861 Russell Ave Gaithersburg, MD 20879-3505 - Phone: 301-637-8155

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142136V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000256069		Manchester	2003	04/24/2023	Recurring Cert	Active	Storage
MD142137V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000268914		Manchester	2004	04/24/2023	Recurring Cert	Active	Storage
Total Objects at this Location:				2							

Location: Tires Plus - 240640 **Location ID:** 2974892
Address: 15412 Old Columbia Pike - Burtonsville, MD 20866-1632 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Auto and Home Supply Stores
Primary Contact: Tires Plus - 240640
Billing Contact:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140578V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000616211		Steel Fab	2010	04/24/2021	Recurring Cert	Active	Storage last bay
MD140579V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000616525		Steel Fab	2010	04/24/2021	Recurring Cert	Active	Storage - Last Bay
Total Objects at this Location:				2							

Location: Tires Plus - 240645
Address: 1301 E Gude Dr - Rockville, MD 20850-1337
County: Montgomery **FIPS:** 24031
Primary Contact: Elianne Kempself - Phone: 1-800-269-4424/703-481-2299
Billing Contact: Manager on Duty - 1301 E Gude Dr Rockville, MD 20850-1337

Location ID: 2974386
Phone: 301-279-5400
NOB/SIC: Automotive Repair Shops, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142570V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000658097		Steel Fab	2010	05/28/2023	Recurring Cert	Active	Storage
MD142574V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000355040		Melben	1992	05/28/2023	Recurring Cert	Active	Storage

Total Objects at this Location: 2

Location: Tolker Auto Service
Address: 427 E Diamond Ave - Gaithersburg, MD 20877-3066
County: Montgomery **FIPS:** 24031
Primary Contact: Demitry Tepelboym - Phone: 301-869-9360
Billing Contact:

Location ID: 726708
Phone:
NOB/SIC: Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD009246V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000592525		Buckeye	1985	05/28/2021	Recurring Cert	Active	Top/Utility Rm

Total Objects at this Location: 1

Location: Tony's Corvette Shop
Address: 19210 Woodfield Rd - Gaithersburg, MD 20879-4721
County: Montgomery **FIPS:** 24031
Primary Contact: Tony Avedisian - Phone: 301-987-0565
Billing Contact: Tony Avedisian - 7500 Rickenbacker Dr Gaithersburg, MD 20879-4730 - Phone: 301-987-0565

Location ID: 723580
Phone:
NOB/SIC: Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133176V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000155		Manchester	2002	08/23/2022	Recurring Cert	Active	Outdoor shed

Total Objects at this Location: 1

Location: Tonys Auto Body **Location ID:** 726730
Address: 1818 Chapman Ave - Rockville, MD 20852-1615 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** General Automotive Repair Shops
Primary Contact: Anthony Musumeci - Phone: 301-881-8670 - Email: amusum8967@gmail.com
Billing Contact: Anthony Musumeci - 1818 Chapman Ave Rockville, MD 20852-1615 - Phone: 301-881-8670 - Email: amusum8967@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097626V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000199689		Kargard	1966	06/29/2020	Recurring Cert	Active	SHOP
MD097627V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000374834		Pressed Steel	1953	06/29/2020	Recurring Cert	Active	SHOP

Total Objects at this Location: 2

Location: Topgolf **Location ID:** 4002538
Address: 20101 Century Blvd - Germantown, MD 20874-1107 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Public Golf Courses
Primary Contact: Topgolf
Billing Contact: Rocco Gravasc - 20101 Century Blvd Germantown, MD 20874-1107 - Phone: 240-644-6014

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165841H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000229217		A O Smith	2017	12/10/2021	Recurring Cert	Active	Equipment Rm
MD165842H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000258084		A O Smith	2017	12/10/2021	Recurring Cert	Active	Equipment Rm

Total Objects at this Location: 2

Location: Touchless Car Wash
Address: 104 N Frederick Ave - Gaithersburg, MD 20877-2411
County: Montgomery **FIPS:** 24031
Location ID: 726764
Phone: 301-948-3346
NOB/SIC: Services, NEC
Primary Contact: Tony Atalah - Phone: 301 948 3346
Billing Contact: Tony Atalah - 104 N Frederick Ave Gaithersburg, MD 20877-2411 - Phone: 301 948 3346

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139507H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000087406		Rheem/Ruud	2000	01/12/2022	Recurring Cert	Active	MECH RM
MD139508V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000943244		Buckeye	1990	01/12/2022	Recurring Cert	Active	MECH RM
MD139509V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001196382		Manchester	2001	01/12/2022	Recurring Cert	Active	MECH RM
Total Objects at this Location:				3							

Location: Town Center Exxon - Sun Petro
Address: 200 N Washington St - Rockville, MD 20850-1701
County: Montgomery **FIPS:** 24031
Location ID: 4038771
Phone:
NOB/SIC:
Primary Contact: Town Center Exxon - Sun Petro
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166748V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001112562		Manchester	2001	08/27/2022	Recurring Cert	Active	Shop
Total Objects at this Location:				1							

Location: Towne Place Suites
Address: 212A Perry Pkwy - Gaithersburg, MD 20877-2100
County: Montgomery **FIPS:** 24031
Location ID: 3491618
Phone:
NOB/SIC: Hotels and Motels
Primary Contact: Andrew Damoah - Phone: 301-590-2300 - Cell: 240-653-0906 - Email: andrew.damoah@bfsaul.com
Billing Contact: Andrew Damoah - 212A Perry Pkwy Gaithersburg, MD 20877-2100 - Phone: 301-590-2300 - Cell: 240-653-0906 - Email: andrew.damoah@bfsaul.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148127H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000098783		Lochinvar	1999	03/24/2022	External Cert	Active	Boiler Room A
MD148128H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000099037		Lochinvar	1999	03/24/2022	External Cert	Active	Boiler Room A
MD148129H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000098791		Lochinvar	1999	03/24/2022	External Cert	Active	Boiler Room B
MD160220H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000290493		Lochinvar	2016	03/21/2022	External Cert	Active	Boiler Room B

Total Objects at this Location: 4

Location: TPC Avenel
Address: 10000 Oaklyn Dr - Potomac, MD 20854-5497
County: Montgomery **FIPS:** 24031
Location ID: 721256
Phone:
NOB/SIC: Organization Hotels and Lodging Houses, on Membership Basis
Primary Contact: TPC Avenel - Phone: 3014693700
Billing Contact: - 10000 Oaklyn Dr Potomac, MD 20854-5497 - Phone: 3014693700

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145914H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000175209		A O Smith	2012	01/21/2023	Recurring Cert	Active	Storage Room
MD145915V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000384974		Manchester	2004	01/21/2023	Recurring Cert	Active	Shop

Total Objects at this Location: 2

Location: Tri State Stone & Building Supply
Address: 8200 Seven Locks Road - Bethesda, MD 20817
County: Montgomery **FIPS:** 24031
Primary Contact: Tri State Stone & Building Supply - Phone: 301-365-2100
Billing Contact: - PO Box 34300 Bethesda, MD 20827-0300 - Phone: 301-365-2100

Location ID: 2976859
Phone: 301-365-2100
NOB/SIC: Cut Stone and Stone Products

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143462V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001697685		CAMPBELL	2011	07/08/2021	Recurring Cert	Active	Shop

Total Objects at this Location: 1

Location: True Respite Brewing Company, LLC
Address: 7301 Calhoun PI Ste 400 - Derwood, MD 20855-2740
County: Montgomery **FIPS:** 24031
Primary Contact: Kenny Allen - Phone: 703-371-7924 - Email: brendan@truerespice.com
Billing Contact: Kenny Allen - 7301 Calhoun PI Ste 400 Derwood, MD 20855-2740 - Phone: 703-371-7924 - Email: brendan@truerespice.com

Location ID: 3868288
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161493H		Other w/comment	H - Steam Heat (Steam <= 15 psig)	000018540	32768	Rite Engineering	2017	08/06/2022	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Twinbrook Community Church
Address: 5906 Halpine Rd - Rockville, MD 20851-2409
County: Montgomery **FIPS:** 24031
Primary Contact: Chris Van Slyke - Phone: 301-984-1454 - Email: contact@twinbrookcc.org
Billing Contact: Chris Van Slyke - 5906 Halpine Rd Rockville, MD 20851-2409 - Phone: 301-984-1454 - Email: contact@twinbrookcc.org

Location ID: 713082
Phone: 301-984-1454
NOB/SIC: Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111538H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7513739	Burnham	1978	06/22/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: Uncle Julio's Mexican Restaurant/Rio Grande Cafe
Address: 4870 Bethesda Ave - Bethesda, MD 20814-5202
County: Montgomery **FIPS:** 24031
Primary Contact: Rio Grande Cafe - Phone: 301-656-2981
Billing Contact: April West - 1101 N Union Bower Rd Ste 160 Irving, TX 75061-5850 - Phone: 972-554-3624 - Email: permits@unclejulios.com

Location ID: 1934519
Phone: 301-656-2981
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159942H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000115868		Bradford White	2016	06/06/2022	Recurring Cert	Active	Sprinkler Room
MD162590V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000003346		Taylor	1989	09/28/2022	Recurring Cert	Active	Outside

Total Objects at this Location: 2

Location: Uniformed Services Univ-Health Sciences
Address: 4301 Jones Bridge Rd - Bethesda, MD 20814-4712
County: Montgomery **FIPS:** 24031
Primary Contact: Kelvin McGill - Phone: 301-295-0799 - Email: kelvin.mcgill@usuhs.edu
Billing Contact: Corey Smalls - 4301 Jones Bridge Rd Bethesda, MD 20814-4712 - Phone: 301-295-3055 - Email: corey.smalls@usuhs.edu

Location ID: 719926
Phone: 301-295-0799
NOB/SIC: Petroleum and coal products

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143682V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000074581	VT1500-C4291	Taylor-Wharton	2004	08/02/2022	Recurring Cert	Active	Loading Dock
MD143683V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000070888	22250	CHART	2008	08/02/2022	Recurring Cert	Active	AFFRI Loading Dock

Total Objects at this Location: 2

Location: United Presbyterian Church
Address: 7009 Wilson Ln - Bethesda, MD 20817-4925
County: Montgomery **FIPS:** 24031
Primary Contact: Robert Taylor - Phone: 301-762-3363
Billing Contact: Robert Taylor - 7009 Wilson Ln Bethesda, MD 20817-4925 - Phone: 301-762-3363

Location ID: 727121
Phone: 240-751-0545
NOB/SIC: Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166703H		Cast Iron	H - Hot Water	CI		Weil-McLain	2020	06/26/2022	Recurring Cert	Active	Boiler Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								
Total Objects at this Location:				1							

Location: Universal High Tech Development
Address: 1383 Piccard Dr - Rockville, MD 20850-4329
County: Montgomery **FIPS:** 24031
Primary Contact: Jerry Lin - Phone: 301-928-8000
Billing Contact: Jerry Lin - 1383 Piccard Dr Rockville, MD 20850-4329 - Phone: 301-928-8000

Location ID: 727539
Phone:
NOB/SIC: Health services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD055273H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000020		Brasch	1979	06/29/2020	Recurring Cert	Active	Boiler Room in room100
Total Objects at this Location:				1							

Location: Urban Winery (Arc3)
Address: 949 Bonifant St Ste A - Silver Spring, MD 20910-5754
County: Montgomery **FIPS:** 24031
Primary Contact: Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Location ID: 3989305
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165576V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000280023		CHART	2015	11/07/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: US Pharmacopeia (Roberts Oxygen) **Location ID:** 3839670
Address: 12601 Twinbrook Pkwy - Rockville, MD 20852-1717 **Phone:** 301-230-3364
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Biological Products, Except Diagnostic Substances
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160868V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000087353		Taylor	2007	11/21/2021	Recurring Cert	Active	Outside Gated Area
Total Objects at this Location:				1							

Location: Vasili's Kitchen (Arc3) **Location ID:** 3992531
Address: 705 Center Point Way - Gaithersburg, MD 20878-6462 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Vasili's Kitchen (Arc3)
Billing Contact: Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165822V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000109899		MVE	1999	11/19/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Vehicle Emissions Inspection Program **Location ID:** 2922959
Address: 15910 Chieftain Ave - Derwood, MD 20855-2134 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Air and Water Resource and Solid Waste Management
Primary Contact: Cheryle Freeman - Phone: 410-737-2700 x3721 - Cell: 443-324-0372 - Email: cheryle.freeman@opusinspection.com
Billing Contact: Cheryle Freeman - 1740 Twin Springs Rd Ste K Baltimore, MD 21227-3549 - Phone: 410-737-2700 x3721 - Cell: 443-324-0372 - Email: cheryle.freeman@opusinspection.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143429V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001090272		Manchester	2009	03/10/2023	Recurring Cert	Active	Inspection Bay
Total Objects at this Location:				1							

Location: Villa Cortese
Address: 14800 Pennfield Cir - Silver Spring, MD 20906-1575
County: Montgomery **FIPS:** 24031
Location ID: 728000
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Wendy Bethke - Phone: 301-598-1335 - Email: wbethke@lwmc.com
Billing Contact: Wendy Bethke - 14809 Pennfield Cir Silver Spring, MD 20906 - Phone: 301-598-1335 - Email: wbethke@lwmc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155119H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000278273		Lochinvar	2015	05/09/2020	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 1

Location: VREC III-LO Colesville Medical MOB LLC
Address: 10720 Columbia Pike - Silver Spring, MD 20901-4437
County: Montgomery **FIPS:** 24031
Location ID: 722140
Phone: 301-592-0066
NOB/SIC: Rooming and Boarding Houses
Primary Contact: Jamahl Gill - Phone: 301-592-0066
Billing Contact: Jamahl Gill - 10770 Columbia Pike Suite 125 Silver Spring, MD 20901-4402 - Phone: 301-592-0066

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137781H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000014556		R B I	2004	04/18/2022	Recurring Cert	Active	BSMT BLRM

Total Objects at this Location: 1

Location: VREC III-LO Colesville Medical MOB LLC
Address: 10750 Columbia Pike - Silver Spring, MD 20901-4402
County: Montgomery **FIPS:** 24031
Location ID: 717272
Phone:
NOB/SIC: Offices of Bank Holding Companies
Primary Contact: Jamahl Gill - Phone: 301-592-0066
Billing Contact: Jamahl Gill - 10770 Columbia Pike Suite 125 Silver Spring, MD 20901-4402 - Phone: 301-592-0066

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134039V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000035657		Steel Fab	1992	04/18/2022	Recurring Cert	Active	Penthouse
MD142041H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000026144	071056368	R B I	2010	04/18/2022	Recurring Cert	Active	Penthouse
MD142042H		Vertical Fire Tube	H - Hot Water	000026156	071056386	R B I	2010	04/18/2022	Recurring Cert	Active	Penthouse

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

Total Objects at this Location: 3

Location: VREC III-LO Colesville Medical MOB LLC
Address: 10770 Columbia Pike - Silver Spring, MD 20901-4402
County: Montgomery **FIPS:** 24031
Primary Contact: Jamahl Gill - Phone: 301-592-0066
Billing Contact: Jamahl Gill - 10770 Columbia Pike Suite 125 Silver Spring, MD 20901-4402 - Phone: 301-592-0066

Location ID: 717273
Phone: 301-592-0066
NOB/SIC: Real Estate Agents and Managers

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD064971V	1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000638270	0	Brunner	1985	04/18/2022	External Cert, Recurring Cert	Active	Penthouse
MD142043H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000026143		R B I	2010	04/18/2022	Recurring Cert	Active	Penthouse

Total Objects at this Location: 2

Location: VW-Volvo Auto Body
Address: 7615 Rickenbacker Dr Ste G - Gaithersburg, MD 20879-4783
County: Montgomery **FIPS:** 24031
Primary Contact: VW-Volvo Auto Body
Billing Contact:

Location ID: 3637068
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152144V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000401352	397950	Morganton	2014	07/31/2021	Recurring Cert	Active	Rear Shop

Total Objects at this Location: 1

Location: Walnut Grove Condominiums
Address: 11919 Parklawn Dr - Rockville, MD 20852-2619
County: Montgomery **FIPS:** 24031
Primary Contact: Garay -Doc Goglio - Phone: 202-438-6005
Billing Contact: Doug Amstien - 8701 Georgia Ave Ste 300 Silver Spring, MD 20910-3727 - Phone: 301-495-6611

Location ID: 728302
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148636H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092105		Jet Glass	2010	09/15/2021	Recurring Cert	Active	Laundry Room
Total Objects at this Location:				1							

Location: Walnut Hill Exxon - 5416 (Sunoco)
Address: 16425 S Frederick Ave - Gaithersburg, MD 20877-4101
County: Montgomery **FIPS:** 24031
Primary Contact: Walnut Hill Exxon - 5416 (Sunoco)
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 3656989
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152145V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000003001		Brunner	1994	11/20/2021	Recurring Cert	Active	CAR WASH
MD158624V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000005920		Taylor	1989	11/25/2021	Recurring Cert	Active	Outside
Total Objects at this Location:				2							

Location: Walnut Hill Liberty
Address: 623 S Frederick Ave - Gaithersburg, MD 20877-1241
County: Montgomery **FIPS:** 24031
Primary Contact: Bill Rademacher - Phone: 301-840-5651
Billing Contact: Gaithersburg Liberty, LLC. T/A - 623 S Frederick Ave Gaithersburg, MD 20877-1241 - Phone: 301-840-5651

Location ID: 728307
Phone: 301-840-5651
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165133V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001905298		Manchester	2017	09/17/2021	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

Location: Walter Reed Army Inst Of Research
Address: 503 Robert Grant Ave - Silver Spring, MD 20910-7500
County: Montgomery **FIPS:** 24031
Location ID: 728327
Phone:
NOB/SIC: Health services
Primary Contact: Reginald Johnson - Phone: 301 319 9466
Billing Contact: Calvin Ashcraft - 503 Grant Street Room GW-21; Bldg 503 Silver Spring, MD 20910 - Phone: 301 319 9387

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111863V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000057309		Minnesota Valley	1998	10/19/2020	Recurring Cert	Active	Bldg 503
MD111864V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000057311		Minnesota Valley	1998	10/19/2020	Recurring Cert	Active	Bldg 503
MD111865V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000057319		Minnesota Valley	1998	10/19/2020	Recurring Cert	Active	Bldg 503

Total Objects at this Location: 3

Location: Washington Gas Light Co.
Address: 11801 Nebel St - Rockville, MD 20852-2507
County: Montgomery **FIPS:** 24031
Location ID: 728433
Phone: 703-750-4585
NOB/SIC: Manufacturing Industries, NEC
Primary Contact: Robert Blunt - Phone: 703-750-4585 - Email: rblunt@washgas.com
Billing Contact: Robert Blunt - 6801 Industrial Rd Springfield, VA 22151-4206 - Phone: 703-750-4585 - Email: rblunt@washgas.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165143V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000772950		Steel Fab	2015	09/30/2021	Recurring Cert	Active	Mezzanie
MD165144V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000045656		BWB	2016	09/24/2021	Recurring Cert	Active	Mezzanie

Total Objects at this Location: 2

Location: Washington McLaughlin Christian School
Address: 6501 Poplar Ave - Takoma Park, MD 20912-4867
County: Montgomery **FIPS:** 24031
Primary Contact: Washington McLaughlin Christian School - Phone: 301-613-7793
Billing Contact: - 6500 Poplar Ave Takoma Park, MD 20912-4858 - Phone: 301-613-7793

Location ID: 728444
Phone:
NOB/SIC: Elementary and Secondary Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD041368V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000043792		Adamson	1969	05/06/2020	Recurring Cert	Active	BLRM
MD122015H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	2004	05/06/2020	Recurring Cert	Active	BLRM

Total Objects at this Location: 2

Location: Watkins Mill Exxon
Address: 19205 Watkins Mill Rd - Montgomery Village, MD 20886-3901
County: Montgomery **FIPS:** 24031
Primary Contact: Watkins Mill Exxon
Billing Contact:

Location ID: 4068268
Phone:
NOB/SIC:

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000419898		Steel Fab	2008	03/16/2023	Recurring Cert	Active	Outside Shed

Total Objects at this Location: 1

Location: Wendy's (Roberts Oxygen)
Address: 14012 Connecticut Ave - Silver Spring, MD 20906-2922
County: Montgomery **FIPS:** 24031
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFravovich@RobertsOxygen.com

Location ID: 3971710
Phone:
NOB/SIC: Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165163V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000039008		MVE Inc	1990	09/11/2021	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Wendy's (Roberts Oxygen) **Location ID:** 3971708
Address: 17 Vital Way - Silver Spring, MD 20904-3447 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Eating and Drinking Places
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165187V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000325572		CHART	2019	11/05/2021	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Wendy's (Roberts) **Location ID:** 4038773
Address: 12114 Darnestown Rd - Gaithersburg, MD 20878-2206 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167222V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000006919		Taylor	1991	08/25/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Wendy's (Roberts) **Location ID:** 4010662
Address: 12988 Middlebrook Rd - Germantown, MD 20874-2616 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166704V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000023848		Taylor	1995	02/21/2022	Recurring Cert	Active	Kitchen

Total Objects at this Location: 1

Location: Wendy's (Roberts) **Location ID:** 3988639
Address: 18350 Contour Rd - Montgomery Village, MD 20877-2600 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165555V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000009076		Taylor	1991	10/17/2021	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Wendy's - 5001 (Robert) **Location ID:** 4038763
Address: 5001 Nicholson Ln - Rockville, MD 20852-3101 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167197V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000009391		Taylor	1992	08/25/2022	Recurring Cert	Active	Outside
Total Objects at this Location:				1							

Location: Wendy's - 6527 (Roberts) **Location ID:** 4038765
Address: 15807 Frederick Rd - Derwood, MD 20855-2219 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167724V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000003498		Taylor	1990	08/25/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Wendy's - 6566 (Roberts) **Location ID:** 4038764
Address: 808 Rockville Pike - Rockville, MD 20852-1224 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167196V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000300027		CHART	2017	08/25/2022	Recurring Cert	Active	Store Room
Total Objects at this Location:				1							

Location: Wendy's - 6585 (Roberts) **Location ID:** 4038766
Address: 18425 Woodfield Rd - Gaithersburg, MD 20879-4708 **Phone:**
County: Montgomery **FIPS:** 24031 **NOB/SIC:**
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167198V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000026812		Taylor	1996	08/25/2022	Recurring Cert	Active	Kitchen
Total Objects at this Location:				1							

Location: Westbard Citgo **Location ID:** 728729
Address: 5335 Westbard Ave - Bethesda, MD 20816-1406 **Phone:** 301-656-0053
County: Montgomery **FIPS:** 24031 **NOB/SIC:** Gasoline Service Stations
Primary Contact: Tim Bowds - Phone: 301-656-0053
Billing Contact: Tim Bowds - 5335 Westbard Ave Bethesda, MD 20816-1406 - Phone: 301-656-0053

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132950V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000426692		Steel Fab	2006	11/09/2022	Recurring Cert	Active	Rear Open Shed
Total Objects at this Location:				1							

Location: Wheaton 7th Day Adventist Church
Address: 3132 Bel Pre Rd - Silver Spring, MD 20906-2420
County: Montgomery **FIPS:** 24031
Location ID: 2977110
Phone: 301-871-6110
NOB/SIC: Religious Organizations
Primary Contact: Steve Murphy - Phone: 301-526-0471
Billing Contact: Campbell Rogers - 3132 Bel Pre Rd Silver Spring, MD 20906-2420 - Cell: 301-318-0013 - Email: wctreasury@outlook.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145913H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	1964	10/19/2021	Recurring Cert	Active	Boiler Room
Total Objects at this Location:				1							

Location: Wheaton Branch BOA
Address: 2601 University Blvd W - Wheaton, MD 20902-1926
County: Montgomery **FIPS:** 24031
Location ID: 988430
Phone:
NOB/SIC: Business Services, NEC
Primary Contact: Steve Quach - Phone: 301-929-8818 - Email: syrquach@yahoo.com
Billing Contact: Steve Quach - 2646 University Blvd W Wheaton, MD 20902-1913 - Phone: 301-929-8818 - Email: syrquach@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD088040H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1994	02/23/2021	Recurring Cert	Active	Basement
Total Objects at this Location:				1							

Location: Wheaton House
Address: 10817 Georgia Ave - Wheaton, MD 20902-4741
County: Montgomery **FIPS:** 24031
Location ID: 705629
Phone:
NOB/SIC: Operators of Apartment Buildings
Primary Contact: Jamie Gonzalez - Phone: 301-949-8658 - Email: jedmonds@borgerproperties.com
Billing Contact: Jamie Gonzalez - 10817 Georgia Ave Wheaton, MD 20902-4741 - Phone: 301-949-8658 - Email: jedmonds@borgerproperties.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130520H	Boiler 1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	2004	03/09/2021	Recurring Cert	Active	Boiler Room
MD130521H	Boiler 2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		HB Smith	2004	03/09/2021	Recurring Cert	Active	Boiler Room

Total Objects at this Location: 2

Location: Wheaton Service Center
Address: 11321 Fern St - Silver Spring, MD 20902-4611
County: Montgomery **FIPS:** 24031
Primary Contact: Tom Doyle - Phone: 301 949 3144
Billing Contact: Tom Doyle - 11321 Fern St Wheaton, MD 20902-4611 - Phone: 301 949 3144

Location ID: 1645028
Phone:
NOB/SIC: Motor Vehicle Dealers (New and Used)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136966V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001068269		Manchester	2000	01/16/2021	Recurring Cert	Active	Compressor Room Bldg.11321
Total Objects at this Location:				1							

Location: Wheaton Speedy Car Wash
Address: 2404 Price Ave - Wheaton, MD 20902-4622
County: Montgomery **FIPS:** 24031
Primary Contact: Mechelle Kim - Phone: 301-332-6033(c)
Billing Contact: Mechelle Kim - 2404 Price Ave Wheaton, MD 20902-4622 - Phone: 301-332-6033(c)

Location ID: 728962
Phone:
NOB/SIC: Carwashes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD081133V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000969603		Buckeye	1990	12/05/2022	Recurring Cert	Active	Mach Bay
MD134043V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000998058		Melben	2001	12/05/2022	Recurring Cert	Active	Mach Bay
Total Objects at this Location:				2							

Location: Wheaton Valet Cleaners
Address: 11447 Georgia Ave - Wheaton, MD 20902-1906
County: Montgomery **FIPS:** 24031
Primary Contact: Wheaton Valet Cleaners
Billing Contact:

Location ID: 728967
Phone:
NOB/SIC: Apparel and other textile products

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159491V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000376332		Mat Ind	2016	11/13/2021	Recurring Cert	Active	BASEMENT

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									

Total Objects at this Location: 1

Location: White Flint Exxon
Address: 11430 Rockville Pike - Rockville, MD 20852-3001
County: Montgomery **FIPS:** 24031
Primary Contact: Scott Bochnancyiak - Phone: 301-881-5689 - Email: wfexxon@verizon.net
Billing Contact: Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Location ID: 729002
Phone: 301-881-5689
NOB/SIC: Transportation services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167758V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000683228		Morganton	2017	08/27/2022	Recurring Cert	Active	Outside Shed

Total Objects at this Location: 1

Location: White Oak Auto Service Inc
Address: 11415 Lockwood Dr - Silver Spring, MD 20904-2610
County: Montgomery **FIPS:** 24031
Primary Contact: Rami Kounicar - Phone: 301-593-5622
Billing Contact: Rami Kounicar - 11415 Lockwood Dr Silver Spring, MD 20904-2610 - Phone: 301-593-5622

Location ID: 1724643
Phone:
NOB/SIC: Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147973V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000245100		Morganton	2013	10/26/2021	Recurring Cert	Active	Compressor Shed

Total Objects at this Location: 1

Location: Willard Packaging Co
Address: 18940 Woodfield Rd - Gaithersburg, MD 20879-4717
County: Montgomery **FIPS:** 24031
Primary Contact: David Salkeld - Phone: 310-948-7700 - Email: davidjr@willardpackaging.com
Billing Contact: Dana Salkeld - PO Box 27 Gaithersburg, MD 20884-0027 - Phone: 301-948-7700

Location ID: 722314
Phone:
NOB/SIC: Packaging Paper and Plastics Film, Coated and Laminated

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130055V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001282286		Campbell	2004	03/12/2023	Recurring Cert	Active	Box plant
MD130056V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000404859		Steel Fab	2005	03/12/2023	Recurring Cert	Active	case plant
MD130057V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001248134		CAMPBELL HAUSFELD	2004	03/12/2023	Recurring Cert	Active	Case Plant
MD141053V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010653		ICE	2011	03/12/2023	Recurring Cert	Active	Box PLant
MD148959V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001443608		CAMPBELL HAUSFELD	2007	03/12/2023	Recurring Cert	Active	Case Plant
MD156528V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	001938073		Campbell Hausfield	2016	02/18/2023	Recurring Cert	Active	Plant
MD156529V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000409597		Campbell Hausfield	2014	02/18/2023	Recurring Cert	Active	Plant
MD156530V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001901725		CAMPBELL HAUSFELD	2015	02/18/2023	Recurring Cert	Active	Case Plant
MD163054V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002021969		Twin Lakes Tanks	2017	01/17/2023	Recurring Cert	Active	Box Plant
MD167790V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002242991		Twin Lakes Tanks	2020	01/11/2023	Recurring Cert	Active	Box Plant
MD167791V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002217216		Twin Lakes	2019	01/11/2023	Recurring Cert	Active	Foam Plant
MD167792V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002230377		Twin Lakes	2019	01/11/2023	Recurring Cert	Active	Foam Plant

Total Objects at this Location: 12

Location: Woodmont Country Club
Address: 1201 Rockville Pike - Rockville, MD 20852-1409
County: Montgomery **FIPS:** 24031
Location ID: 729447
Phone: 301-424-7200
NOB/SIC: Amusement and recreational services
Primary Contact: James Arney - Phone: 301-424-7200 - Cell: 240-832-7513 - Email: jamey@woodmontcc.com
Billing Contact: James Arney - 1201 Rockville Pike Rockville, MD 20852-1409 - Phone: 301-424-7200 - Cell: 240-832-7513 - Email: jamey@woodmontcc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD011616H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000001271		Cemline	1949	02/26/2023	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

Location: Woodmont Exxon
Address: 8240 Wisconsin Ave - Bethesda, MD 20814-3100
County: Montgomery **FIPS:** 24031
Location ID: 704532
Phone: 301-656-6042
NOB/SIC: Gasoline Service Stations
Primary Contact: Kwaniece Ricks - Phone: (703) 750-6810 ext. 177 - Cell: (571) 296-0074 - Email: kricks@capitolpetro.com
Billing Contact: Erika Dogan - 6820 Commercial Dr # B Springfield, VA 22151-4201 - Email: edogan@capitolpetro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143030V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000292194		Manchester	1995	06/06/2022	Recurring Cert	Active	Store Room 2nd Floor
MD167729V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002282073		Manchester	2020	11/13/2022	Recurring Cert	Active	Car Wash

Total Objects at this Location: 2

Location: Woodside Deli (Roberts)
Address: 13048 Middlebrook Rd - Germantown, MD 20874-2617
County: Montgomery **FIPS:** 24031
Location ID: 4002542
Phone:
NOB/SIC:
Primary Contact: Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com
Billing Contact: Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165834V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000009908		Taylor	1992	12/10/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

Location: Woodside Village Condominiums
Address: 1901 Lyttonsville Rd - Silver Spring, MD 20910-2245
County: Montgomery **FIPS:** 24031
Primary Contact: Woodside Village Condominiums - Phone: 3014688819
Billing Contact: Gaye Bridges - PO Box 221350 Chantilly, VA 20153-1350 - Phone: 7036312003

Location ID: 729512
Phone:
NOB/SIC: Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149045H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000029324		R B I	2012	06/09/2021	Recurring Cert	Active	BLRM
MD155262H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000201193		A O Smith	2015	06/09/2021	Recurring Cert	Active	BLRM

Total Objects at this Location: 2

Location: Young Cleaners
Address: 607 Sligo Ave - Silver Spring, MD 20910-4710
County: Montgomery **FIPS:** 24031
Primary Contact: Young Cleaners
Billing Contact:

Location ID: 715675
Phone:
NOB/SIC: Garment Pressing, and Agents for Laundries and Drycleaners

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004367		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000074686		Fulton	1995	06/12/2019	Recurring Cert	Active	BLRM
MD099255V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	00042698J		Brunner	1995	06/09/2019	Recurring Cert	Active	BOILER ROOM
MD099256V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000615019		Manchester	1998	06/09/2019	Recurring Cert	Active	BASEMENT

Total Objects at this Location: 3

Total Objects 1,365
Total Locations 674
Total Active Objects 1365